

2019-08-07
2019-1019

Atrazine Base Mix Manufacturing Concentrate

HERBICIDE

SUSPENSION

FOR USE IN MANUFACTURING OR FORMULATING ONLY

ACTIVE INGREDIENT:

Atrazine and related triazines.....57.8%

Contains 1,2-benzisothiazolin-3-one at 0.01% as a preservative or contains 5-chloro-2-methyl-4-isothiazolin-3-one at 0.0004%, 2-methyl-4-isothiazolin-3-one at 0.0001%, and 2-bromo-2-nitropropane-1,3-diol at 0.008% as preservatives.

**READ THE LABEL AND TECHNICAL BULLETIN BEFORE USING
PREVENT ACCESS BY UNAUTHORIZED PERSONNEL**

REGISTRATION NO.: **30373**
PEST CONTROL PRODUCTS ACT

NET CONTENTS: **Bulk**

Syngenta Crop Protection Canada, Inc.
140 Research Lane, Research Park
Guelph, ON N1G 4Z3
Telephone: 1-877-964-3682

NOTICE TO USER

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label.

FIRST AID

IN CASE OF POISONING, IMMEDIATELY contact a physician or a poison control centre. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

If swallowed, call a poison control centre or doctor **IMMEDIATELY** for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

If on skin or clothing, take off contaminated clothing. Rinse skin **IMMEDIATELY** with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

If inhaled, move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

If in eyes, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

TOXICOLOGICAL INFORMATION

No specific antidote is available. Apply symptomatic therapy. Treat symptomatically.

PRECAUTIONS

PREVENT ACCESS BY UNAUTHORIZED PERSONNEL

Strictly observe all precautions for handling and using pesticides. Do not eat, drink or smoke while working.

Do not contaminate food, feed or water supplies.

Protective Equipment (if contact with the product is possible):

Wear heavy duty cotton or synthetic fabric working clothes (e.g. coveralls), chemical-resistant apron, heavy-duty shoes or boots, chemical-resistant gloves, and goggles or face-shield. In case of heavy exposure, wear a NIOSH/MSHA approved dust mask.

After Work:

Wash thoroughly (shower or bath, wash hair). Change clothing. Thoroughly clean protective gear. Thoroughly clean contaminated equipment with soap or soda solution.

STORAGE

Store product in a well-ventilated, cool, dry and secure area. Ship and store away from food, feed, seed, fertilizer or other pesticides.

DECONTAMINATION AND DISPOSAL

Canadian manufacturers should dispose of unwanted active ingredients and containers in accordance with municipal or provincial regulations. For additional details and clean up of spills, contact the manufacturer or the provincial regulatory agency.

***IN CASE OF EMERGENCY INVOLVING A MAJOR SPILL, FIRE OR POISONING,
CALL 1-800-327-8633 (FASTMED)***

DIRECTIONS FOR USE

To be used only in the manufacture of products registered under the *PEST CONTROL PRODUCTS ACT*. Read Technical Bulletin for formulation details.