

2016-4079
2017-03-21

Doktor Doom Sleep Tight Fabrics and Upholstery Professional Strength

Bed Bug Killer

Only use one can of product per household per year

Kills exposed stages of Ants, Bed Bugs, Crickets, Sowbugs, Spiders,
Brown Dog Ticks, Fleas (Adults) and Carpet Beetles (Adults)

PRESSURIZED SPRAY

DOMESTIC

REGISTRATION NO. 29729 PEST CONTROL PRODUCTS ACT

READ THE LABEL BEFORE USING

GUARANTEE:

D-phenothrin	0.120%
Prallethrin.....	0.025%
*Piperonyl butoxide, Technical	0.580%
**N-Octyl bicycloheptene dicarboximide, Technical	1.000%

* Equivalent to 0.48% (butylcarbityl) (6-propylpiperonyl) ether and 0.12% related compounds

** MGK® 264, Insecticide Synergist

KEEP OUT OF REACH OF CHILDREN

CAUTION



POISON EXPLOSIVE

POTENTIAL SKIN SENSITIZER

NET CONTENTS: 207 g

753146 AB Ltd. o/a ULTRASOL INDUSTRIES

10755 - 69 Avenue

Edmonton, Alberta

Canada T6H 2C9

1-780-432-6535

www.doktordoom.com

2016-4079

2017-03-21

DIRECTIONS FOR USE: READ ALL DIRECTIONS COMPLETELY BEFORE USE. NOT FOR USE ON MATTRESSES.

Doktor Doom Sleep Tight Fabrics and Upholstery Professional Strength Bed Bug Killer contains a combination of ingredients that kills ticks, adult fleas and adult black carpet beetles.

Doktor Doom Sleep Tight Fabrics and Upholstery Professional Strength Bed Bug Killer provides quick knockdown and kill with two highly effective non-residual insecticides. Occasionally adult fleas may be present in treated areas when reintroduced from infested animals or if newly emerged from pre-existing flea larvae or pupae.

Doktor Doom Sleep Tight Fabrics and Upholstery Professional Strength Bed Bug Killer leaves no bad smell or sticky mess and, used as directed, does not stain furnishings.

Controls the following insects on contact: Ants, Bedbugs, Black Carpet Beetles (adults), Crickets, Fleas (adults), Sowbugs, Spiders and Brown Dog Ticks.

FOR USE IN: Apartments, Automobiles, Boats, Campers, Homes, Pet Sleeping Areas, Recreation Vehicles and Storage Areas. Do not use in food handling, storage or preparation areas while food is present. **DO NOT** apply as a broadcast application. **ONLY** perimeter/spot or crack and crevice is permitted. Perimeter/spot application is defined as an application in a wide band or strip around the perimeter of the room or over a small area (< 2 ft²/0.2 m²). Crack and crevice applications are defined as an application with the use of a pin stream nozzle, into cracks and crevices in which pests hide or through which they may enter a building. Application to upholstered furniture must be limited to tufts and seams or spot treatment.

FOR USE INDOORS: Shake can well before use. Direct spray nozzle so that spray contacts insects and other arthropods directly.

CRACK AND CREVICE TREATMENT: Hold can 15 cm (6") from infested surfaces. Apply at a rate of approximately one linear metre per 5 seconds.

SPOT TREATMENT: Hold can approximately 60 to 90 cm (2-3') from infested surfaces. Apply in one-second bursts. Avoid wetting upholstered furniture and draperies. If used on light or delicate upholstery fabrics, draperies, or carpet, test in an inconspicuous place before use.

Contact with spray is sufficient to kill insects. Since this product is to be used as a contact spray for the control of listed pests, the coverage of the can will be variable. Based upon laboratory data, the contents of the can will cover from 3.4 square meters for ants to 14.6 square meters for fleas and brown dog ticks. If using as a spot treatment on upholstered furniture or carpet/rugs, do not repeat more often than once every two weeks.

ANTS, BEDBUGS, CRICKETS, SOWBUGS AND SPIDERS: Spot treat for pests if they are found on rugs, carpets, or furniture. Cracks and crevices should be treated along baseboards, shelves, in closets, cupboards, and areas where these pests are seen. If used on light or delicate upholstery fabrics or carpet, test in an inconspicuous place before use. For bedbugs, it may be advisable to take bed apart and treat cracks, joints, and interior or framework where bedbugs are seen, or are suspected to be hiding (provided there is reason to believe that a bedbug infestation exists). **DO NOT** treat bed linens. **DO NOT** use articles until treatment is dry.

ADULT FLEAS AND BROWN DOG TICKS: Using one second bursts, spray fleas and brown dog ticks when seen on carpets, rugs, upholstered furniture and any other surfaces avoiding feed and foodstuff contamination. Treat under and around furniture if pets frequently rest in these areas. When treating upholstered furniture, lift cushions and treat under cushions and in crevices of furniture where fleas or ticks may hide. Do not apply this product to pets.

2016-4079

2017-03-21

ADULT BLACK CARPET BEETLES (Dermestids): Directly spray as many insects as possible, being careful to avoid spraying exposed surfaces of carpets, drapes and upholstered furniture. When spraying upholstered furniture, spray under cushions and the underside of furniture if possible. Area rugs should be treated on the bottom side only. Allow treatments to dry before putting rug back in place. Treat cracks and crevices of shelves and closets, areas under furniture, cracks and crevices of baseboards only in areas where these insects are seen or suspected.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. KEEP CHILDREN AND ANIMALS OFF TREATED SURFACES. Harmful if swallowed or absorbed through skin. Contains petroleum distillate. Do not breathe vapours or spray mist. Avoid contact with skin or eyes. Wash with soap and warm water after use. Do not use as a space spray. Avoid contamination of food and feedstuffs. Do not use in commercial food processing or preparation areas. In the home, all food processing surfaces and utensils should be covered during treatment, or thoroughly washed before use. Cover exposed food. Remove all pets and birds and cover fish aquariums before spraying. Contents under pressure. Keep away from heat, sparks and open flame. Do not puncture or incinerate container. Exposure to temperatures above 50°C may cause bursting. Do not use this product in or on electrical equipment due to possibility of shock hazard. Do not use this product on animals.

ENVIRONMENTAL HAZARDS: Toxic to aquatic organisms.

FIRST AID: If in eyes, hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice. If swallowed, call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. If inhaled, move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: This product contains petroleum distillates. Vomiting may cause aspiration pneumonia. Treat symptomatically.

STORAGE: Store in a cool dry area away from heat or open flame.

DISPOSAL: Do not reuse empty container. When container is empty, press valve to release all pressure. Wrap container in several layers of newspaper and discard in household garbage.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.