2023-2683 2023-11-29

Blaze Pro Crawling Insect Killer Spray

Pressurized contact & residual
Crack, crevice & spot insecticide spray
Indoor and outdoor use

INSECTICIDE

DOMESTIC

Kills on Contact + 24/7 Residual Kills 15 crawling and flying insects

For indoor use at buildings and for outdoor use on the exterior surfaces of buildings and on porches, patios and decks to kill Ants, Cockroaches, Spiders, Sow bugs, Earwigs, Crickets, Millipedes, Silverfish, Fleas, Carpet Beetles, American & Brown Dog Ticks, Cluster Flies & House Flies

Fast Action

ACTIVE INGREDIENTS:

Pyrethrin	0.050%
N-Octyl Bicycloheptene Dicarboximide	0.250%
Permethrin	0.200%

REG. NO. 31561 P.C.P. ACT

NET CONTENTS: ___ g

CAUTION



EXPLOSIVE

READ THE LABEL BEFORE USING KEEP OUT OF REACH OF CHILDREN

Novella Brands Inc. 120 Midair Court Brampton, ON L6T 5V1 1-905-790-0636

NOTICE TO USER

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label.

FIRST AID: If in eyes, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice. If swallowed, call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. If inhaled, move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Skin exposure may cause transient sensations (tingling, burning, itching, numbness). Other symptoms of exposure could include respiratory effects (such as cough, respiratory irritation, or shortness of breath), nausea, headache or dizziness. This product contains petroleum distillates. Vomiting may cause aspiration pneumonia. Treat symptomatically.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Harmful if swallowed, inhaled or absorbed through skin. Avoid contact with eyes, skin, or clothing. **DO NOT** USE ON ANIMAL FEED AREAS. May cause skin and/or eye irritation. Contents under pressure. **DO NOT** place in hot water or near radiators, stove or other sources of heat, or store at temperatures over 50°C.

ENVIRONMENTAL PRECAUTIONS: Toxic to birds. Toxic to aquatic organisms. Toxic to bees. Avoid application around blooming plants. If applications must be made during the blooming period, restrict applications to evening when most bees are not foraging. Toxic to beneficial arthropods (which may include predatory and parasitic insects, spiders, and mites). Minimize exposure to non-target areas.

DIRECTIONS FOR USE:

Shake can well before using. Test a small inconspicuous area for color fastness & staining before full application. Hold container approximately 30 cm from surface being sprayed and lightly spray. Cover fishbowls when spraying. Within the specified use location, to enhance effectiveness of this product, apply this product directly to the listed pest where possible. Good sanitary practices should be maintained to prevent re-infestation.

USE LIMITATIONS FOR ALL USES

 When applied outdoors: DO NOT apply in areas where plants are grown for food or feed (e.g., vegetables, fruit, herbs). DO NOT apply to any body of water. DO NOT contaminate irrigation or drinking water supplies or aquatic habitats by cleaning of equipment or disposal of wastes. Avoid application of this product when winds are gusty.

- **DO NOT** contaminate food/feed.
- DO NOT apply to surfaces that may come into contact with food/feed. Cover or remove all food/feed. Cover all food/feed processing surfaces, equipment and utensils or thoroughly wash following treatment. Any food/feed accidentally contaminated with spray solution must be discarded.
- DO NOT apply when people, pets or livestock are present.
- DO NOT allow people, pets or livestock to enter treated areas until sprays have dried.
- **DO NOT** allow spray to drip or allow drift onto non-target surfaces.
- **DO NOT** apply to people, pets, livestock or sources of electricity.
- DO NOT apply to furniture, mattresses, linens, pet bedding, toys, or clothing.
- **DO NOT** apply to overhead areas or in confined spaces (for example, indoors in attics, crawlspaces, small storage rooms, closets; and outdoors to eaves, soffits).
- When applied indoors: Ventilate treated areas after application by opening windows and doors or using fans where required to aid in the circulation of air.
- When applied outdoors to the exterior surfaces of buildings and on listed structures: DO
 NOT treat soil, turf or other plants adjacent to the treatment site

FOR INDOOR USE AT BUILDINGS AND FOR OUTDOOR USE ON THE EXTERIOR SURFACES OF BUILDINGS AND ON PORCHES, PATIOS AND DECKS

HOW TO APPLY

DO NOT APPLY AS A SPACE SPRAY, PERIMETER OR BROADCAST TREATMENT. Apply as an indoor crack and crevice or indoor or outdoor spot treatment only.

<u>CRACK AND CREVICE</u> is an application directly into narrow openings on the surface of the structure. It does not include the treatment of exposed surfaces. Narrow openings typically occur at expansion joints, utility entry points and along baseboards and mouldings.

<u>SPOT APPLICATION</u> is localized to a surface area not more than 0.2 m². Spots are not to be adjoining and the combined area of spots is not to exceed 10% of the total surface area of a room (indoors) or total surface area treated (outdoors).

INDOOR USE

To kill ants, carpet beetles, cockroaches, crickets, earwigs, millipedes, sow bugs, spiders, and silverfish: Treat cracks and crevices in walls; along and behind baseboards; around water pipes and tanks; walls behind and floors beneath appliances (e.g., refrigerators and stoves) and furniture (e.g., shelves, drawers, cabinets and storage units); around sinks, drains and pipes; around interior foundations; garbage cans; localized areas of floors and floor coverings; and points of entry (e.g., around windows and doors). **DO NOT** exceed 18.0 g per m² (7 seconds per m²). Treatment must only be repeated after 7 days if pest problem persists or reoccurs.

To kill fleas, American dog ticks and brown dog ticks: **DO NOT** apply to pet bedding, furniture, mattresses, linens, toys or clothing. Apply to cracks and crevices in walls; along and behind

baseboards, windows and door frames; and localized areas of floor and floor coverings. **DO NOT** exceed 18.0 g per m² (7 seconds per m²). Treatment must only be repeated after 7 days if pest problem persists or reoccurs. **DO NOT** SPRAY PETS WITH THIS PRODUCT. Only treat pets with products specifically registered for use on that type of pet. For effective flea and tick control indoors, clean any area used by the pet. Cleaning the areas includes vacuuming floors, carpets, furniture, etc. (discard vacuum bag after use) and washing the pet's bedding, living quarters, and surrounding area.

OUTDOOR USE

To kill spiders, sow bugs, earwigs, cockroaches, crickets, ants, dog & cat fleas, American & brown dog ticks, millipedes, house flies and cluster flies: For use as a spot treatment only on the exterior surfaces of buildings, garbage cans and on patios, porches and decks. Apply as a spot treatment to surfaces of foundations, around light fixtures, and places where listed pests enter (e.g., screens, doors, window frames). This product may also be applied to garbage cans and localized areas of patios, porches and decks. House flies and cluster flies will be killed when they land and crawl on the treated surfaces. **DO NOT** exceed 18.0 g per m² (7 seconds per m²). Treatment must only be repeated after 14 days if pest problem persists or reoccurs.

STORAGE

Store product away from food or feed.

DISPOSAL: When container is empty, press button to release all pressure, then dispose of in household garbage. **DO NOT** puncture or incinerate. **DO NOT** reuse the empty containers. Dispose in household garbage. Unused or partially used products should be disposed at provincially or municipally designated hazardous waste disposal sites.