# WILSON® BUG-X® INSECTICIDAL SOAP CONCENTRATE

Insecticide

# MIX WITH WATER

Controls insects on fruits, vegetables, flowers, ornamentals, trees and shrubs effectively.

# DOMESTIC

REG. NO. 31141 P.C.P. ACT

GUARANTEE: Soap (Triethanolamine Salts of Fatty Acids) 25%

READ THE LABEL BEFORE USING KEEP OUT OF REACH OF CHILDREN

250 mL to 1 L

Sure-Gro IP Inc. / Lic. Premier Tech Home & Garden Inc., P.O. Box 21001, Brantford, ON N3R 7W9 1-800-268-2806

# TOUGH on INSECTS. MILD on your PLANTS and YOU.

#### DIRECTIONS FOR USE:

**Insects Controlled:** aphids, earwigs, mealybugs, spider mites, psyllids, rose and pear slugs, soft brown scale and whiteflies.

**Mixing:** Stir one part of Wilson<sup>®</sup> Bug-X<sup>®</sup> Insecticidal Soap Concentrate into 20 parts of water – i.e., 50 mL soap concentrate to 1 litre water (2 tablespoonfuls per pint).

**Spraying:** Use a fine spray to thoroughly cover both sides of leaves and stems.

**Dipping:** Small potted plants may be upended, using your hand to hold soil, and dipped or gently swilled through a solution of Wilson Bug-X Insecticidal Soap Concentrate mixed at 50 mL per litre of room temperature water.

**Timing:** Use weekly until control is observed.

**NOT recommended on Ferns, Nasturtiums, and Sweet Peas.** If in doubt about any delicate plant, such as **roses, seedlings** and **transplants**, apply to several leaves as a pretest. Allow sufficient time to determine if plant damage occurs before spraying the entire plant. Do not spray open blooms. Do not apply during full sun or high heat.

**PRECAUTIONS:** KEEP OUT OF REACH OF CHILDREN. Wash fruits and vegetables before eating. Avoid contact with skin and eyes.

**FIRST AID:** If in eyes, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice. If swallowed, call a poison control centre or doctor immediately for treatment advice. Have a person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person. Take container, label or product name and P.C.P. Registration Number with you when seeking medical attention.

### **TOXICOLOGICAL INFORMATION:** Treat symptomatically

**DISPOSAL:** Do not reuse empty container. Recycle empty container.

For additional product information or in case of emergency, spills or fire, call toll-free 1-800-268-2806. www.pthomeandgarden.com

### **OPTIONAL TEXT:**

Use indoors and in greenhouses on houseplants and outdoors on fruits, vegetables, flowers and ornamentals.

\*\*\*\*\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.