

(Principal Display Panel)

**ANTIMICROBIAL COPPER ALLOYS - GROUP III
AND ASSOCIATED FABRICATED PRODUCTS
MASTER LABEL**

The Master Label consists of the label that will accompany the Antimicrobial Alloys. The fabricated product labels will only be able to use the claims appearing on this Master Label. Note that mandatory statements included herein must appear on the fabricated product labels.

**ANTIMICROBIAL COPPER ALLOYS - GROUP III
AND ASSOCIATED FABRICATED PRODUCTS**

SOLID
SANITIZER

COMMERCIAL

GUARANTEE

Copper82.6%

REGISTRATION NO 31174 PEST CONTROL PRODUCTS ACT

READ THE LABEL BEFORE USING
POTENTIAL SKIN SENSITIZER

Net Weight _____ [brand name]

Canadian Copper & Brass Development Association "
"65 Overlea Blvd., Suite 210
Toronto, ON M4H 1P1
Canada
416- 391-5599 or
877-640-0946

(Secondary Display Panel)

DIRECTIONS FOR USE

Antimicrobial Copper Alloys - Group III

These alloys are only intended for the manufacture and fabrication of touch surface components for use in hospitals, healthcare facilities, and various public, commercial, and residential buildings.

A list of the areas where the Antimicrobial Copper Alloys - Group III can be used is specified below. Antimicrobial Copper Alloys - Group III are not approved for direct food contact or food packaging uses.

Touch Surface Components

Manufacture and fabrication of non-food contact touch surfaces components for use in:

- Healthcare facilities
- Community facilities (public and commercial buildings)
- Common areas in residential buildings (e.g. apartment/condo buildings)
- Mass transit facilities
- Kitchen and bathrooms in homes and apartments

Laboratory testing has shown that when cleaned regularly this surface:

- Reduces bacteria contamination, achieving 99.9% reduction within 2 hours of exposure.
- Kills greater than 99.9% of Gram-negative and Gram-positive bacteria within 2 hours of exposure.
- Delivers continuous and ongoing antibacterial action.
- Remains effective in killing greater than 99.9% of bacteria within 2 hours.
- Kills greater than 99.9% of bacteria within two hours and continues to kill 99% of bacteria even after repeated contaminations.
- Helps inhibit the buildup and growth of bacteria within 2 hours of exposure between routine cleaning and sanitizing steps.
- [This product/component name] is made (out of)(from) a (copper)(touch) surface that continuously kills 99% of bacteria left behind [by dirty hands][on the surface].
- [This product/component name] is made (out of)(from) a (copper)(touch) surface that kills more than 99.9% of bacteria within 2 hours.

Clean and sanitize according to standard practice. Healthcare facilities must maintain the product in accordance with infection control guidelines. The use of this surface is a supplement to and not a substitute for standard infection control practices; users must continue to follow all current infection control practices, including those practices related to cleaning and disinfection of environmental surfaces. This surface has been shown to reduce microbial contamination, but does not necessarily prevent cross contamination.

Antimicrobial Copper Alloys - Group III – Fabricated Products

The Antimicrobial Copper Alloys - Group III fabricated products may be sold and distributed under PCPA Registration No 31174. Products fabricated with Antimicrobial Copper Alloys - Group III must bear a label with the text below, with one or more of the claims listed on the PMRA approved alloy label (refer to secondary display panel).

Proper Care and Use. Clean and sanitize according to standard practice. Healthcare facilities must maintain the product in accordance with infection control guidelines. The use of this surface is a supplement to and not a substitute for standard infection control practices; users must continue to follow all current infection control practices, including those practices related to cleaning and disinfection of environmental surfaces. This surface has been shown to reduce microbial contamination, but does not necessarily prevent cross contamination.

This surface may be subject to recontamination and the level of active bacteria at any time will depend on the frequency and timing of recontamination and cleanliness of the surface (among other factors). In order to have proper antimicrobial effect, this product must be cleaned and maintained according to the directions for use.

Do not wax, paint, lacquer, varnish, or otherwise coat this product.

Routine cleaning to remove dirt and filth is necessary for good sanitation and to assure the effective antibacterial performance of this surface. Cleaning agents typically used for traditional hard, non-porous touch surfaces are permissible. The appropriate cleaning agent depends on the type of soiling and the measure of sanitization required. Normal tarnishing or wear of this surface will not impair antibacterial effectiveness.

Not approved for direct food contact or food packaging uses.

Items exposed to outdoor environmental conditions are not representative of indoor laboratory test conditions, and, therefore, may impart reduced efficacy if not cleaned when visibly soiled.

PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN

Potential skin sensitizer.

TOXICOLOGICAL INFORMATION

Treat symptomatically.

STORAGE AND DISPOSAL

Dispose of excess by recycling.

NOTICE TO USER

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

WARRANTY STATEMENT

If used as intended, this product is wear-resistant and the durable antibacterial properties will remain effective for as long as the product remains in place and is used as directed.

