

KOMBAT LICE KILLER FOR THE HOME

Use to Kill lice and lice eggs on garments, bedding, mattresses and furniture infested with lice

Use to Kill Lice and Lice Eggs on :

Clothing

Bedding

Mattresses

Furniture

Clean and Fresh Scent

Not for use on humans or animals.

READ THE LABEL BEFORE USING

GUARANTEE

PYRETHRINS.....0.3%

PIPERONYL BUTOXIDE.....1.5%

REG. NO. 31599 PCP ACT

KEEP OUT OF REACH OF CHILDREN

Net Contents ----- g

DOMESTIC

CAUTION



EXPLOSIVE

Novella Brands Inc.
120 Midair Court
Brampton ON
L6T 5V1
1-905-790-0650

Shake well before and occasionally during use.

DIRECTIONS: Spray on an inconspicuous area to test for possible staining or discoloration. Inspect after drying then proceed to spray entire area to be treated. Hold container upright with nozzle away from you. Depress valve and spray from a distance of 20 to 25 cm. Spray each 900 square cm for about 3 seconds. For garments and bedding: spray those items that cannot be either laundered or dry cleaned immediately. For mattresses and furniture: spray, then air until completely dry at least 4 hours before re-use. Vacate room after treatment and ventilate before reoccupying. Repeat treatment if reinfestation occurs.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Contents under pressure. Do not puncture or incinerate can. Do not use near heat or store at temperatures above 50 /C. Avoid spraying in eyes. May be absorbed through skin. Avoid breathing spray mist. May cause skin irritation. Avoid contact with skin. Do not contaminate feed and foodstuffs. Do not wear treated garments or use bedding until thoroughly cleaned and infestation is eliminated. Intentional misuse by deliberately concentrating and inhaling the contents, can be harmful or fatal.

FIRST AID: If in eyes, hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice. If accidentally swallowed, call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: This product contains petroleum distillates. Vomiting may cause aspiration pneumonia. Treat symptomatically.

DISPOSAL: When container is empty, press valve to release all pressure. Wrap and dispose of empty container with household garbage.

NOTICE TO USER: This pest control is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

