# Hartz UltraGuard Pro Flea & Tick Treatment for Dogs and Puppies weighing greater than 28 kg

#### DOMESTIC

#### SOLUTION

#### ACTIVE INGREDIENTS:

| d-phenothrin   | 85.70% |
|----------------|--------|
| (S)-Methoprene | 2.30%  |

Warning, contains the allergen soy.

REG. NO. 30731 P.C.P. ACT

KEEP OUT OF REACH OF CHILDREN READ THE LABEL BEFORE USING FOR USE ONLY ON DOGS AND PUPPIES. DO NOT USE ON PUPPIES LESS THAN 12 WEEKS OLD. DO NOT USE ON DOGS OR PUPPIES WEIGHING LESS THAN 28 KG.

NET CONTENTS: Contains 1-6 Tubes, each (5.9 ml)

Hartz Canada, Inc. 1125 Talbot Street. St. Thomas, Ontario N5P 3W7 1-800-275-1414

## **DO NOT USE ON CATS**

#### READ ENTIRE LABEL BEFORE EACH USE. USE ONLY ON DOGS OR ON PUPPIES 12 WEEKS OF AGE OR OLDER. DO NOT USE ON DOGS OR PUPPIES WEIGHING LESS THAN 28 KG.

Controls Fleas (Adults, Eggs and Larvae) and Ticks for up to 30 days

*or* Controls all stages (adults, larvae, eggs) of the flea life cycle and ticks for up to 30 days

or Long Lasting Protection from Fleas and (&) Ticks for up to 30 Days

or Long Lasting Flea and (&) Tick Protection for up to 30 days

or Long Lasting Control of Fleas and (&) Ticks for up to 30 Days

or Long Lasting Flea and (&) Tick Infestation Protection for up to 30 Days

or Continuous Protection from Fleas and Ticks for up to 30 Days

Stops and (&) prevents flea eggs from hatching for up to 30 days

<u>or</u> Stops and (&) prevents re-infestation of fleas on your dog for up to 30 days <u>or</u> Protects your dog from flea infestations for up to 30 days.

Reduces Biting by Mosquitoes for up to 30 days

- Fresh Scent
- Fresh Fragrance
- Light, Fresh Scent

Pro-Glide<sup>™</sup> applicator Glides quickly through coat Applies smoothly on dog's skin

month supply
months supply
months supply
months supply
months supply
months supply
months supply

#### PRECAUTIONS: HAZARDS TO HUMANS:

Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash hands, and any other skin that came into contact with the product, thoroughly with soap and water after handling or applying, and before eating, drinking, chewing gum or using tobacco.

## HAZARDS TO PETS:

#### DO NOT USE ON CATS OR KITTENS.

Do not use on puppies less than **12** weeks old. Consult a veterinarian before using this product on debilitated, aged, pregnant or nursing animals or animals receiving drug or other pesticide treatment. Sensitivity, such as slight transitory redness of the skin at the site of application, may occur after using ANY pesticide product for pets. Smaller animals are more likely to experience an adverse reaction. Observe carefully. Care should be taken to prevent exposure of other pets who may be in close physical contact with the treated animal. If signs of sensitivity occur, bathe your pet with mild soap and rinse with large amounts of water and consult a veterinarian immediately. If swallowed or chewed, consult a veterinarian.

**Side Effects:** Monitor your dog after application. Side effects may include: skin irritation such as redness or scratching; changes in behaviour such as agitation or lethargy; or gastrointestinal effects such as vomiting or loss of appetite. If these or other side effects occur consult your veterinarian or Hartz Canada, Inc. at 1-800-275-1414.

#### ENVIRONMENTAL HAZARDS: This product is toxic to fish.

Toxic to aquatic organisms.

#### FIRST AID:

**If in eyes**: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

Take container, label or product name and Pest Control Product Registration number with you when seeking medical or veterinary attention.

For additional information on this pesticide product (including health concerns, medical emergencies or pesticide incidents), you may call 1-800-275-1414.

TOXICOLOGICAL INFORMATION: Treat symptomatically.

#### **DIRECTIONS FOR USE:**

This product contains d-phenothrin and (S)-methoprene. Do not apply another pest control product such as a shampoo, collar, or powder that contains d-phenothrin and/or (S)-methoprene to the treated animal after applying this product.

Do not use in food handling, storage or preparation areas while food is present.

For use only on dogs or puppies over 12 weeks old weighing greater than 28 kg.

Do NOT administer by mouth. Do not use on cats. Do not use on puppies under 12 weeks of age. Do not use on dogs or puppies weighing less than 28 kg. Consult a veterinarian before using on sick, aged, pregnant or nursing animals or animals receiving drug or other pesticide treatment. RETAIN PACKAGING FOR FUTURE REFERENCE.

## APPLICATOR 1

- 1. Dog must be dry at time of application.
- 2. Remove one applicator tube from the package and hold in an upright position pointed away from your face.
- 3. Twist dispensing tip clockwise about ½ turn while pushing down to break the tube's seal. Do not remove the dispensing tip.
- 4. Position the dispensing tip on the dog's back between the shoulder blades. Use the dispensing tip of the tube to part the dog's hair so that the product will be applied at skin level. Begin squeezing out the contents of the tube to form a stripe as you move from the shoulder blades along the dog's back to the base of the tail. The treated area may appear wet or oily after application.
- 5. After application, observe carefully for any reactions to the treatment. Refer to the PRECAUTIONS section of this label for further information.

### APPLICATOR 2

1. Dog must be dry at time of application.

2. Remove one applicator tube from the package and hold in an upright position pointed away from your face.

3. Lift the [handle][lever][at the neck of the tube] in an upward motion to separate [from the body of tube].

4. Position the tip of the tube on the dog's back between the shoulder blades. Use the tip of the tube to part the dog's hair so that the product will be applied at skin level.

5. Begin squeezing out the contents of the tube to form a stripe as you move from the shoulder blades, along the dog's back to the base of the tail. The treated area may appear wet or oily after application.

6. After application, observe carefully for any reactions to the treatment. Refer to the PRECAUTIONS section of this label for further information.

Additional Notes

- 1. Do not use this product more often than once per month. Treatment must only be repeated if pest problem reoccurs. Reapply every month for continual pest control in situations where there is an ongoing risk of pest infestation.
- 2. A veterinarian should be consulted when pest infestation continues to be a problem on the pet.
- 3. For effective flea and tick control, treatment of the pet should be combined with sanitation of any area used by the pet. Vacuum floors, carpets and furniture (discard vacuum bag after use) and wash the pet's bedding, living quarters and surrounding areas. If pest problems persist, an insecticidal premise treatment may be required.

**STORAGE AND DISPOSAL:** Store in a cool, dry place away from food and out of the reach of children. Do not reuse empty container. Wrap and dispose of empty container with household garbage.

## For more information call our experts at 1-800-275-1414

Visit www.hartzultraguard.com

Hartz® and other trademarks are trademarks of The Hartz Mountain Corporation

Made in the USA for Hartz Canada, Inc. 1125 Talbot Street. St. Thomas, Ontario N5P 3W7 1-800-275-1414 Hartz UltraGuard PRO Flea & Tick Treatment for Dogs and Puppies greater than 28 kg DOMESTIC

# **DO NOT USE ON CATS**

| ACTIVE INGREDIENTS: |                |        |
|---------------------|----------------|--------|
|                     | d-phenothrin   | 85.70% |
|                     | (S)-Methoprene | 2.30%  |

Warning, contains the allergen soy.

REG. NO. 30731 P.C.P. ACT

READ THE CARTON LABEL BEFORE USING NET CONTENTS: 5.9 ml Hartz Canada, Inc. 1-800-275-1414