2017-7851 2018-10-12

CIRCA 1850 DEX WOOD PRESERVATIVE

Paintable • Excellent Protection Against Rot & Mildew FOR EXTERIOR USE ONLY. NOT FOR USE IN DWELLINGS Solution

DOMESTIC

READ THE LABEL BEFORE USING KEEP OUT OF REACH OF CHILDREN

ACTIVE INGREDIENT: Zinc (present as Zinc Naphthenate) 2% Warning: Contains the allergen soy [used only for the brown color]

REG. NO. 31624 P.C.P. ACT

[DANGER SYMBOL] DANGER POISON EYE AND SKIN IRRITANT POTENTIAL SKIN SENSITIZER

NET CONTENTS L

SWING PAINTS LTD 2100 St. Patrick Street Montréal QC H3K 1B2 Tel: 514-932-2157 *www.circa1850.com*

[for clear formulation:]

CIRCA 1850 DEX WOOD PRESERVATIVE is a paintable wood preservative that provides a clear finish. It is developed exclusively for exterior, above ground use. It provides paintable protection against rot and mildew and is designed for projects where no colour change is desired.

It is ideal for the protection of decks, fences, doors, sashes, window frames, outdoor furniture, and millwork.

[or for brown formulation]:

CIRCA 1850 DEX WOOD PRESERVATIVE is a paintable wood preservative that provides a brown finish. It is developed exclusively for exterior, above ground use. It provides paintable protection [for cut or drilled pressure treated wood] against rot and mildew and is designed for projects where a brown change is desired.

It is ideal for the protection of decks, fences, doors, sashes, window frames, outdoor furniture, and millwork.

DIRECTIONS FOR USE:

For exterior use only. Not for use in dwellings. For above ground use only.

Apply by brush only. Do not spray or dip. Do not use this wood preservative or treated wood where this preservative may contaminate food, feed or drinking water.

CIRCA 1850 DEX WOOD PRESERVATIVE is only to be applied onto bare wood or wood previously finished with any of the CIRCA 1850 DEX wood preservatives. Wood surface should be clean and dry. Remove all paint, varnish, wax or any other coating that may prevent penetration with CIRCA 1850 SOFT STRIP. Allow to dry thoroughly before application or re-coating. Use caution with some paint finishes as they may cause bleeding.

Use as supplied - do not dilute. Do not apply to wood or any surface where prolonged skin contact may occur. May be used on greenhouse and garden timbers in close contact with non-food producing plants only. Carrier solvent must be allowed to dry before introducing plants to prevent phytotoxicity. Allow to dry thoroughly before permitting contact.

Brush on 2 liberal coats; heavy lumber requires more treatment. If rotting conditions are severe, allow to dry thoroughly before applying additional coats by brushing only. Allow 72 hours to dry.

Clean equipment with mineral spirits, followed by detergent and water.

DO NOT contaminate irrigation or drinking water supplies or aquatic habitats by cleaning of equipment or disposal of wastes.

COVERAGE: Up to 23m² (248ft²) per 3.78L

To open - press down and turn. Reclose tightly.

PRECAUTIONS:

KEEP OUT OF REACH OF CHILDREN. Do not use or store near open flame or spark or areas subject to excessive heat. Do not use for treating food contact surfaces. Harmful if swallowed or inhaled. Causes skin and eye irritation. Potential skin sensitizer. Avoid breathing vapours, contact with skin, eyes and clothing. Wear a long-sleeved shirt, long pants, socks, shoes and rubber gloves when applying this product. Wash thoroughly after use and before eating or smoking with soap and water. Keep container closed when not in use.

FIRST AID:

If swallowed, call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. **If in eyes**, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre for treatment advice. **In on skin or clothing**, take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice. **If inhaled**, move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION:

Contains petroleum distillates and zinc naphthenate. Vomiting may cause aspiration pneumonia. Treat as for ingestion of kerosene. Treat symptomatically.

ENVIRONMENTAL HAZARDS: Toxic to aquatic organisms.

DISPOSAL AND STORAGE: Do not reuse empty container. Wrap empty container and discard in household garbage. Keep container closed when not in use. Store product out of reach of children or animals. Do not store in areas subject to excessive heat.

[UPC CODE]