

2015-7083
2016-06-02

CIRCA 1850 DEX END CUT WOOD PRESERVATIVE

Paintable • Excellent Protection Against Rot & Mildew
FOR EXTERIOR USE ONLY. NOT FOR USE IN DWELLINGS
Solution

DOMESTIC

READ THE LABEL BEFORE USING
KEEP OUT OF REACH OF CHILDREN

GUARANTEE:

Copper (present as Copper Naphthenate) 2%

Warning: Contains the allergen soy [used only for the brown finish]

REG. NO. 31625 P.C.P. ACT

[DANGER SYMBOL]

DANGER
POISON

EYE AND SKIN IRRITANT
POTENTIAL SKIN SENSITIZER

NET CONTENTS L

SWING PAINTS LTD
2100 St.Patrick Street
Montréal QC H3K 1B2
Tel: 514-932-2157
www.circa1850.com

[for green finish:]

CIRCA 1850 DEX END CUT WOOD PRESERVATIVE is a paintable wood preservative that provides a soft green finish. . It is developed exclusively for exterior use. For above ground use only, except when treating cuts, holes and injuries to pressure treated lumber.

[for brown finish:]

CIRCA 1850 DEX END CUT WOOD PRESERVATIVE is a paintable wood preservative that provides a brown finish. . It is developed exclusively for exterior use. For above ground use only, except when treating cuts, holes and injuries to pressure treated lumber.

It provides paintable protection for cut or drilled wood against rot and mildew. It is ideal for the protection of decks, fences, door sashes, window frames, cut ends of pressure treated wood and millwork.

DIRECTIONS FOR USE:

For exterior use only. Not for use in dwellings. For above ground use only, except when treating cuts, holes and injuries to pressure treated lumber.

Apply by brush only. Do not spray or dip. Do not use this wood preservative or treated wood where the preservative may contaminate food, feed or drinking water.

CIRCA 1850 DEX END CUT WOOD PRESERVATIVE is only to be applied onto bare wood or wood previously finished with any of the CIRCA 1850 DEX wood preservatives. Wood surface should be clean and dry. Remove all paint, varnish, wax or any other coating that may prevent penetration with CIRCA 1850 SOFT STRIP. Allow to dry thoroughly before application or re-coating. Use caution with some paint finishes as they may cause bleeding.

Use as supplied - do not dilute. Do not apply to wood or any surface where prolonged skin contact may occur. May be used on greenhouse and garden timbers in close contact with non-food producing plants only. Carrier solvent must be allowed to dry before introducing plants to prevent phytotoxicity.

Brush on liberal coats, saturating wood; heavier lumber may require more treatment. If rotting conditions are severe, allow to dry thoroughly before applying a second coat by brushing only. Allow 72 hours to dry. Will not bleed through if painted over except when white or pastel shades are used.

Clean equipment with mineral spirits, followed by detergent and water.

DO NOT contaminate irrigation or drinking water supplies or aquatic habitats by cleaning of equipment or disposal of wastes.

COVERAGE:

Up to 23m² (248ft²) per 3.78L

To open - press down and turn. Reclose tightly.

PRECAUTIONS:

KEEP OUT OF REACH OF CHILDREN. Do not use or store near open flame or spark. Do not use for treating food contact surfaces. Harmful if swallowed or inhaled. Causes skin and eye irritation. Potential skin sensitizer. Avoid breathing vapours, contact with skin, eyes and clothing. Wear a long-sleeved shirt, long pants, socks, shoes and rubber gloves when applying this product. Wash thoroughly after use and before eating or smoking with soap and water. Keep container closed when not in use.

FIRST AID:

If swallowed, call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. If in eyes, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre for treatment advice. If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice. If inhaled, move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION:

Contains petroleum distillates and copper naphthenate. Vomiting may cause aspiration pneumonia. Treat as for ingestion of kerosene.

ENVIRONMENTAL HAZARDS:

Toxic to aquatic organisms.

DISPOSAL AND STORAGE: Do not reuse empty container. Wrap empty container and discard in household garbage. Keep container closed when not in use. Store product out of reach of children. Do not store in areas subject to excessive heat.

[UPC CODE]