

2014-1102  
2014-04-02

[FRONT PANEL - ENGLISH]

**SCOTTS® EZ™  
LAWN WEED CONTROL  
READY-TO-USE**

SOLUTION  
DOMESTIC  
SELECTIVE HERBICIDE

GUARANTEE: Iron (present as FeHEDTA) 0.25%

Contains 5-chloro-2-methyl-4-isothiazolin-3-one at 0.0007571% and  
2-methyl-4-isothiazolin-3-one at 0.0002479%, as preservatives

REG. NO.: **30856** P.C.P. ACT

READ THE LABEL BEFORE USING  
KEEP OUT OF REACH OF CHILDREN  
POTENTIAL SKIN SENSITIZER

100 mL to 1 L

Scotts Canada Ltd.  
2000 Argentia Road  
Plaza #2, Suite 300  
Mississauga, Ontario  
L5N 1V8

1-800-668-5669

Made and printed in the U.S.A.

**Peel back for instructions  
Press to reseal**

[BACK PANEL - ENGLISH]

**SCOTTS® EZ™  
LAWN WEED CONTROL  
READY-TO-USE**

For use on lawn turf consisting of one or more of Kentucky bluegrass, perennial ryegrass, and fescue (tall fescue, chewing fescue, and/or creeping fescue) for control or suppression of broadleaf weeds.

**PESTS/SITES:**

Controls the following lawn weeds: Dandelion, English daisy, False dandelion, White clover, Black medic, Bull thistle, Canada thistle (<15 cm tall), Common chickweed, Creeping buttercup, Slender speedwell, Narrow-leaved plantain, Broad-leaved plantain (suppression only), Dove's foot geranium, Wild geranium, Lawn burweed, Moss, and Algae.

**DIRECTIONS FOR USE**

**SHAKE WELL BEFORE USING.** Do not dilute. Squeeze trigger to operate. Spray weeds using a coarse nozzle setting to reduce drift until foliage is thoroughly wetted, just to the point of runoff. Repeat treatment every three to four weeks if necessary, up to a maximum of 4 applications per area per year.

Visible signs of control may be seen within several hours after application. Susceptible weeds, moss or algae will turn brown or black. Occasionally a darkening of the grass leaf blades can occur after treatment; however the grass will recover within a few days to several weeks. May stain thatch (dead grass under lawn); this does not affect the health of the grass.

**Use Precautions:** Do not apply to drought stressed grass; ensure that the lawn is well watered prior to application. Do not apply when the daytime temperature will exceed 30°C. Do not apply to bentgrass. If unsure of grass sensitivity, test spray a small area of your lawn. Do not apply to newly seeded areas until four or more weeks after grass seedlings have emerged. Avoid spraying desirable plants. Any desirable plants or structures accidentally contacted should be rinsed immediately with water. To avoid staining, wait until treated area dries before re-entry. Do not apply if rainfall is expected within 3 hours of application. Do not irrigate within 3 hours of application. DO NOT contaminate irrigation or drinking water supplies or aquatic habitats by cleaning of equipment or disposal of wastes.

**PRECAUTIONS:**

**CAUTION: KEEP OUT OF REACH OF CHILDREN.** Causes slight eye irritation. Avoid contact with skin, or clothing. Wash hands thoroughly with soap and water after handling and before eating, drinking, and chewing gum or chewing tobacco. Avoid hand-to-mouth contact. DO NOT get in eyes. Avoid breathing spray mist. Do not re-enter or allow re-entry into treated areas until the spray is dried. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

**FIRST AID:**

**If swallowed**, call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person. **If on skin or clothing**, take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 minutes. Call a poison control centre or doctor for treatment advice. **If inhaled**, move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice. **If in eyes**, hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

**TOXICOLOGICAL INFORMATION:**

Treat symptomatically.

**STORAGE:**

Store this product in its original container and keep in a secure storage area out of reach of children and domestic animals. Store unused material, tightly closed, in original container only, away from open flame. Protect from freezing. To prevent contamination store this product away from food or feed.

**DISPOSAL:**

Do not reuse empty container. Dispose of empty container with household garbage. Unused or partially used products should be disposed at provincially or municipally designated hazardous waste disposal sites.

**Questions, Comments, Information**

Call Scotts Toll-free Consumer Helpline or visit our Website at:  
1-800-543-TURF [*Phone Art*]  
[www.scotts.ca](http://www.scotts.ca) [*Mouse Art*]  
[*Scottsturf logo*]

® used under license by Scotts Canada Ltd.  
™ used under license by Scotts Canada Ltd.  
©2013 Scotts Canada Ltd. World rights reserved.



Manufactured under a license of W. Neudorff GmbH KG

[*OPTIONAL STATEMENTS*]

SELECTIVE BROADLEAF HERBICIDE

People and pets can enter treated area when spray dries.

No unpleasant odor.

Made with iron

Rainfast in 3 hours

See result within hours

KILLS WEEDS, NOT LAWNS