

2021-6463
2022-01-14

This label has been updated according to the special review decision of Metaldehyde SRD2020-03. While users are encouraged to follow this updated label immediately, the previously approved label is valid until 19/11/2022 in accordance with the phase out period set out in SRD2020-03. This previously approved label will be provided upon request by emailing hc.pmra.info-arla.sc@canada.ca. In your email please include the product name and Registration number of the label you are requesting.

2021-6463
2022-01-14

Xiren®

MOLLUSCICIDE
PELLETS
DOMESTIC

ACTIVE INGREDIENT :

Metaldehyde 3.0%

Contains calcium propionate at 1.0% as preservatives.

Warning, contains the allergen wheat

REGISTRATION NO. 32150 PEST CONTROL PRODUCTS ACT

**READ THE LABEL BEFORE USING
KEEP OUT OF REACH OF CHILDREN AND DOMESTIC ANIMALS**



CAUTION POISON

Net Contents: 500 g to 22.68 kg

ARXADA, LLC

412 Mount Kemble Avenue, Suite 200S Morristown
NJ 07960

(201) 316-9200

Concentrated bait formulated to make it less attractive to birds and domestic animals
Remains effective after rain and watering

2021-6463
2022-01-14

DIRECTIONS FOR USE

Ready to use bait that attracts and kills slugs and snails.

For Use on listed Vegetables, Berries and Ornamentals

Keep people and pets out of the area during application.

Application of this metaldehyde product is prohibited unless children and domestic animals can be excluded from the treated areas from the start of application until the applied product is no longer visible.

Application to turf and dichondra are prohibited. Application is permitted only to non-turf areas (i.e. on soil or mulch) directly surrounding plants listed for use on the label.

Broadcast and foliar applications of this product are prohibited. Application is permitted only as a barrier around gardens or individual plants. Application is prohibited within 30 cm of vegetable plants or fruit-bearing plants not listed on this label.

Avoid applying pellets in piles that may attract pets.

Certain cultural practices may reduce damage from snails and slugs. These practices include:

- Eliminating hiding places by removing leaf lettuce and debris in the garden
- Removing slugs and snails during daylight hours from nearby leaf litter, mulch and other protected areas
- Watering in the morning to reduce humidity during the night when snails and slugs are active

APPLICATION DIRECTIONS:





Apply as a soil surface treatment. Scatter lightly on the soil surface as recommended in the graphics below. Do not apply directly to or contaminate edible portions of the plant. Do not mix with any seeds prior to application. Do not over apply.

Apply as described below when first plant damage appears or as anticipated.

For best results:

- Apply following rain or watering
- Apply in the evening
- Moisten pellets slightly and cover with boards, bricks, flat stones, etc.

Do not re-water for 48 hours after application

			
<p>CORRECT</p>	<p>INCORRECT Do not apply directly to foliage</p>	<p>INCORRECT No mounding</p>	<p>INCORRECT Do not over apply. Follow label directions</p>

2021-6463
2022-01-14

VEGETABLES:

Cabbage, lettuce, crop subgroup 8-09 A (Tomatoes): Apply 70 g/100 m².

BERRIES:

Crop subgroup 13-07 A (Caneberries) and crop subgroup 13-07G (Low growing berries): Apply 70 g/100 m²

ORNAMENTALS:

Ornamental greenhouses and/or ornamental planting: Apply 70 g/100 m².

Use Site	Maximum Number of Applications per Year	Minimum Application Interval (Day)
Cabbage, lettuce, CSG8-09A ¹ , CSG13-07A ² , CSG13-07G ³	3	14
Ornamentals	6	21

¹ Includes currant tomatoes, garden huckleberries, goji berries, groundcherries, sunberries, tomatillos, and tomatoes

² Includes blackberries, loganberries, raspberries, wild raspberries and cultivars, varieties and/or hybrids of these

³ Includes bearberries, bilberries, lowbush blueberries, cloudberry, cranberries, lingonberries, muntries, partridgeberries, and strawberries

PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN. This product may be harmful to children and fatal to domestic animals if ingested. Children and dogs may be attracted to metaldehyde products and their packaging. Keep children and pets out of treated areas from the start of application until the applied product is no longer visible. For additional precautionary measures, see **DIRECTIONS FOR USE**, **STORAGE** and **DISPOSAL**.

ENVIRONMENTAL PRECAUTIONS:

- Toxic to aquatic organisms. Do not apply product near water (including garden ponds) or storm drains. Do not apply if heavy rain is expected.
- Apply this product only around gardens and ornamental plants.
- Toxic to birds
- Toxic to small wild mammals
- Collect and remove any product that is spilled.

FIRST AID

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

2021-6463
2022-01-14

If swallowed: Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control centre or doctor. Do not give anything by mouth to an unconscious person.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

IF INHALED: MOVE PERSON TO FRESH AIR. IF PERSON IS NOT BREATHING, CALL 911 OR AN AMBULANCE, THEN GIVE ARTIFICIAL RESPIRATION, PREFERABLY BY MOUTH-TO-MOUTH, IF POSSIBLE. CALL A POISON CONTROL CENTRE OR DOCTOR FOR FURTHER TREATMENT ADVICE

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

Seek medical care as soon as possible after exposure. For incidents involving animals, seek veterinary care as soon as possible after exposure. Have the product container or label with you when you call a poison control centre or doctor or veterinarian, or when going for treatment.

Metaldehyde is a systemic toxin. There is no antidote. The following instructions are not intended for laypeople. There is no home treatment. Exposed individuals and animals should receive emergency care as quickly as possible.

TOXICOLIGICAL INFORMATION: Treat symptomatically.

HUMANS: DUST INHALATION IS USUAL ROUTE OF ACCIDENTAL EXPOSURE; THE PRODUCT IS RARELY INGESTED EXCEPT BY CHILDREN. TREATMENT IS SYMPTOMATIC AND SUPPORTIVE. MONITOR SEVERE EXPOSURES CLOSELY: SEIZURES, ELECTROLYTE IMBALANCES, ACIDOSIS, DEHYDRATION, AND INCREASED BODY TEMPERATURE HAVE BEEN REPORTED.

PETS: Animals typically are exposed via ingestion. Treatment is symptomatic and supportive. If significant ingestion suspected, and the animal is asymptomatic, consider induction of emesis or gastric lavage and administration of activated charcoal, cathartic and enema to limit absorption. Monitor asymptomatic and symptomatic animals closely. Treat seizures, electrolyte imbalances, acidosis, dehydration, and increased body temperature. Monitor liver function post recovery.

2021-6463
2022-01-14

NOTICE TO USER:

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label.

STORAGE:

This product can be harmful to children and fatal to dogs and other domestic animals if ingested. Dogs have been known to ingest metaldehyde after opening or tearing packaging. Store this product in its original packaging, in a cool, secure location, and out of reach of children and pets.

DISPOSAL:

Completely empty the contents of the bag into the application device. Follow provincial instruction for any required additional cleaning of the container prior to its disposal. Make the empty bag unsuitable for further use. Do not reuse or refill empty bag. Dispose of the bag in accordance with provincial requirements. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

XIREN is a Registered Trademark of ARXADA, LLC