

2021-1213
2021-04-29

ECO-GUARD INSECT HORSE SPRAY

AIR PRESSURIZED SPRAY

LONG LASTING RESIDUAL FLY CONTROL FOR HORSE
AND STABLE SPRAYS IN ANY DIRECTION, EVEN UPSIDE DOWN

To protect horses from attacks of the following pests:
Black Flies, Face Flies, House Flies, Horn Flies, Horse Flies, and Mosquitoes

FOR USE ON HORSES ONLY. DO NOT use on newborn or nursing foals.
Also for use indoors at animal barns to control house flies, mosquitoes and stable flies.

QUIET SPRAY

CONTAINS CITRONELLA & LEMONGRASS FRAGRANCES

NON FLAMMABLE

NO PROPELLANT = MORE LIQUID SPRAY

DOMESTIC

REG. NO. 31639 P.C.P. ACT

READ THE LABEL BEFORE USING

ACTIVE INGREDIENT: Permethrin ... 0.50%
Contains sodium benzoate at 0.1 % as a preservative

KEEP OUT OF REACH OF CHILDREN

Net Contents _____g

UR-CAN INC.
PO Box 80088 Appleby
Burlington, Ontario
L7L 6B1

(905) 407-1404 or 1 (855) 407-1404

2021-1213
2021-04-29

PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN

Contents under pressure. Do not place in hot water or near radiators, stoves or other sources of heat or store at temperatures over 50°C. Do not use near heat or open flames. Not for use on humans. Avoid contact with eyes. Avoid breathing spray mist. Avoid contact with skin. Wash hands thoroughly after use.

ENVIRONMENTAL PRECAUTIONS

Do not apply directly to lakes, ponds, streams, tidal marshes or estuaries. Do not contaminate water by cleaning of equipment or disposal of waste. Toxic to aquatic organisms. Toxic to birds. Toxic to bees. Toxic to beneficial insects.

FIRST AID

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

If swallowed: Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

If in eyes: Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

TOXICOLOGICAL INFORMATION

Treat symptomatically.

STORAGE

Store product in a cool and dry place, away from open flames and heat sources.

DISPOSAL

When container is empty, press valve to release pressure. Do not puncture or incinerate. Do not reuse container. Wrap and dispose of empty container with household garbage.

DIRECTIONS FOR USE

Application Instructions for Horses:

FOR USE ON HORSES ONLY. Not to be used on newborn or nursing foals. DO NOT soak skin. DO NOT apply more than 9mL per animal per treatment. DO NOT treat eyes/eyelids and mucous membranes (e.g., nose, mouth, genitals). DO NOT cover horses immediately after treatment. DO NOT apply to back of horse prior to saddling. Discontinue use if horse develops irritation after treatment with this product. Do not use on sick animals or animals under drug or pesticide treatment. Before use on pregnant animals, consult a veterinarian. Avoid contact with treated horse until dry. DO NOT apply when people are present. DO NOT allow spray to drip or allow drift onto non-target surfaces. DO NOT apply more than once per day. Treatment must only be repeated after one day if pest problem persist or re-occurs.

To protect horses from attacks of Biting Flies such as Horse Flies, Face Flies, House Flies, Horn Flies, Black Flies, Mosquitoes. Prior to treatment, thoroughly brush horse to remove excess dirt and dust and remove mucous secretions from face of the horse. Extremely dirty horses should be shampooed, rinsed and allowed to dry before

2021-1213

2021-04-29

treatment. This product is to be applied directly to the horse as a spray or as a wipe-on. After application, brush thoroughly to bring out bright sheen on the coat.

Spray Method: Apply a light, uniform spray to thoroughly coat the hair of the horse, while brushing lightly against lay of the hair. DO NOT wet horse's skin. Spray 3 seconds on each side of the horse. Target areas of the horse commonly attacked by listed pests such as the legs, flanks and topline of the horse. DO NOT apply as a spray to the face of horse. When applying to the face of horse, use the Wipe-On Method as described below.

Wipe-On Method: Use this method to apply to the face and other sensitive areas to avoid application to eyes and mucous membranes (e.g., nose, mouth, genitals). To use as a wipe-on, moisten (not to the point of dripping) a clean soft cloth/sponge/mitt with ECO-GUARD INSECT HORSE SPRAY. Thoroughly rub the moistened cloth/sponge/mitt over the area of hair of the horse to be protected. It is best to apply by rubbing against the hair growth. Give special attention to the legs, shoulders, shanks, neck and facial areas (where flies most often are seen).

Application Instructions for Use Indoors at Animal Barns to Control House Flies, Mosquitoes and Stable Flies:

Methods of application:

DO NOT apply indoors as a broadcast application. DO NOT apply as a space spray. ONLY spot applications are permitted indoors in residential areas. Spot application is localized to a surface area not more than 0.2 m². Spots are not to be adjoining. The combined area of spots is not to exceed 10% of the total surface area of a room.

The spray should be directed to the surface of walls, ceilings, stalls, stanchions, doors, window frames, foundations, light fixtures and other places where listed insects may enter such as around doors and window frames. DO NOT apply to any body of water. DO NOT contaminate irrigation or drinking water supplies or aquatic habitats by cleaning of equipment or disposal of wastes. DO NOT contaminate food/ feed. DO NOT apply to surfaces that may come into contact with food/feed. Milk cans and/or bulk tanks must be covered or removed during treatment. DO NOT reapply this product for at least 14 days. Treatments must only be repeated after 14 days if pest problem persists or reoccurs. DO NOT apply more than 12 applications per year. Good sanitary practices should be maintained to prevent re-infestation.

DO NOT allow people, pets, or livestock to enter treated areas until sprays have dried. DO NOT allow spray to drip or allow drift onto non-target surfaces. DO NOT apply to overhead areas or in confined spaces (for example, attics, crawlspaces). Ventilate treated areas after application either by opening windows and doors or using fans, where required, to aid in the circulation of air. Air exchange/ventilation systems confirmed to be operational may also be used. DO NOT apply as a space spray or broadcast application.