[UPPER LABEL (OPTIONAL) - ENGLISH]

REFILL

[FRONT PANEL - ENGLISH]

REFILL FOR

ORTHO® HOME DEFENSE® MAX^{TM} PERIMETER & INDOOR INSECT CONTROL READY-TO-USE WITH WAND APPLICATOR

KILLS BUGS INSIDE KEEPS BUGS OUT DOMESTIC INSECTICIDE

Kills listed pests inside buildings, outdoors on the exterior surfaces of buildings.

READ THE LABEL BEFORE USING KEEP OUT OF REACH OF CHILDREN

ACTIVE INGREDIENT: Permethrin 0.25%

Contains 2-methyl-4-isothiazolin-3-one at 0.00019% and 5-chloro-2-methyl-4-isothiazolin-3-one at 0.00057% as preservatives.

OR

Contains 1,2-Benzisothiazolin-3-one at 0.0193% as a preservative.

REG. NO.: 31802 P.C.P. ACT

NET CONTENTS: 1 L to 6 L

Scotts Canada Ltd. 2000 Argentia Road Plaza #2, Suite 300 Mississauga, Ontario L5N 1V8 1-800-668-5669 Made and printed in U.S.A.



Peel back for instructions Press to reseal

REFILL FOR

ORTHO® HOME DEFENSE® MAX $^{\text{TM}}$ PERIMETER & INDOOR INSECT CONTROL READY-TO-USE WITH WAND APPLICATOR

| PRODUCT FACTS: | | | |
|--|---|-----------------------|--|
| WHERE TO USE (see Directions for Use for additional use sites) | Points of entry windows & doors Cracks & crevice | | Pet beddingWalls behind & floors beneath appliances |
| | walls, floors & | ceilings | zeneden appirances |
| | Along & behind baseboardsLocalized areas of floors & floor coverings | | |
| | | | |
| Behind and beneashelves, drawers and storage uni- | | s, cabinets | |
| TO KILL: | | | |
| INDOORS INSIDE BUILDINGS | | OUTDO | ORS ON THE EXTERIOR |
| | | SURFACES OF BUILDINGS | |
| Ants, carpet beetles, clothes moths, cockroaches, crickets, firebrats, fleas (adult and larvae), red flour beetles, rice weevils, silverfish, sowbugs, spiders and ticks (adult and nymph) | | Ants | |

DIRECTIONS FOR USE:

Refill for Ortho® Home Defense® MaxTM Perimeter & Indoor Insect Control Ready-to-Use with Wand Applicator is ready to use. (Its special formula is non-staining, and has no conspicuous odour. Water, not petroleum distillate is used as the diluent.) Within the specified use location, to enhance effectiveness of this product, apply this product directly to the listed pest where possible. Good sanitary practices should be maintained to prevent reinfestation.

How to Apply:

[DIRECTIONS IN BRACKETS ARE OPTIONAL - APPROPRIATE TEXT TO BE USED AS APPROPRIATE TO CAP DESIGN.]

SHAKE WELL BEFORE USING. Use this product as a refill for empty containers of Ortho® Home Defense® $Max^{\text{\tiny TM}}$ Perimeter & Indoor Insect Control Ready-to-Use with Wand Applicator, PCP# 30472. DO NOT add water.

Use the applicator from the empty bottle to connect to this refill:

- 1. [Flip up spout on refill bottle./Flip up spout until fully upright./Twist [spout/knob] to "ON"./Pull spout up.]
- 2. Insert hose connector from applicator handle into [spout/knob/opening] on cap until it "clicks" in place.
- 3. Adjust spray nozzle to desired spray pattern.
- 4. Aim and spray to lightly cover. Hold sprayer 30 cm (12 inches) from the insect bearing surface being sprayed.
- 5. Storage: After use, [close spout on cap./flip spout down to the "flat" position to close./close spout on cap./twist [spout/knob] to "OFF"./push spout down.] No need to disconnect sprayer hose from cap. Close nozzle on applicator.

DO NOT APPLY AS A SPACE SPRAY OR BROADCAST APPLICATION. Apply as a crack and crevice or spot treatment only. Spot treatment is localized to surface area not more than 0.2 m². Spots are not to be adjoining and the combined area of spots is not to exceed 10% of the total surface area of a room. Crack and crevice is an application directly into narrow openings on the surface of the structure. It does not include the treatment of exposed surfaces. Narrow openings typically occur at expansion joints, utility entry points and along baseboards and mouldings.

Instructions for inside buildings:

To Kill Ants, Cockroaches, Crickets, Firebrats, Silverfish, Sowbugs, Spiders, Red Flour Beetles, And Rice Weevils:

Thoroughly treat inside building surfaces, including cracks, crevices in walls, floors and ceilings; along and behind baseboards; around water pipes and tanks; walls behind and floors beneath appliances (e.g., refrigerators and stoves) and furniture (e.g., shelves, drawers, cabinets and storage units); around sinks, drains and pipes;, around garbage containers; around interior foundations; localized area around garbage cans; localized areas of floors and floor coverings and points of entry (e.g., around windows and doors). For silverfish, also spray the cracks and crevices in bookcases. Remove all objects before treatment of bookcases where books, clothing, toys, towels and other items are stored. Treated bookcases must be dry before replacing stored items. For ants, also spray trails and nests. Treatment must only be repeated after 7 days if pest problem persists or reoccurs.

•

•

To Kill Carpet Beetles: Spray edges of carpeting and under carpeting and rugs for approximately 10 seconds duration. Make localized application to floor and baseboards. Spray directly into cracks, crevices and infested areas of shelving. Treatment must only be repeated after 7 days if pest problem persists or reoccurs.

•

To Kill Fleas (Adult and Larvae) And Ticks (Adult and Nymphs):

DO NOT apply to furniture, mattresses, linens, toys or clothing. Apply to indoor building surfaces, including cracks and crevices in walls and floors, along and behind baseboards, window and door frames, and localized areas of floor and floor coverings. Pet bedding may be entirely treated with this product or replaced with clean, fresh bedding after other listed areas are treated. Treatment must only be repeated after 7 days if pest problem persists or reoccurs.

DO NOT SPRAY PETS WITH THIS PRODUCT. Only treat pets with products specifically registered for use on that type of pet. For effective flea and tick control indoors, clean any area used by the pet. Cleaning the areas includes vacuuming floors, carpets, furniture, etc. (discard vacuum bag after use) and washing the pet's bedding, living quarters, and surrounding area.

•

To Kill Clothes Moths: Remove all objects before treatment of bookcases, closets or other types of storage furniture where clothing, toys, towels and other items are stored. Remove any infested articles from storage, brush thoroughly and air for several hours in sunlight, if possible. Apply spray to empty chests, closets, bureaus and other storage areas, directing the spray into cracks, joints and crevices. Treated furniture must be dry before replacing stored items. Treatment must only be repeated after 7 days if pest problem persists or reoccurs.

•

Outdoors On The Exterior Surfaces Of Buildings:

To Kill Ants: For use outdoors on the exterior surfaces of buildings. Apply to the outside surfaces of foundations, under eaves troughs, around light fixtures, and places where listed pests enter (e.g., screens, doors, window frames). For (pavement) ants, spray onto ant trails, into ant nests and points of entry. Treatment must only be repeated after 14 days if pest problem persists or reoccurs.

•

Restrictions: DO NOT apply to any body of water. DO NOT contaminate irrigation or drinking water supplies or aquatic habitats by cleaning of equipment or disposal of wastes. Avoid application of this product when winds are gusty. DO NOT contaminate food/feed. DO NOT apply to surfaces that may come into contact with food/feed. DO NOT apply when people, pets or livestock are present. DO NOT allow people, pets or livestock to enter treated areas until sprays have dried. DO NOT allow spray to drip or allow drift onto non-target surfaces. DO NOT apply to people, pets, livestock or sources of electricity. Unless otherwise stated on this label, DO NOT apply to furniture (excluding bookcases and storage furniture), mattresses, linens, toys or clothing. When applied indoors, DO NOT apply to overhead areas or in confined spaces (for example, attics, crawlspaces). When applied indoors, ventilate treated areas after application by opening windows and doors or using fans, where required, to aid in the circulation of air. When applied outdoors, DO NOT apply in areas where plants are grown for food or feed (e.g., vegetables, fruit, herbs). DO NOT transfer product to another container. DO NOT apply as a space spray or broadcast application.

PRECAUTIONS:

KEEP OUT OF REACH OF CHILDREN. Wash thoroughly after handling and before smoking or eating. Remove pets and birds and cover fish aquarium before surface applications. After use and at least one (1) hour drying time, wash all surfaces that may contact food.

ENVIRONMENTAL PRECAUTIONS;

Toxic to beneficial insects. Toxic to aquatic organisms. Toxic to birds. This pesticide is highly toxic to bees exposed to direct treatment or to residues remaining on the treated area. Do not apply this product or allow drift when bees are actively visiting the treatment area. Applications should be timed to provide the maximum interval between treatment and the next period of bee activity.

FIRST AID:

If swallowed, call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person. If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice. If inhaled, move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice. If in eyes, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION:

Treat symptomatically.

STORAGE:

Completely dispense product in sprayer prior to storage. Store this product in its original container in a secure area away from children and pets. Do not put into food or drink containers. Avoid contamination of feed and foodstuffs. Store in a cool, dry place, preferably in a locked storage area. Protect container from freezing.

DISPOSAL:

Do not reuse or refill this container with any other product. Wrap and dispose of empty container with household garbage. Unused or partially used products should be disposed at provincially or municipally designated hazardous waste disposal sites.

Questions , Comments or Medical Information Call 1-800-668-5669 or visit our Web Site at www.scotts.ca

- ® used under license by Scotts Canada Ltd.
- $^{\mathsf{TM}}$ used under license by Scotts Canada Ltd.
- © 2015 Scotts Canada Ltd. World rights reserved.