

2015-1499
2015-08-07

FOR MANUFACTURING, FORMULATING OR REPACKAGING

MIRACLOR 55 T

STABILIZED CHLORINATING TABLETS

DANGER

POISON CORROSIVE
CORROSIVE TO EYES and SKIN

PREVENT ACCESS BY UNAUTHORIZED PERSONNEL

GUARANTEE: Available Chlorine present as sodium dichloro-s-triazinetriene dihydrate.... 55.21%

REGISTRATION NO. **31965** PEST CONTROL PRODUCTS ACT.

READ THE LABEL BEFORE USING
NET CONTENTS 50 KG

INTRACHEM INDUSTRIES INC.
476 Armadale Avenue
Toronto, Ontario, Canada, M6S 3X9
Tel: 1-416-760-0929 Fax: 1-416-769-1363

DIRECTIONS FOR USE:

To be used only in the manufacture of a pesticide which is registered under the **PEST CONTROL PRODUCTS ACT**.

PRECAUTIONS:

PREVENT ACCESS BY UNAUTHORIZED PERSONNEL. Strong oxidizing agent. Use only clean, dry utensils. Contamination with moisture, dirt, organic matter or other chemicals (including other pool chemicals) or other foreign matter may start a chemical reaction with generation of heat, liberation of hazardous gases, and possible generation of fire and explosion. Avoid any contact with flaming or burning material, such as a lighted cigarette. Keep product dry in tightly closed container when not in use. Harmful or fatal if swallowed. May be fatal if inhaled. **DO NOT** breathe dust or vapours. Corrosive to eyes and severely irritating to skin. **DO NOT** get in eyes or on skin and clothing.

STORAGE:

Store container in a cool, dry location, well ventilated area away from fire, flame or other sources of heat.

FIRST AID:

If swallowed, call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15 – 20 minutes. Call a poison control centre or doctor for treatment advice.

If in eyes, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

If inhaled, move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration; preferable by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

Take container, label or product name and PEST Control Product Registration number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION:

Probable mucosal damage may contraindicate the use of gastric lavage. Treat symptomatically.

NOTICE TO USER:

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the **Pest Control Products Act** to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

DISPOSAL:

Canadian formulators using this product should dispose of unwanted active ingredient and containers in accordance with municipal or provincial regulations. For additional details and information on clean up of spills, contact the Provincial Regulatory Agency or the Manufacturer.

