

2016-2255  
2017-03-07

# PROXEL<sup>®</sup> AQ PRESERVATIVE

MICROBIOSTAT SOLUTION  
INDUSTRIAL PRODUCT  
MATERIAL PRESERVATIVE

**READ THE LABEL BEFORE USING**

**GUARANTEE:**

1,2-BENZISOTHAZOLIN-3-ONE..... 9%

**DANGER**



**CORROSIVE**                      **POISON**  
**POTENTIAL SKIN SENSITIZER**

REGISTRATION NO.: 31978 PEST CONTROL PRODUCTS ACT

NET CONTENTS: 18.92 OR 208 OR 440 LITRES, tank car

Arch Chemicals, Inc.  
1200 Bluegrass Lakes Parkway  
Alpharetta, GA 30004 Tel. No.  
1-800-654-6911

**PROXEL<sup>®</sup> is a registered trademark of Arch UK Biocides, Ltd.**

MADE IN:

PRODUCT CODE:

FOR INDUSTRIAL USE ONLY AS A PRESERVATIVE FOR LATEX, CASEIN/ROSIN EMULSIONS, EMULSION PAINTS, AND METAL WORKING FLUIDS.

**PRECAUTIONS:** KEEP OUT OF REACH OF CHILDREN. CORROSIVE. Potential skin sensitizer. Causes marked eye and skin damage. Do not get in eyes, on skin, or on clothing. Wear a long-sleeved shirt, long pants, goggles or face shield and chemical-resistant gloves when handling this product. Harmful or fatal if swallowed. Avoid contamination of food. Do not reuse container. Destroy when empty.

**DIRECTIONS FOR USE:** It is recommended that compatibility be checked in individual formulations. Typical applications and suggested concentrations are:

AQUEOUS PRODUCT TO BE PROTECTED	AMOUNT OF PROXEL AQ BASED ON TOTAL WEIGHT OF PRODUCT
LATEX EMULSIONS	0.06 – 0.15%
AQUEOUS BASED PAINTS	0.06 – 0.5%
METAL WORKING FLUIDS	0.03 – 0.5%

**FIRST AID:**

**IF SWALLOWED:** Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

**IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

**IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

**IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

**TOXICOLOGICAL INFORMATION:** Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed. Treat symptomatically.

**NOTICE TO USER:** This Pest Control Product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.

**DISPOSAL:**

1. Triple- or pressure-rinse the empty container. Add the rinsings to the treatment site.
2. Follow provincial instruction for any required additional cleaning of the container prior to its disposal.
3. Make the empty container unsuitable for further use.
4. Dispose of the container in accordance with provincial requirements.
5. For information on the disposal of unused, unwanted product, contact the provincial regulatory agency or the manufacturer. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.