

2018-2981
2019-09-14

SUPER KILL BED BUG KILLER

PRESSURIZED SPACE, CRACK & CREVICE, SPOT TREATMENT & CONTACT SPRAY

DOMESTIC

ACTIVE INGREDIENTS: D-Phenothrin 0.20%
Tetramethrin 0.20%

REG. NO. 32675 P.C.P. ACT

NET CONTENTS: 50-600 g

CAUTION



EXPLOSIVE

READ THE LABEL BEFORE USING
KEEP OUT OF REACH OF CHILDREN

CAMCO
121 Castle Oaks Crossing
Brampton, ON, L6P 3V3
905 794 8153

[Optional Text]
[Sprays Upside Down] [Sprays in Any Position] [All Angle Spray] [Sprays 360°]

[Water Based] [Kills Bed Bugs]

[Comfort Button/Actuator] [User friendly] [Ready to Use]

DIRECTIONS FOR USE: SHAKE WELL BEFORE USING. [Hold can upright while spraying.] Hold container with nozzle aimed away from you. Depress valve and spray lightly from a distance of 20-25cm (8 to 10 inches). Use extension tube/wand/applicator for tight to reach places. Always test an area before spraying. Spray in an inconspicuous area to test for possible staining or discoloration. Evaluate test area after drying. **DO NOT** treat bed linens. **DO NOT** treat clothing. **DO NOT** use articles until treatment is dry. **DO NOT** treat pets.

Do not use tetramethrin in food handling, storage or preparation areas while food is present.

FOR INDOOR AND OUTDOOR USE:

FLYING INSECTS: Flies, gnats, mosquitoes, hornets, wasps, and small flying moths. Close all doors and windows and direct spray upward into center of room with slow sweeping motion. Spray 5 to 10 seconds for average room. Direct mist into areas where insects are present. Remove animals for a minimum of 1 hour when spraying room. Cover fish aquariums before spraying. Following treatment, ventilate all rooms, do not access for at least 15 minutes and do not re-enter before ventilation is complete Spray around light fixtures.

TOXIC to bees. Do not spray bees. This product is intended for use on yellow jackets, hornets and wasps only.

CRAWLING INSECTS: Ants, Carpet Beetles, Centipedes, Caterpillars, Cockroaches, Crickets, Fleas, Silverfish, Earwigs, Mealybugs, and Spiders. Contact as many insects as possible with the spray in addition to thorough spraying of all parts of the room suspected of harbouring these pests. Special attention should be paid to cracks, hidden surfaces under sinks, behind stoves and refrigerators, storage areas and wherever these pests are suspected of hiding. To kill ants, treat doors, around window frames, ant trails and other areas of entry. **DO NOT** apply as a broadcast application. Indoors, only spot or crack and crevice applications are permitted. A spot treatment is made to a localized surface area not greater than (< 2 ft²/0.2 m²). Spots are not to be adjoining and the total area of spots is not to exceed 10% of the surface area being treated (e.g. floors, walls, ceilings. A crack and crevice application is made into narrow openings on the surfaces of the structure. Such openings commonly occur at expansion joints, utility entry points and between different elements of construction (e.g. baseboards, mouldings) Application to upholstered furniture must be limited to tufts and seams or spot treatment.

FLEAS: Spray animal sleeping quarters and floors around area, but not furniture or carpets that people regularly contact. Remove old bedding and replace with clean bedding after treatment. **DO NOT SPRAY PETS.**

For insects listed above spray around doorframes and window frames both indoors and outdoors.

An exterior perimeter/band application of a pest control product is made as a band or strip less than 1 m wide.

BED BUGS:

Apply as a spot treatment to cracks and crevices on and around baseboards, floorboards, bed frames, closets (remove clothing and other articles before treatment), door and window frames, and window treatment hardware such as curtain rods. Apply as a spot treatment to mattresses and box

springs (particularly around seams and tufts. Take beds apart, spray all joints). Thoroughly clean and air-out mattresses and box springs. Then treat areas that may harbor Bed Bugs such as tufts, folds and seams. Spray until damp.

Before treatment, remove all bedding and thoroughly vacuum and air out mattresses and box springs. Treat mattresses, box springs, bed frames, and headboards, especially tufts, folds and edges of the mattress. Allow treatment to dry before remaking bed with freshly washed bedding.

PRECAUTIONS:

KEEP OUT OF REACH OF CHILDREN AND PETS. Harmful if swallowed or absorbed through skin. Contains petroleum distillate. Do not breathe vapours or spray mist. Avoid contact with skin or eyes. Wash hands with soap and warm water after use. **DO NOT SPRAY PETS OR OTHER ANIMALS WITH THIS PRODUCT.** Avoid contamination of foodstuffs. Do not use in commercial food processing or preparation areas. In the home, all processing surfaces and utensils should be covered during treatment, or thoroughly washed and rinsed before use.

Remove or cover exposed food. Remove animals for a minimum of 1 hour when spraying room. Cover fish aquariums before spraying. Following treatment, ventilate all rooms, do not access for at least 15 minutes and do not re-enter before ventilation is complete. Avoid contact with treated surfaces until dry. Contents under pressure. Keep away from heat, sparks and open flame. Do not puncture or incinerate container. Exposure to temperatures above 50°C may cause bursting. Do not use this product in or on electrical equipment due to possibility of shock hazard.

FIRST AID:

IF SWALLOWED: Call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

Take the container label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Treat symptomatically. Contains petroleum distillates. Vomiting may cause aspiration pneumonia.

ENVIRONMENTAL HAZARDS: Toxic to aquatic organisms.

STORAGE: Store in a cool dry area away from heat or open flame.

DISPOSAL: Do not use empty container. When container is empty, press button to release all

pressure. Wrap container in several layers of newspaper and discard in household garbage. Do not puncture or incinerate.