

2021-1397  
2021-05-05

# **SECURE BIO-32C**

(Solution in Methanol)

**For Use as an Oilfield Biocide**

**REGISTRATION No. 33006  
PEST CONTROL PRODUCTS ACT  
READ THE LABEL BEFORE USING**

**COMMERCIAL  
ACTIVE INGREDIENT:**

1-Alkyl\*-1,3-Propanediamine Diacetate...32.0% (\*Alkyl groups as  
derived from coconut oil fatty acids)  
(7% C8, 6.5% C10, 53% C12, 19% C14, 8.5% C16, 6% C18)

**NET CONTENTS: \_\_\_L**

**DANGER**

**POISON FLAMMABLE CORROSIVE**

{SECURE LOGO}  
SECURE ENERGY  
2300, 225 6th Ave SW  
Calgary, Alberta T2P 1N2  
1-403-264-1588

**EMERGENCY TELEPHONE NUMBERS:**

**EMERGENCY CONTACT:  
1-877-518-4321**

**TRANSPORTATION EMERGENCIES ONLY:**

**Within Canada: 1-613-996-6666  
Outside Canada: 1-888-226-8832**

## **PRECAUTIONS**

**KEEP OUT AT REACH OF CHILDREN**

***DANGER! CORROSIVE***

***\*CONTAINS METHANOL\****

***FLAMMABLE AND CORROSIVE***

CAN BE FATAL OR CAUSE BLINDNESS IF SWALLOWED. CAUSES EYE AND SKIN BURNS. Use only in well ventilated areas. Keep away from heat, sparks and open flame. Wear goggles or face shield and chemical-resistant gloves, long pants, a long-sleeve shirt, and shoes and socks when handling. Wash thoroughly with soap and water after handling. Avoid contamination of food.

## **FIRST AID**

**IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

**IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

**IF SWALLOWED:** Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

**IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

## **TOXICOLOGICAL INFORMATION:**

**CONTAINS METHANOL AND ACETIC ACID.** There is no specific antidote. Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion, may be needed. Treat symptomatically.

## **DIRECTION FOR USE**

**Apply the product using closed delivery systems such as a dry coupling and/or metering pump.**

**Secondary Oil Production:** For the control of algae, slime forming and sulphate reducing bacteria in oilfield waterflood slug, treat at a rate up to 600 ppm for up to 6 hours as needed, to achieve control. Repeat treatment once a week or as needed to maintain control. For continuous treatment, up to 200 ppm can be used initially to achieve control with maintenance levels of up to 100 ppm. Levels for effective control will vary depending on conditions at site.

**Well Completions, Workover and Stimulation Fluids:** For control of algae, slime forming and sulphate reducing bacteria, dosage levels of up to 1000 ppm in normal situations and up to 2000 ppm for severe contamination is suggested. In packer fluids, doses up to 200 ppm is recommended.

**Petroleum Transport, Storage Systems and Surface Equipment:** To control bacteria in crude oil pipelines, slug dose with up to 6.0 litres per centimetre of diameter per kilometre of pipeline. Repeat weekly or as needed to control situation. The appropriate doses will depend on the severity of the problem. Up to 100 ppm can be used in water for hydrostatic testing and in treatment of water and crude oil storage facilities. This water should be used in sub-surface injection systems only.

### **STORAGE**

Container should be stored in a cool, dry and well-ventilated area. Keep container tightly closed when not in use. Exercise due caution to prevent damage to or leaking from the container. Do not use air pressure to transfer. Do not reuse empty container.

**ENVIRONMENTAL HAZARDS:** This product is toxic to birds and aquatic organisms. DO NOT discharge effluent containing this product into sewer systems, lakes, streams, ponds, estuaries, oceans or other waters. Not for use in marine or estuarine oilfields. Open dumping is prohibited.

### **DISPOSAL:**

- 1) Triple-or pressure-rinse the empty container. Add the rinsings to the treatment site.
- 2) Follow provincial/territorial instructions for any required additional cleaning of the container prior to its disposal.
- 3) Make the empty container unsuitable for further use.
- 4) Dispose of the container in accordance with provincial/territorial requirements.
- 5) For information on the disposal of unused, unwanted product, contact the manufacturer or the provincial/territorial regulatory agency. Contact the manufacturer and the provincial/territorial regulatory agency in case of a spill, and for clean-up of spills.

**SPILLAGE:** Clean up spills immediately. For small spills, recover free liquid. Soak up residue with solid absorbent. Larger spills should be flushed to a collection basin for disposal. Clean area well with detergent and water. DO NOT FLUSH INTO SURFACE STREAMS. INFORM THE REGULATORY AGENCY AS INDICATED ABOVE IN #5.

**NOTICE TO USER:** This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label.