

2017-8208
2018-09-28

OMNI® DURABROME™ BROMINE TABLETS

TABLET

SANITIZER
CONTROLS BACTERIA AND ALGAE IN SWIMMING POOL WATERS
DOMESTIC

Algicide, bactericide

ACTIVE INGREDIENT:

Available bromine present as 1-bromo-3-chloro-5,5-dimethylhydantoin and related hydantoin..... 68.4 %

Available chlorine present as 1-bromo-3-chloro-5,5-dimethylhydantoin and related hydantoin..... 28.2 %

REG. NO. 33224 P.C.P. ACT



POISON



CORROSIVE

DANGER CORROSIVE TO EYES AND SKIN
POTENTIAL SKIN SENSITIZER

READ THE LABEL BEFORE USING
KEEP OUT OF REACH OF CHILDREN

NET CONTENTS: 18 kg

KIK HOLDCO COMPANY INC.
33 MacIntosh Blvd. Concord
ON L4K 4L5
1-888-797-4444

OMNI® DURABROME™ BROMINE TABLETS -
Approximate tablet weight: [20 g] [60 g]

2017-8208
2018-09-28

OMNI DuraBrome Bromine Tablets, when used as directed, are effective as a swimming pool water sanitizer and disinfectant.

WARNING: Direct tablet contact may cause bleaching of vinyl or painted pool surfaces. Automatic feeding devices employing these tablets must be totally free from traces of other pool sanitizers to avoid the probability of an explosion.

DIRECTIONS FOR USE:

The filtration system should be in proper working order; the pH adjusted to between 7.2 and 7.8; the total alkalinity maintained at 100 to 150 ppm and the calcium hardness maintained at 150 to 300 ppm. A bromine residual of 1.0 to 2.0 ppm must first be established in the pH-adjusted pool. If this is accomplished with a granular hypochlorite product, follow use directions on that product's label. If the residual is established with **OMNI DuraBrome Bromine Tablets** in a brominator, use the brominator at the highest feed rate following the manufacturer's instructions. When the bromine residual reaches 1.0 to 2.0 ppm, adjust the feeder accordingly. To maintain a bromine residual, adjust the brominator feed rate to assure a constant treatment level of 1.0 to 3.0 ppm in residential pools and 3.0 to 5.0 ppm in larger, heavily-used pools (normally 30 g to 180 g of this product per 10,000 L daily). Actual use rates vary depending on organic load and environmental conditions. The regular use of a good test kit will determine if further adjustments are needed. Do not swim in the water if the residual is above 5.0 ppm. Periodic superchlorination of pool water is recommended. Follow label directions of superchlorination product being employed.

DO NOT contaminate irrigation or drinking water supplies or aquatic habitats by cleaning of equipment or disposal of wastes.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. IRRITANT, DANGEROUS GAS FORMED WHEN MIXED WITH ACID. Fatal or poisonous if swallowed. May be fatal if inhaled. **DO NOT** inhale dust or vapors. Corrosive to eyes and skin. Potential skin sensitizer. Do not get in eyes, on skin or on clothing. It is recommended to wear rubber gloves and goggles when handling the product. Remove and wash contaminated clothing before reuse.

FIRST AID If irritation or other adverse effects develop, wash with soap and water immediately. Seek medical attention if symptoms persist.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

IF SWALLOWED: Call poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control centre or doctor. Do not give anything by mouth to an unconscious person.

Take container, label or product name and Pest Control Registration Number with you when seeking medical attention.

2017-8208
2018-09-28

TOXICOLOGICAL INFORMATION: Probable mucosal damage may contraindicate the use of gastric lavage. This product is corrosive to skin and eyes and may produce a sensitization response or allergic reaction in some individuals. Treat symptomatically.

STORAGE: Keep product dry in tightly closed original container when not in use. Store in a cool, dry, well ventilated area, away from heat, open flame, sunlight and other chemicals.

DISPOSAL: Do not reuse empty container. Wrap and dispose of empty container with household garbage. For information on the disposal of unused, unwanted product, contact the Provincial Regulatory Agency or the manufacturer. Contact the manufacturer and the Provincial Regulatory Agency in case of a spill, and for clean-up of spills.

PHYSICAL AND CHEMICAL HAZARDS: Strong oxidizing agent. Mix only with water. Use clean, dry utensils and equipment. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire and explosion. Contamination with moisture, organic matter, or other chemicals may start a chemical reaction with the generation of heat, hazardous gases, and possible fire and explosion. In case of contamination or decomposition, do not reseal container. If possible, isolate container in open air or well-ventilated area. If necessary, flood with large volumes of water.

ENVIRONMENTAL HAZARDS: This product is toxic to fish. Do not discharge where it will drain into lakes, streams, ponds or public water.