

(Container)



Recruit™ HD Termite Bait Insecticide

Recruit HD Termite Bait must be used in conjunction with a service provided by a pest management professional licensed to apply termite control products.

A termite bait for use in an integrated management program for the protection of structures against subterranean termites

COMMERCIAL

READ THE LABEL AND BOOKLET BEFORE USING
KEEP OUT OF REACH OF CHILDREN

USE ONLY WITH THE SENTRICON COLONY ELIMINATION SYSTEM BAIT STATION

GUARANTEE: noviflumuron 0.5%
Contains 1,2-benzisothiazolin-3-one at 0.0014% as a preservative
Solid

REGISTRATION NUMBER 31936 PEST CONTROL PRODUCTS ACT

NET CONTENTS: # of baits X 150 grams/bait

Corteva Agriscience Canada Company
Suite 240, 115 Quarry Park Rd. SE
Calgary, AB
T2C 5G9
1-800-667-3852

™ Trademark of Corteva Agriscience and its affiliated companies.

PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN

Avoid contact with eyes, skin and clothing.

At all times: wear a long-sleeved shirt, long pants, chemical-resistant gloves, and shoes plus socks. Rinse gloves before removal. Use safety glasses.

At completion or end of the day: Take a shower immediately. Wash thoroughly with soap and water before eating, drinking or smoking. Remove contaminated clothing at the end of the work session and store and wash separately from household laundry using detergents and hot water before reuse.

FIRST AID

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

If swallowed: Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

TOXICOLOGICAL INFORMATION

No specific antidote. Employ supportive care. Treatment should be based on the judgment of the physician in response to reactions of the patient.

ENVIRONMENTAL PRECAUTIONS

Do not use, handle or tamper with the bait in a manner inconsistent with this label.

STORAGE

Store in original container in a secure, dry, well ventilated storage. Do not break open, cut into or remove protective wrapper from product until immediately before installation. To prevent contamination store this product away from food and feed.

DISPOSAL

Do not reuse this container for any purpose. This container is to be disposed of at a container collection site. Contact your local distributor/dealer or municipality for the location of the nearest collection site.

If there is no container collection site in your area, dispose of the container in accordance with provincial requirements.

For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label.

(Booklet)



Recruit™ HD Termite Bait Insecticide

Recruit HD Termite Bait must be used in conjunction with a service provided by a pest management professional licensed to apply termite control products.

A termite bait for use in an integrated management program for the protection of structures against subterranean termites

COMMERCIAL

READ THE LABEL AND BOOKLET BEFORE USING
KEEP OUT OF REACH OF CHILDREN

USE ONLY WITH THE SENTRICON COLONY ELIMINATION SYSTEM BAIT STATION

GUARANTEE: noviflumuron 0.5%
Contains 1,2-benzisothiazolin-3-one at 0.0014% as a preservative
Solid

REGISTRATION NUMBER 31936 PEST CONTROL PRODUCTS ACT

NET CONTENTS: # of baits X 150 grams/bait

Corteva Agriscience Canada Company
Suite 240, 115 Quarry Park Rd. SE
Calgary, AB
T2C 5G9
1-800-667-3852

™ Trademark of Corteva Agriscience and its affiliated companies.

PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN

Avoid contact with eyes, skin and clothing.

At all times: wear a long-sleeved shirt, long pants, chemical-resistant gloves, and shoes plus socks. Rinse gloves before removal. Use safety glasses.

At completion or end of the day: Take a shower immediately. Wash thoroughly with soap and water before eating, drinking or smoking. Remove contaminated clothing at the end of the work session and store and wash separately from household laundry using detergents and hot water before reuse.

FIRST AID

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

If swallowed: Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

TOXICOLOGICAL INFORMATION

No specific antidote. Employ supportive care. Treatment should be based on the judgment of the physician in response to reactions of the patient.

ENVIRONMENTAL PRECAUTIONS

Do not use, handle or tamper with the bait in a manner inconsistent with this label.

STORAGE

Store in original container in a secure, dry, well ventilated storage. Do not allow contamination of seeds, plants, fertilizers or other pesticides. Do not break open, cut into or remove protective wrapper from product until immediately before installation. To prevent contamination store this product away from food and feed.

DISPOSAL

Do not reuse this container for any purpose. This container is to be disposed of at a container collection site. Contact your local distributor/dealer or municipality for the location of the nearest collection site.

If there is no container collection site in your area, dispose of the container in accordance with provincial requirements.

For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

GENERAL INFORMATION

Recruit HD Termite Bait contains an insect growth regulator (IGR) noviflumuron that prevents successful molting and development of subterranean termites. This disruption of development causes a slow decline of the termite colony to the point where the colony can no longer sustain itself and is eliminated.

Recruit HD Termite Bait is used in the Sentricon™ Colony Elimination System for prevention and elimination of subterranean termite colonies, including *Coptotermes*, *Reticulitermes*, and *Heterotermes* spp., and is intended to form the basis of an on-going program providing structural protection against subterranean termites. Use of this termite baiting system involves the installation of Recruit HD Termite Bait for delivery of noviflumuron coupled with concurrent monitoring and baiting of the site. When Recruit HD Termite Bait is inspected and replenished per label instructions, it provides on-going prevention and elimination of termite colonies.

Target sites for this system can include buildings, fences, utility poles, decking, landscape plantings and trees, or other features that could be damaged by termite feeding and foraging activity. Recruit HD Termite Bait can be used on the inside or outside of foundation walls of crawl space areas, or through access holes made through concrete and asphalt if adequate soil is not accessible and such action is warranted. Recruit HD Termite Bait may be used in lieu of a pre-construction termiticide (chemical barrier) treatment as a means of preventing termite infestation of new structures.

Use Recruit HD Termite Bait in conjunction with other subterranean termite control practices which may include physical barriers, reducing moisture from the area, removal of all loose wood and other cellulose debris from the area, structural repairs, replacement of wood and a barrier treatment with a registered soil termiticide.

DIRECTIONS FOR USE

DO NOT contaminate irrigation or drinking water supplies or aquatic habitats by cleaning of equipment or disposal of wastes.

Installation of Recruit Hd Termite Bait

USE ONLY WITH THE SENTRICON COLONY ELIMINATION SYSTEM BAIT STATION.

Sentricon bait stations are installed by inserting them into the soil until flush with the soil surface. Place in locations at or near points of known or suspected termite activity. Install Sentricon stations around the target site at intervals not to exceed 6 metres (20 feet) in locations where soil is accessible. Access holes may be made through concrete and asphalt if adequate soil is not accessible and such action is warranted. If the structural foundation is known to have been previously treated with a soil-applied termiticide, do not install Sentricon stations in the soil closer than 45 cm (18 inches) from the foundation.

Based upon the professional evaluation of the installer, install additional Sentricon stations in areas conducive to termite activity in proximity to the structure. Examples of areas to be evaluated include:

- locations near visible termite activity (foraging tubes; termite infested plants, wood, and other materials)
- bath traps
- moist soil in shaded areas
- irrigation sprinkler heads
- roof downspouts and other moist areas
- planting beds or other areas with plant root systems

Remove shrink wrap from Recruit HD Termite Bait only immediately before installation. Place Recruit HD Termite Bait in each Sentricon station upon station installation. Recruit HD Termite Bait may also be placed in previously installed Sentricon stations upon removal of the existing monitoring device or bait.

Service of Recruit HD Termite Bait

The purpose of the service phase is to detect the presence of subterranean termites or signs of termite activity in Recruit HD Termite Bait to monitor for termites, to aid Recruit HD Termite Bait replacement, and to confirm colony elimination. This procedure does not attract termites from other locations.

Recruit HD Termite Bait is inspected manually for detection of termites, termite activity, or to identify the need to replace Recruit HD Termite Bait. If Recruit HD Termite Bait is more than 1/3 depleted, replace it with new Recruit HD Termite Bait. If possible, gently tap the termites from the used Recruit HD Termite Bait into the Sentricon station containing the new Recruit HD Termite Bait, being careful to not injure the termites. Introduce these termites after the new Recruit HD Termite Bait has been installed into the Sentricon station.

Sentricon stations containing Recruit HD Termite Bait are inspected and serviced on at least an annual basis. When annual service is being provided, an annual inspection date must be assigned for each structure. Stations must be inspected and serviced at intervals not exceeding 30 days beyond the annual inspection date unless unfavorable conditions exist. Unfavorable conditions include frozen conditions or normal seasonal decline in subterranean termite foraging activity that may temporarily disrupt feeding on Recruit HD Termite Bait. Do not allow more than fifteen months to elapse between inspections. Seasonal effects on termite activity vary geographically, but feeding activity typically declines during periods when the local historical average daily temperature falls below 10°C (50°F). Inspection and servicing may be suspended during these periods; however, do not allow more than fifteen months to elapse between inspections. Refer to national weather service data or contact Corteva Agriscience Canada Company for information regarding local historical average daily temperature.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label.

™ Trademark of Corteva Agriscience and its affiliated companies.