

2023-2313

2024-01-18

This label has been updated according to the re-evaluation decisions of Pyrethrin RVD2023-06 and Piperonyl Butoxide RVD2023-07. While users are encouraged to follow this updated label immediately, the previously approved label is valid until 03-02-2025 in accordance with the phase out period set out in the re-evaluation/special review decisions of Pyrethrins RVD2023-06 and Piperonyl Butoxide RVD2023-07. This previously approved label will be provided upon request by emailing hc.pmra.info-arla.sc@canada.ca. In your email please include the product name and Registration number of the label you are requesting.

2023-2313

2024-01-18

Doktor Doom Maximum Strength Premium Quality # 1
“No Ticks & Fleas on Us[®]” Quick Breaking Foam Tick & Flea Killer

PRESSURIZED

FOR USE ONLY ON DOGS AND CATS

Kills dog fleas, cat fleas, brown dog ticks and American dog ticks.

DO NOT USE ON PUPPIES OR KITTENS LESS THAN 8 WEEKS OLD

DO NOT USE ON ANY OTHER ANIMAL

DOMESTIC

ACTIVE INGREDIENTS

Pyrethrins ... 0.30%

Piperonyl Butoxide ... 2.40%

REG. NO. 31477 P.C.P. ACT

NET CONTENTS: 150-600 g

CAUTION EXPLOSIVE

READ THE LABEL BEFORE USING

KEEP OUT OF REACH OF CHILDREN

753146 AB Ltd o/a Ultrasol Industries

10755-69 Ave NW

Edmonton, AB T6H 2C9

780-432-6535

2023-2313

2024-01-18

DIRECTIONS FOR USE

Doktor Doom Maximum Strength Premium Quality # 1 “No Ticks & Fleas on Us®” Quick Breaking Foam Tick & Flea Killer is a contact and residual insecticidal foam which kills adult cat fleas, dog fleas, American dog and brown dog ticks. Effectively breaks the flea life cycle and prevents the growth of pre-adult stages of the flea. Its unique combination of ingredients kills adult fleas for 7 to 10 days and keeps the flea eggs from hatching for up to 45 days.

FOR USE ONLY ON DOGS AND CATS OVER 8 WEEKS OLD

USE LIMITATIONS

DO NOT use on puppies or kittens under 8 weeks of age. DO NOT use on dogs or puppies weighing less than 0.2268 kg. DO NOT use on cats or kittens weighing less than 1.5 kg.

DO NOT USE ON ANY OTHER ANIMAL

Consult a veterinarian before using on sick, aged, pregnant or nursing animals or animals receiving other pesticide treatment

Use ONLY in a well-ventilated area, preferably outdoors.

This product contains pyrethrins and piperonyl butoxide. DO NOT apply another pest control product such as a shampoo, spot on, collar or powder which contains pyrethrins and piperonyl butoxide to the treated animal when using Doktor Doom Maximum Strength Premium Quality # 1 “No Ticks & Fleas on Us®” Quick Breaking Foam Tick & Flea Killer.

DO NOT use this spray more than once a week. Treatment must only be repeated if pest problem persists or reoccurs.

To kill dog fleas, cat fleas, brown dog ticks and American dog ticks: SHAKE CAN WELL BEFORE USING. Hold the can about 2 cm above the dog or cat’s back and spray the entire body of the dog or cat beginning at the tail and working towards the head. Ticks are difficult to control and must be sprayed directly. Pay special attention to neck, hindquarters, areas under legs, around the tail and between toes. DO NOT apply to dog or cat’s face, eyes, nose, mouth or genitals. Rub the foam thoroughly into the dog or cat’s coat using a comb, brush or fingertips in an amount which moistens, but does not soak the coat. Wipe off any excess product from the dog or cat with a dry cloth and then comb or brush. DO NOT exceed 6-8 g per treatment per animal (1-2 seconds per treatment per animal).

For effective flea and tick control, treatment of the pet should be combined with the sanitation of any area used by the pet. Vacuum floors, carpets, and furniture (discard vacuum bag after use) and wash the pet’s bedding, living quarters, and surrounding areas. If pest problems persist, a premise treatment with an insecticide labelled for that use may be required. A veterinarian should be consulted when flea infestation continues to be a problem on the pet.

RETAIN PACKAGING INFORMATION FOR FUTURE REFERENCE.

PRECAUTIONS

PHYSICAL AND CHEMICAL HAZARDS: Contents under pressure. DO NOT place in hot water or near radiators, stoves or other sources of heat. DO NOT puncture or incinerate container even when empty. DO NOT store at temperatures over 50°C. Keep away from open flame or sparks.

HUMANS: KEEP OUT OF REACH OF CHILDREN. Harmful if swallowed, inhaled or absorbed through skin. Avoid contact with mouth, eyes, skin and clothing. Avoid breathing

2023-2313

2024-01-18

fumes or vapours. Avoid contact with pet until dry. Avoid skin contact by wearing rubber gloves. After handling or applying, wash gloved hands (or any other skin that came into contact with the product) with soap and water. Avoid contact with food, food utensils or places where food is prepared or stored. Discontinue use if dermal or nasal irritation develops. DO NOT use near fish, food or foodstuffs.

PETS: Harmful if swallowed or inhaled. May irritate eyes, nose and throat. Toxic to fish and other aquatic life. Cover fish aquaria in vicinity of treatment area. Toxic to birds.

SIDE EFFECTS

Monitor your dog after application. Side effects may include: skin irritation such as redness or scratching; changes in behaviour such as agitation or lethargy; or gastrointestinal effects such as vomiting or loss of appetite. If these or other side effects occur consult your veterinarian or registrant.

Monitor your cat after application. Side effects may include: skin irritation such as scratching or hair loss at the application site, or changes in behaviour such as agitation or lethargy.

Gastrointestinal effects such as drooling, vomiting, or loss of appetite may also occur. If these or other side effects occur consult your veterinarian or registrant.

FIRST AID

HUMANS

If inhaled, move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to mouth, if possible. Call a poison control centre or doctor for further treatment advice.

If sprayed in eyes, hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice.

If swallowed, call a poison control centre or doctor immediately for treatment advice. DO NOT induce vomiting unless told to do so by a poison control centre or doctor. DO NOT give any liquid to the person. DO NOT give anything by mouth to an unconscious person.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

PETS

Sensitivities may occur after using ANY pesticide for pets. If signs of sensitivity occur bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION

Treat symptomatically. This product contains petroleum distillates. Vomiting may cause aspiration pneumonia.

2023-2313

2024-01-18

STORAGE

Store this product away from food or feed.

DISPOSAL

When container is empty press valve to release pressure. Dispose of empty container in regular household garbage. DO NOT puncture or incinerate. DO NOT reuse the empty containers. Unused or partially used products should be disposed at provincially or municipally designated hazardous waste disposal sites.

NOTICE TO USER

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label.