

Proposed Label

DIQUAT AGROGILL
TECHNICAL GRADE ACTIVE INGREDIENT

LIQUID

FOR MANUFACTURING, FORMULATING OR REPACKAGING
For the manufacture of a pesticide for terrestrial use only

ACTIVE INGREDIENT: Diquat ion, present as diquat dibromide..... 22.2%

PREVENT ACCESS BY UNAUTHORIZED PERSONNEL
READ THE LABEL BEFORE USING



DANGER

POISON

EYE IRRITANT

REGISTRATION No: 32218 PEST

CONTROL PRODUCTS ACT

NET CONTENTS: 240KG OR 1200KG

Registrant: Agrogill Chemicals Pty Ltd

Agrogill Chemicals Canada Inc
34334 OLD YALE ROAD
ABBOTSFORD
BC V2S2K5

(604) 853-3229

NOTICE TO USER

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the PEST CONTROL PRODUCTS ACT to use this product in a way that is inconsistent with the directions on the label.

FIRST AID

IF POISONING IS SUSPECTED contact a physician or poison control centre IMMEDIATELY. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

IF SWALLOWED: Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth to mouth, if possible. Call a poison control centre or doctor for further treatment advice.

IF IN EYES: IMMEDIATELY hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

TOXICOLOGICAL INFORMATION

To be effective, treatment for ingestion of the product must begin IMMEDIATELY. If swallowed, give adsorbent suspension, for example either activated charcoal (100 g for adults or 2 g/kg body weight for children) or bentonite clay (100 to 150 g for adults or 2 g/kg body weight for children), mixed with a purgative (MgSO₄, Na₂SO₄ or mannitol). Maintain and monitor electrolyte and fluid status daily. Consider haemodialysis or haemoperfusion using charcoal column. Delay oxygen treatment as long as possible.

If in eyes, treat symptomatically, using antibiotics and steroids as necessary. Symptoms may develop gradually. Severe damage may be caused by apparently trivial contact and healing may be delayed. Medical supervision should continue until complete healing has occurred.

The use of supplemental oxygen is contraindicated. Do not administer supplemental oxygen unless the patient develops severe hypoxemia.

PRECAUTIONS

PREVENT ACCESS BY UNAUTHORIZED PERSONNEL. DO NOT get on skin or clothing. DO NOT get in eyes. Wear chemical resistant apron over coveralls, chemical

resistant gloves, chemical resistant footwear and goggles or face shield when handling this liquid concentrate. WASH SPLASHES of concentrate from skin and eyes immediately. REMOVE HEAVILY CONTAMINATED CLOTHING IMMEDIATELY and wash before re use. DO NOT CONTAMINATE feeds, foodstuffs or water supplies.

STORAGE

Store in original container in a well ventilated, cool dry and secure area. Ship and store away from food, feed or seed.

Store above 0 °C. If crystallization occurs because of storage below this, warm product to room temperature and agitate gently until reconstituted.

DECONTAMINATION AND DISPOSAL

Canadian manufacturers should dispose of unwanted active ingredients and containers in accordance with municipal and provincial regulations. For additional details and clean up of spills, contact the manufacturer and the provincial regulatory agency.

DIRECTIONS FOR USE

To be used only in the manufacture of a pesticide which is registered under the PEST CONTROL PRODUCTS ACT.