

2023-0773
2023-09-07

Small Container Label – 250 mL size only

GROUP	4A	INSECTICIDE
--------------	-----------	--------------------

IMA-jet 10

INSECTICIDE
SOLUTION

[Systemic Insecticide for Micro-Infusion]
[Arboriculture in Motion][Diverse Pest Control]

Microinjectable Systemic Insecticide for use with the Arborjet Injection System in the Management of Asian Longhorned Beetle, Emerald Ash Borer and Hemlock Woolly Aldelgid in Trees in Nurseries, Exterior Plantscapes, and in Private, Municipal, Provincial, and National Forested Areas.

ACTIVE INGREDIENT:

Imidacloprid ... 10%

REGISTRATION NO. 31479 PEST CONTROL PRODUCTS ACT

COMMERCIAL-RESTRICTED

READ THE LABEL AND ATTACHED BOOKLET BEFORE USING

KEEP OUT OF REACH OF CHILDREN

WARNING - POISON



EYE IRRITANT
POTENTIAL SKIN SENSITIZER

Manufactured by: Arborjet, Inc.
99 Blueberry Hill Road
Woburn, MA 01801
Phone: 781 935-9070
www.arborjet.com

Net Contents:

RESTRICTIONS :

NOTE: Not for use on trees used to produce fruits, nuts, or syrup for consumption.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. May be fatal if swallowed. May irritate eyes. Avoid contact with eyes, skin and clothing. Potential skin sensitizer. Refer to attached booklet for further Precautions.

FIRST AID:

If swallowed: Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first five minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention. If any exposure occurs, call a poison control centre or doctor for treatment advice. Refer to attached booklet for further first aid instructions.

TOXICOLOGICAL INFORMATION: Treat symptomatically.

ENVIRONMENTAL PRECAUTIONS: TOXIC to bees. This product is systemic and is transported upwards through the tree. Bees can be exposed to residues in floral pollen and/or nectar resulting from tree injections. Refer to attached booklet for further environmental precautions.

GROUP 4A INSECTICIDE

IMA-jet 10

**INSECTICIDE
SOLUTION**

[Systemic Insecticide for Micro-Infusion]
[Arboriculture in Motion][Diverse Pest Control]

Microinjectable Systemic Insecticide for use with the Arborjet Injection System in the Management of Asian Longhorned Beetle, Emerald Ash Borer and Hemlock Woolly Aldelgid in Trees in Nurseries, Exterior Plantscapes, and in Private, Municipal, Provincial, and National Forested Areas.

ACTIVE INGREDIENT:

Imidacloprid ... 10%

REGISTRATION NO. 31479___ PEST CONTROL PRODUCTS ACT

COMMERCIAL-RESTRICTED

READ THE LABEL BEFORE USING

KEEP OUT OF REACH OF CHILDREN

WARNING - POISON



**EYE IRRITANT
POTENTIAL SKIN SENSITIZER**

Manufactured by: Arborjet, Inc.
99 Blueberry Hill Road
Woburn, MA 01801
Phone: 781 935-9070
www.arborjet.com

Net Contents: 250 mL – 250 L

PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN. May be fatal if swallowed. May irritate eyes. Avoid contact with eyes, skin and clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

Potential skin sensitizer. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Keep children and pets away from treatment area until injection and uptake are complete.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Wear coveralls over a long-sleeved shirt, long pants, chemical-resistant gloves, socks, chemical-resistant footwear, and protective eyewear (goggles or face shield) during loading, application, clean-up, repair, and during removal of injection devices from trees. Remove and wash contaminated clothing before reuse.

FIRST AID	
If Swallowed	<ul style="list-style-type: none">• Call a poison control centre or doctor immediately for treatment advice.• Have person sip a glass of water if able to swallow.• Do not induce vomiting unless told to do so by a poison control centre or doctor.• Do not give anything by mouth to an unconscious person.
If in Eyes	<ul style="list-style-type: none">• Hold eye open and rinse slowly and gently with water for 15-20 minutes.• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.• Call a poison control centre or doctor for treatment advice.
If Inhaled	<ul style="list-style-type: none">• Move person to fresh air.• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.• Call a poison control centre or doctor for further treatment advice.
If on Skin or Clothing	<ul style="list-style-type: none">• Take off contaminated clothing.• Rinse skin immediately with plenty of water for 15-20 minutes.• Call a poison control centre or doctor for treatment advice.
Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention. You may also contact the Infotrac Chemical Emergency Response System at 1-800-535-5053	

TOXICOLOGICAL INFORMATION

No specific antidote is available. Treat symptomatically.

ENVIRONMENTAL PRECAUTIONS

Apply this product only in accordance with this label.

Toxic to small wild mammals. Toxic to birds. Toxic to certain beneficial arthropods (which may include predatory and parasitic insects, spiders, and mites).

Toxic to aquatic organisms. Do not mix, load or clean equipment within 30 metres of wellheads or aquatic systems.

TOXIC to bees. This product is systemic and is transported upwards through the tree. Bees can be exposed to residues in floral pollen and/or nectar resulting from tree injections. Applications to Albizia, ash, box-elder, buckeye, elm, hackberry, horsechestnut, maple, mountain-ash, poplar, sycamore/London plane tree and willow must be made post-bloom. Applying post-bloom reduces risk; however, some residues may carry over to the next season.

Do not apply more than once per year per tree.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

DIRECTIONS FOR USE

As this product is not registered for the control of pests in aquatic systems, DO NOT use to control aquatic pests.

DO NOT contaminate irrigation or drinking water supplies or aquatic habitats by cleaning of equipment or disposal of wastes.

IMPORTANT: Read the entire label before use. Failure to follow label directions may result in poor control or plant injury. Failure to follow label directions may cause injury to people, animals and environment.

Before applying IMA-jet 10, correctly identify the pest and ensure economic and agronomic thresholds are met as recommended by tree specialists.

RESTRICTED USE

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label.

NATURE OF RESTRICTION: This product is to be used only in the manner authorized. This product is only to be used by individuals holding an appropriate pesticide applicator certificate or license recognized by the provincial/territorial pesticide regulatory agency where the pesticide application is to occur.

APPLICATION TO TREES

IMA-jet 10 is a systemic insecticide used to control Asian Longhorned Beetle, Emerald Ash Borer and Hemlock Woolly Aldelgid in ornamental or landscape trees. Use IMA-jet 10 as directed in trees in residential, business and commercial areas, golf courses, airports, cemeteries, parks, street trees, playgrounds, athletic fields, commercial forestry production, seed orchard trees, nurseries, and in private, municipal, federal, provincial, county and local recreational forests.

When to Treat

Signs and symptoms of an emerald ash borer infestation may not be readily apparent in trees. Make applications when this pest has been detected in your area (or within 24 km) and trees still appear healthy. Also apply when any of the listed pests are infesting and feeding upon the tree. Use the highest application rate for the targeted pest on this label for trees larger than 30 cm DBH and for smaller trees that are visibly infested. Do not apply more than once per year per tree. Monitor insect activity to determine the need for retreatment.

The need for an application can be based on historical monitoring of the site, previous records or experiences, current season adult trapping and other methods. Due to potential foliar injury or poor (i.e., slow) uptake, do not apply to trees stressed by drought or extreme heat.

Basic Injection Procedure

This product must be placed into the tree's sapwood, the conductive tissue that moves water to the canopy. IMA-jet 10 insecticide moves upward into the tree's canopy from the application sites. Systemic activity occurs only after the active ingredient is translocated upward in the tree. Make applications around the base of the tree. Inject into tree roots exposing them by careful excavation or, alternatively into the trunk flare or tissue immediately above the trunk flare, locating the injection site in the first few xylem (i.e., sapwood) elements. Drill holes through the bark and into the sapwood a minimum of 10 mm deep. When using the Arborjet Arborplug, drill a minimum of 15 mm deep into the sapwood.

Calculating Application Rate

The dosages and number of application sites are based on tree diameter.

To determine the application/dose rate per tree:

- 1) Measure the tree diameter in cm at chest height (135 cm from ground) to find the Diameter at Breast Height (DBH). (If measuring tree circumference, divide circumference by 3 to obtain the DBH in cm).
- 2) Calculate the number of injection sites by dividing the DBH in cm by 5.
- 3) Multiply the tree DBH by the dosage rate (see table below for appropriate dosage rate) to calculate the total dose in milliliters per tree.
- 4) Divide the total dose by the number of injection sites to determine required dosage per injection site.

Example: For a tree with a DBH of 30 cm (or circumference of 90 cm) and to deliver the 1.6 mL/cm DBH dosage rate:

- 1) DBH = 30 (circumference $90 \div 3 = 30$)
- 2) Divide DBH of 30 by 5 = 6 injection sites.
- 3) Multiply DBH of 30 by 1.6 mL = 48 mL total dose per tree.
- 4) Divide 48 mL by 6 injection sites = 8mL per injection site to deliver the required dosage.

Place injection sites in actively growing tissue (i.e., “peaks”, not “valleys”) and avoid tree wounds and old injection sites. The number and spacing of injection sites may be varied to increase the speed of application and to accommodate the suitability of a given site on the tree for injection, but do not place injection sites less than 5 cm apart or more than 20 cm apart.

Application Equipment

IMA-jet 10 is designed for use with the Arborjet Tree Injection Systems or with other tree injection devices that are chemically resistant. For all injection systems, read carefully and follow manufacturer’s directions for use. Only for closed application systems.

Use of IMA-jet 10

Use as formulated. Do not mix with water. Do not formulate this product into other end-use products. Do not leave the application site unattended during the treatment process. Ensure that after application, there is no leakage from the plugged injection holes of host trees.

Applications for Use in Listed Trees					
Do not make applications when trees are in flower for all labelled tree species, except hemlock.					
For trees less than 30 cm in diameter, use the lower rate for the targeted pest unless the trees are visibly infested, then use the highest label rate specified for control of the targeted pest.					
Space injection holes approximately 15 cm apart, around the base of the tree. Apply injections no closer than 5 cm and up to 20 cm apart to apply the specified dosage.					
Host Trees	Pest	cm DBH Range	Dose Rate mL/cm DBH	mL Dose/Tree Range	Comments
Ash Trees (including Green, White, Black and Blue ash trees)	Emerald ash borer	15 - 30 >30	0.8 – 1.6 1.6	12 – 48 48+	Apply at least 30 days before historical egg hatch or adult flight and to trees whose vascular tissue is not damaged.*
Elm, Maple, Birch, Willow, Box-elder, Horsechestnut,	Asian Longhorned Beetle	15 - 30 >30	0.8 – 1.6 1.6	12 – 48 48+	Apply at least 30 days before historical egg hatch or adult flight and to trees

Buckeye, European Mountain-ash, Ash, Poplar, Albizia, London Plane, Hackberry and Sycamore					whose vascular tissue is not damaged.*
Eastern Hemlock	Hemlock Woolly Adelgid	15 - 30 >30	0.4 – 0.8 0.8 – 1.2	6 – 24 24 – 36+	Apply in early spring, prior to bud break; alternatively, apply in late summer when adelgids resume feeding activity.

*If vascular tissue is damaged or plugged by insect galleries, uniform treatment and control may not be achieved.

For trees that may be visited by pollinators (such as Albizia, ash, box-elder, buckeye, elm, hackberry, horsechestnut, maple, mountain-ash, poplar, sycamore/London plane tree and willow), applications must be made post-bloom.

RESTRICTIONS

NOTE: Not for use on trees used to produce fruits, nuts, or syrup for consumption.

STORAGE AND DISPOSAL

STORAGE: Store bottles in a cool, dry place above 7.2° C. Store in original container out of reach of children, preferably in a locked storage area. Keep from freezing. Keep from excess heat. Store this product away from food or feed.

DISPOSAL:

1. Follow provincial/territorial instructions for any required additional cleaning of the container prior to its disposal.
2. Make the empty container unsuitable for further use.
3. Dispose of the container in accordance with provincial/territorial requirements.
4. All unused product must be returned to the manufacturer. Contact the manufacturer and the provincial/territorial regulatory agency in case of a spill, and for clean-up of spills.

CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available, or puncture and dispose of empty bottle in a sanitary landfill.

RESISTANCE MANAGEMENT RECOMMENDATIONS

For resistance management, please note that IMA-jet 10 contains a Group 4 insecticide. Any insect population may contain individuals naturally resistant to IMA-jet 10 and other Group 4 insecticides. The resistant individuals may dominate the insect population if this group of insecticides is used repeatedly in the same sites. Other resistance mechanisms that are not linked to site of action, but specific for individual chemicals, such as enhanced metabolism, may also exist. Appropriate resistance-management strategies should be followed.

To delay insecticide resistance:

- Where possible, rotate the use of IMA-jet 10 or other Group 4 insecticides with different groups that control the same pests.
- Insecticide use should be based on an IPM program that includes scouting and record keeping, and considers cultural, biological and other chemical control practices.
- Before applying IMA-jet 10, correctly identify the pest and ensure economic and agronomic thresholds are met as recommended by local provincial or IPM specialists.
- Monitor treated pest populations for resistance development.
- Contact your local extension specialist or certified crop advisors for any additional pesticide resistance-management and/or IPM recommendations for the specific site and pest problems in your area.
- For further information or to report suspected resistance contact Arborjet Inc. via internet at www.arborjet.com or phone 781-935-9070.