

2023-1204
2023-12-22

[Container]

GROUP	4	7	11	FUNGICIDE
-------	---	---	----	-----------

BAS 720 F ST

FUNGICIDE SEED TREATMENT

SUSPENSION

COMMERCIAL

For seed treatment use in Crop Subgroup 6C Dried Shelled Pea and Bean (including but not limited to lentils, field pea, chickpeas and dry beans), Soybean and Crop Subgroup 20A Rapeseed Subgroup (including but not limited to canola, *Brassica juncea*, canola oil quality mustards and flax)

ACTIVE INGREDIENTS: Pyraclostrobin 16.7 g/L
Fluxapyroxad 16.7 g/L
Metalaxyl 13.3 g/L

Contains 1,2-benzisothiazolin-3-one at 0.007%, 2-methyl-4-isothiazolin-3-one at 0.007%, 2-bromo-2-nitropropane-1,3-diol at 0.002%, 5-chloro-2-methyl-4-isothiazolin-3-one at 0.00006%, as preservatives

OR

Contains 1,2-benzisothiazolin-3-one at 0.020% and 2-bromo-2-nitropropane-1,3-diol at 0.0018% as preservatives

Warning, contains the allergen soy

REGISTRATION NO. 32010

PEST CONTROL PRODUCTS ACT

READ THE LABEL AND ATTACHED BROCHURE BEFORE USING

KEEP OUT OF REACH OF CHILDREN

CAUTION – SKIN IRRITANT

**IN CASE OF EMERGENCY ENDANGERING LIFE OR PROPERTY
INVOLVING THIS PRODUCT, CALL DAY OR NIGHT, 1-800-454-2673**

NET CONTENTS: 1 L – 1000 L

BASF Canada Inc.
5025 Creekbank Road,
Building A, 2nd Floor
Mississauga ON L4W 0B6
1-877-371-2273

PRECAUTIONS

1. **KEEP OUT OF REACH OF CHILDREN.**
2. Harmful if swallowed. Do not take internally.
3. May irritate the skin. Avoid contact with skin. Avoid contact with eyes, skin and clothing.
4. Wash thoroughly after handling and before eating, drinking or smoking.
5. Applicators, other handlers, and handlers of treated seed must wear coveralls over long-sleeved shirt and long pants, chemical resistant gloves made of any waterproof material (such as nitrile, butyl, neoprene and/or barrier laminate), a NIOSH approved N95 filtering facepiece respirator (dust mask) that is properly fit tested and shoes plus socks.
6. If clothing becomes contaminated, remove and wash separately from household laundry before reuse.
7. Clean equipment thoroughly after use.

FIRST AID

If swallowed: Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

If in eyes: Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION

The patient should be treated symptomatically.

STORAGE

1. Store this product away from food or feed. Store in original tightly closed container. Prevent from freezing.

2. Do not ship or store near food, feed, seed and fertilizers.
3. Store in cool, dry, locked, well-ventilated area without floor drain.

DISPOSAL

For Recyclable Containers

Do not reuse this container for any purpose. This is a recyclable container, and is to be disposed of at a container collection site. Contact your local distributor/dealer or municipality for the location of the nearest collection site. Before taking the container to the collection site:

1. Triple- or pressure-rinse the empty container. Add the rinsings to the spray mixture in the tank.
2. Make the empty, rinsed container unsuitable for further use.

If there is no container collection site in your area, dispose of the container in accordance with provincial/territorial requirements.

For Returnable-Refillable Containers

For disposal, this container may be returned to the point of purchase (distributor/dealer). It must be refilled by the distributor/dealer with the same product. Do not reuse this container for any other purpose.

For Non-Returnable containers

1. Triple- or pressure-rinse the empty container. Add the rinsings to the spray mixture in the tank.
2. Follow provincial/territorial instructions for any required additional cleaning of the container prior to its disposal.
3. Make the empty container unsuitable for further use.
4. Dispose of the container in accordance with provincial/territorial requirements.

For information on disposal of unused, unwanted product, contact the manufacturer or the provincial/territorial regulatory agency. Contact the manufacturer and the provincial/territorial regulatory agency in case of a spill, and for clean-up of spills.

NOTICE TO USER

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label.

BAS 720 F ST

FUNGICIDE SEED TREATMENT

SUSPENSION

COMMERCIAL

For seed treatment use in Crop Subgroup 6C Dried Shelled Pea and Bean (including but not limited to lentils, field pea, chickpeas and dry beans), Soybean and Crop Subgroup 20A Rapeseed Subgroup (including but not limited to canola, *Brassica juncea*, canola oil quality mustards and flax)

ACTIVE INGREDIENTS: Pyraclostrobin 16.7 g/L
 Fluxapyroxad 16.7 g/L
 Metalaxyl 13.3 g/L

Contains 1,2-benzisothiazolin-3-one at 0.007%, 2-methyl-4-isothiazolin-3-one at 0.007%, 2-bromo-2-nitropropane-1,3-diol at 0.002%, 5-chloro-2-methyl-4-isothiazolin-3-one at 0.00006%, as preservatives

OR

Contains 1,2-benzisothiazolin-3-one at 0.020% and 2-bromo-2-nitropropane-1,3-diol at 0.0018% as preservatives

Warning, contains the allergen soy

REGISTRATION NO. 32010

PEST CONTROL PRODUCTS ACT

READ THE LABEL AND ATTACHED BROCHURE BEFORE USING

KEEP OUT OF REACH OF CHILDREN

CAUTION – SKIN IRRITANT

**IN CASE OF EMERGENCY ENDANGERING LIFE OR PROPERTY
INVOLVING THIS PRODUCT, CALL DAY OR NIGHT, 1-800-454-2673**

NET CONTENTS: 1 L – 1000 L

BASF Canada Inc.
5025 Creekbank Road,
Building A, 2nd Floor
Mississauga ON L4W 0B6
1-877-371-2273

GENERAL INFORMATION

BAS 720 F ST is a broad spectrum fungicide that provides preventive seed and seedling protection against various seed and soil-borne pathogens. Make all applications according to the use directions in this label.

APPLICATION INSTRUCTIONS

For use on farm and for commercial treatment (facilities and mobile treaters).

Uniform application on seed and complete seed coverage are necessary for seed safety and best disease protection. Seed should be sound and well cleaned prior to treatment.

Apply **BAS 720 F ST** using standard slurry or mist-type seed treatment application equipment. When applied at the recommended rate, no additional dyes or dilutions with water are needed unless recommended by the manufacturer of the seed treatment application equipment/machines. Please consult the seed treatment application equipment manufacturer in question for further directions.

Do not graze or feed livestock on treated areas for four weeks after planting.

CROP SPECIFIC RECOMMENDATIONS FOR SEED TREATMENT

Crop Subgroup 6C: Dried Shelled Pea and Bean and Soybean

Crop	Target Diseases Controlled or Suppressed	Product use rate in mL/100 kg seed
Crop Subgroup 6C*: Dried shelled pea and bean subgroup and soybean	Seed rot and seedling blight caused by soil-borne <i>Fusarium</i> spp. Suppression of root rot caused by soil-borne <i>Fusarium</i> spp. Seed rot, seedling blight and root rot caused by soil-borne <i>Rhizoctonia solani</i> Seed rot and seedling blight caused by soil-borne <i>Pythium</i> spp. Suppression of seed rot and seedling blight caused by seed-borne <i>Botrytis cinerea</i> Seedling blight caused by seed-borne <i>Ascochyta</i> spp. Suppression of anthracnose seedling blight caused by seed-borne <i>Colletotrichum lindemuthianum</i>	300

*Bean (*Lupinus* spp.) (includes grain lupin, sweet lupin, white lupin and white sweet lupin); Bean (*Phaseolus* spp.) (includes field bean, kidney bean, lima bean [dry], navy bean, pinto bean, runner bean, snap bean, tepary bean and wax bean); Bean (*Vigna* spp.) (includes adzuki bean, asparagus bean, blackeyed pea, catjang, Chinese long bean, cowpea, crowder pea, moth bean, mung bean, rice bean, southern pea, and yard long bean); Broad bean (fava bean) (*Vicia faba*); Chickpea (garbanzo bean) (*Cicer arietinum*); Guar (*Cyamopsis tetragonoloba*); Lablab bean (hyacinth bean) (*Lablab purpureus*); Lentil (*Lens esculenta*); Pea (*Pisum* spp.) (includes dwarf pea, edible-pod pea, English pea, field pea, garden pea, green pea, snow pea and sugar snap pea); Pigeon pea (*Cajanus cajan*)

Crop Subgroup 20A: Rapeseed Subgroup

Crop	Target Diseases Controlled	Product use rate in mL/100 kg seed
Crop subgroup 20A: Rapeseed Subgroup*, including canola, <i>Brassica juncea</i> and canola oil quality mustards, excluding flax seed	Seed rot, seedling blight, and root rot caused by soil-borne <i>Fusarium</i> spp. Seed rot, seedling blight, and root rot caused by soil-borne <i>Rhizoctonia solani</i> Seed rot and seedling blight caused by soil-borne <i>Pythium</i> spp. Seed- and soil-borne blackleg (<i>Leptosphaeria maculans</i>).** Seed- and soil-borne alternaria spot (<i>Alternaria</i> spp.).**	600
Flax seed (<i>Linum usitatissimum</i>)	Seed rot, seedling blight, and root rot caused by soil-borne <i>Fusarium</i> spp. Seed rot, seedling blight, and root rot caused by soil-borne <i>Rhizoctonia solani</i>	300 - 600***

*Borage (*Borago officinalis*), Crambe (*Crambe hispanica*; *C. abyssinica*), Cuphea (*Cuphea hyssopifolia*), Echium (*Echium plantagineum*), Gold of Pleasure (*Camelina sativa*), Hare's ear mustard (*Conringia orientalis*), Lesquerella (*Lesquerella recurvata*), Lunaria (*Lunaria annua*), Meadowfoam (*Limnanthes alba*), Milkweed (*Asclepias* spp.), Mustard seed (*Brassica hirta* spp.), Oil radish (*Raphanus sativus* var. *oleiformis*), Poppy seed (*Papaver somniferum* L. subsp. *somniferum*), Rapeseed (*Brassica* spp.; *Brassica napus* L.), Sesame (*Sesamum indicum*; *S. radiatum*), Sweet rocket (*Hesperis matronalis*), cultivars and/or hybrids of these.

** For control on the following crops that are members of the *Brassicaceae* family (crambe, gold of pleasure, hare's ear mustard, lesquerella, lunaria, mustard seed, oil radish, rapeseed, including canola, *Brassica juncea* and canola oil quality mustards, and sweet rocket)

***Use the lower rate under normal field conditions. Use the higher rate if: (a) there is a history of high disease pressures in the field; OR (b) where field conditions favour seed and soil-borne pathogens. If using the 600 mL per 100 kg rate, it is highly recommended that the seed be treated into a bin or truck box to allow the treated seed to dry prior to placing into the seeder hopper. This will prevent clumping and bridging in the seeder.

TANK MIXES

This product may be tank mixed with a fertilizer, a supplement, or with registered pest control products, whose labels also allow tank mixing, provided the entirety of both labels, including Directions for Use, Precautions, Restrictions, Environmental Precautions, and Spray Buffer Zones are followed for each product. In cases where these requirements differ between the tank mix partner labels, the most restrictive label must be followed. Do not tank mix products containing the same active ingredient unless specifically listed on this label.

In some cases, tank mixing pest control products can result in reduced pesticide efficacy or increased host crop injury. The user should contact BASF Canada at 1-877-371-2273 for information before applying any tank mix that is not specifically recommended on this label.

USE RESTRICTIONS

- Do not use treated seed for food, feed or oil processing.
- Do not store **BAS 720 F ST** near feed or foodstuffs.
- Do not contaminate feed or foodstuffs.

BAS 720 F ST contains sufficient pigment to conspicuously color and coat treated seed. Regulations pertaining to the coloration of treated seed enforced under the "*Seeds Act*" must be strictly adhered to when using this product.

When planting treated seeds, a closed cab planter is required at all times. All workers outside the closed cab must wear long-sleeved shirt and long pants, coveralls, chemical-resistant gloves made of any waterproof material (such as nitrile, butyl, neoprene and/or barrier laminate), shoes plus socks and a respirator with a NIOSH approved organic-vapour-removing cartridge with a pre-filter approved for pesticides OR a NIOSH approved canister approved for pesticides.

SEED LABELLING

TREATED SEED MUST BE LABELLED AS FOLLOWS:

"This seed has been treated with **BAS 720 F ST** containing pyraclostrobin, fluxapyroxad and metalaxyl. DO NOT use for food, feed or oil processing."

When handling treated seed, wear coveralls over long-sleeved shirt and long pants, chemical resistant gloves made of any waterproof material (such as nitrile, butyl, neoprene and/or barrier laminate), a NIOSH approved N95 filtering facepiece respirator (dust mask) that is properly fit tested and shoes plus socks.

Toxic to small wild mammals. Any spilled or exposed seeds must be incorporated into the soil or otherwise cleaned-up from the soil surface.

Thoroughly clean auger after handling treated seed before using same auger for handling commercial or feed grains.

Leftover treated seed should not be stored where there is a chance of it becoming mixed with untreated seed.

Store treated seed in cool, dry conditions.

When planting treated seeds, a closed cab planter is required at all times. All workers outside the closed cab must wear long-sleeved shirt and long pants, coveralls, chemical-resistant gloves made of any waterproof material (such as nitrile, butyl, neoprene and/or barrier laminate), shoes plus socks and a respirator with a NIOSH approved organic-vapour-removing cartridge with a pre-filter approved for pesticides OR a NIOSH approved canister approved for pesticides.

RESISTANCE-MANAGEMENT RECOMMENDATIONS

Mode of Action

BAS 720 F ST contains three active ingredients from different fungicide groups that have distinct modes of action. Pyraclostrobin is classified as a Target Site of Action Group 11 fungicide. Fluxapyroxad is classified as a Target Site of Action Group 7 fungicide. Metalaxyl is classified as a Target Site of Action Group 4 fungicide. Due to the minimal amounts of **BAS 720 F ST** applied to the seed that relocate to the upper parts of the plant and the multiple modes of action, the potential for development of resistance is extremely low. Seed treatments of **BAS 720 F ST** can therefore be followed by foliar use and resistance management guidelines of foliar use fungicides containing the same modes of action as specified on the respective labels.

Resistance Management

BAS 720 F ST contains three active ingredients with three distinct modes of action. Any fungal population may contain individuals naturally resistant to **BAS 720 F ST**, and other Group 4, 7 and 11 fungicides. A gradual or total loss of pest control may occur over time if these fungicides are used repeatedly in the same fields. Other resistance mechanisms that are not linked to site of action but specific for individual chemicals, such as enhanced metabolism, may also exist. Appropriate resistance-management strategies should be followed.

To delay the development of fungicide resistance:

- Where possible, rotate the use of **BAS 720 F ST** with different groups that control the same pathogens.
- Use tank mixtures with fungicide from a different group that is effective on the target pathogen when such use is permitted.
- Fungicide use should be based on an integrated disease management program that includes scouting, historical information related to pesticide use and crop rotation and considers host plant resistance, impact of environmental conditions on disease development, disease thresholds, as well as cultural, biological and other chemical control practices.
- Monitor treated fungal populations for resistance development. Notify BASF Canada Inc. if reduced sensitivity of the pathogen to **BAS 720 F ST** is suspected.
- If disease continues to progress after treatment with this product, do not increase the use rate. Discontinue use of this product, and switch to another fungicide with a different site of action, if available.
- Contact your local extension specialist or certified crop advisors for any additional pesticide resistance-management and/or IPM recommendations for specific crops and pathogens.

ENVIRONMENTAL PRECAUTIONS

Toxic to aquatic organisms, non-target terrestrial plants and small wild animals. Treated seed is toxic to small wild mammals.

Ensure proper soil incorporation of the seeds. **DO NOT** feed treated seed to, or otherwise expose to, wildlife or domestic birds. If treated seed is spilled outdoors or in areas accessible to birds, promptly clean up or bury to prevent ingestion. Ensure proper disposal of any surplus treated seed not intended for later planting. **DO NOT** contaminate domestic or irrigation water supplies, lakes, streams, ponds or any body of water with the chemical, used containers, treated seed or bags, which have held treated seed. **DO NOT** contaminate irrigation or drinking water supplies or aquatic habitats by cleaning of equipment or disposal of wastes.

Unused or leftover treated seed should not be stored where there is a chance of it becoming mixed with untreated seed.

PRECAUTIONS

1. **KEEP OUT OF REACH OF CHILDREN.**
2. Harmful if swallowed. Do not take internally.
3. May irritate the skin. Avoid contact with skin. Avoid contact with eyes, skin and clothing.
4. Wash thoroughly after handling and before eating, drinking or smoking.
5. Applicators, other handlers, and handlers of treated seed must wear coveralls over long-sleeved shirt and long pants, chemical resistant gloves made of any waterproof material (such as nitrile, butyl, neoprene and/or barrier laminate), a NIOSH approved N95 filtering facepiece respirator (dust mask) that is properly fit tested and shoes plus socks.
6. If clothing becomes contaminated, remove and wash separately from household laundry before reuse.
7. Clean equipment thoroughly after use.

FIRST AID

If swallowed: Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

If in eyes: Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION

The patient should be treated symptomatically.

STORAGE

1. Store this product away from food or feed. Store in original tightly closed container. Prevent from freezing.
2. Do not ship or store near food, feed, seed and fertilizers.
3. Store in cool, dry, locked, well-ventilated area without floor drain.

DISPOSAL

For Recyclable Containers

Do not reuse this container for any purpose. This is a recyclable container, and is to be disposed of at a container collection site. Contact your local distributor/dealer or municipality for the location of the nearest collection site. Before taking the container to the collection site:

1. Triple- or pressure-rinse the empty container. Add the rinsings to the spray mixture in the tank.
2. Make the empty, rinsed container unsuitable for further use.

If there is no container collection site in your area, dispose of the container in accordance with provincial/territorial requirements.

For Returnable-Refillable Containers

For disposal, this container may be returned to the point of purchase (distributor/dealer). It must be refilled by the distributor/dealer with the same product. Do not reuse this container for any other purpose.

For Non-Returnable containers

1. Triple- or pressure-rinse the empty container. Add the rinsings to the spray mixture in the tank.
2. Follow provincial/territorial instructions for any required additional cleaning of the container prior to its disposal.
3. Make the empty container unsuitable for further use.
4. Dispose of the container in accordance with provincial/territorial requirements.

For information on disposal of unused, unwanted product, contact the manufacturer or the provincial/territorial regulatory agency. Contact the manufacturer and the provincial/territorial regulatory agency in case of a spill, and for clean-up of spills.

NOTICE TO USER

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label.