

2022-0975
2022-03-04

ZIDUA™ SC BULK
FOR MANUFACTURING, FORMULATING OR REPACKAGING

HERBICIDE

SUSPENSION CONCENTRATE

ACTIVE INGREDIENT: Pyroxasulfone.....500 g/L

Contains 1,2-benzisothiazolin-3-one and 2-methyl-4-isothiazolin-3-one, each at 0.0043%, as preservatives

OR

Contains 1,2-benzisothiazolin-3-one at 0.03800%, 5-chloro-2-methyl-4-isothiazolin-3-one at 0.00111%, 2-methyl-4-isothiazolin-3-one at 0.00037% and 2-bromo-2-nitropropane-1,3-diol at 0.02400%, as preservatives

REGISTRATION NO. 32543

PEST CONTROL PRODUCTS ACT

Warning, contains the allergen soy

**IN CASE OF EMERGENCY ENDANGERING LIFE OR PROPERTY
INVOLVING THIS PRODUCT, CALL DAY OR NIGHT,
1-800-454-2673**

NET CONTENTS: 50 L to BULK

READ THE LABEL AND BOOKLET BEFORE USING

BASF Canada Inc.
5025 Creekbank Road
Building A, 2nd Floor
Mississauga, Ontario L4W 0B6

(289) 360-1300

ZIDUA is a trademark of BASF SE, used with permission by BASF Canada Inc.

2022-0975
2022-03-04

DIRECTIONS FOR USE

To be used only in the manufacture of a herbicide which is registered under the *Pest Control Products Act*.

PRECAUTIONS

1. **PREVENT ACCESS BY UNAUTHORIZED PERSONNEL.**
2. Avoid contact with skin, eyes or clothing.
3. Wear a long-sleeved shirt and long pants, chemical-resistant gloves, shoes and socks when handling product.
4. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

FIRST AID

If swallowed

Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

If on skin or clothing

Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

If Inhaled

Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

If in eyes

Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION

Treat symptomatically.

2022-0975
2022-03-04

STORAGE

Store in original container in cool, dry, well-ventilated location.

To prevent contamination, store this product away from food or feed.

DISPOSAL

Canadian manufacturers should dispose of unwanted active ingredients and containers in accordance with municipal or provincial regulations. For additional details and clean-up of spills, contact the manufacturer or the provincial regulatory agency.

NOTICE TO USER

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label.