

2019-6579 2019-12-12

UNGAVA™ MOSQUITO COILS

XX MOSQUITO COILS WITH BURNERS

FOR OUTDOOR USE ONLY

DOMESTIC

REG. NO. 32159 P.C.P. ACT

ACTIVE INGREDIENT: D-CIS, TRANS ALLETHRIN 0.35%

READ THE LABEL BEFORE USING

CAUTION: KEEP OUT OF REACH OF CHILDREN

NET CONTENTS: XX coils XXg each

(Alternate)

(1-20) coils 16g each

(1-20) coils 13.5 g each

(1-20) coils 12g each

(1-20) coils 8g each

CITRONELLA SCENT

EACH COIL KILLS MOSQUITOES FOR UP TO XX HOURS

(Alternate)

Each Coil kills mosquitoes for up to 7 hours.

Each Coils kills mosquitoes for up to 5.5 hours.

Each Coil kills mosquitoes for up to 5 hours.

Each Coil kills mosquitoes for up to 3 hours.

TOTAL HOURS XX PER CONTAINER

(Alternate)

TOTAL HOURS 7-140 PER CONTAINER

TOTAL HOURS 5.5 -110 PER CONTAINER

TOTAL HOURS 5-100 PER CONTAINER

TOTAL HOURS 3-60 PER CONTAINER

9272-9771 Quebec Inc.

Aerokure International

326 Principale

Courcelles, QC G0M 1C0

418-483-5943

www.aerokure.com

DIRECTIONS FOR USE:

Store in a dry place.

May be used in outdoor areas like porches, covered patios and similar areas where there is little movement of air.

Place 3-4 coils about 3 meters apart around area to be protected. 1 coil per 30 cu. meters.

INSTRUCTIONS:

[Each set consists of two coils.]

[Hold the slotted end of one of the two coils, shake lightly and coils will separate.]

Bend the centre of the metal stand to upright position.

Insert the slot of the coil into the top of the stand.

Light outer end of the coil with a match.

Blow flame out once sustained glow is obtained.

A broken piece may be used by inserting it into the open gap of the metal stand.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Do not place in direct contact with flammable surfaces. Avoid prolonged inhalation of smoke. Cover exposed food to avoid contamination. Do not touch lit end. After using, wash hands with soap and water. Only use in well ventilated outdoor areas. Not to be used indoors or in enclosed places such as tents. Do not use in restaurants.

FIRST AID:

IF SWALLOWED: Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

Take the container label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Treat symptomatically.

STORAGE AND DISPOSAL: Dispose of empty containers and stands in household garbage.