Wilson® Lawn WeedOut® Selective Weed Control

READY TO USE

Herbicide Solution

DOMESTIC

REG. NO. 32510 P.C.P. ACT

GUARANTEE: 4-chloroindole-3-acetic acid, present as potassium salt 4.5 g/L

Contains 1,2-Benzisothiazolin-3-one at 0.039% as a preservative

KEEP OUT OF REACH OF CHILDREN READ THE LABEL BEFORE USING

250 mL to 1 L

Sure-Gro IP Inc./ Lic. Premier Tech Home & Garden Inc. P.O. Box 21001, Brantford, ON N3R 7W9 1-800-268-2806 **Wilson**[®] **Lawn Weedout**[®] **Selective Weed Control** provides control of dandelion and plantain and top growth control of fall hawkbit, hawkweed, cinquefoil, and black medic in turf. Visible effects on weeds can be observed within 24 hours and weeds die in four to eight weeks.

This product can be directly applied to small patches and individual broadleaf weeds as a spot treatment. To maximize its effectiveness, this herbicide should be used in conjunction with a sound turf maintenance program. Avoid mowing the lawn until the effect of weed treatment is visible.

DIRECTIONS FOR USE:

- Use this product anytime weeds are actively growing.
- Wet the foliage using short bursts of spray. Avoid over applying to the point of runoff.
- Do not apply to drought stressed grass or newly seeded lawns.
- Do not apply in very hot (over 30°C) or rainy weather, or if rainfall is forecast within the next 2 to 4 hours.
- Do not water for 2 hours after application.
- For hard to kill weeds, re-apply after 4 to 6 weeks.

This product will not prevent new weeds - **apply only when weeds are present.** Grass that is accidentally treated may temporarily turn brown but will recover.

PRECAUTIONS: Avoid activities that could result in skin contact with treated lawns or turf surfaces until residues have dried. Toxic to terrestrial and aquatic plants. Do not apply to desirable plants. Do not apply when winds are gusty.

FIRST AID: If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice. If in eyes, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. If swallowed, call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person. If inhaled, move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor immediately for treatment advice. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Treat symptomatically.

DISPOSAL: DO NOT reuse the empty containers. Dispose in household garbage.

Unused or partially used products should be disposed at provincially or municipally designated hazardous waste disposal sites.

STORAGE: To prevent contamination store this product away from food or feed. KEEP FROM FREEZING

For additional product information or in case of emergency, spills or fire, call toll-free 1-800-268-2806. www.pthomeandgarden.com

Optional Marketing Claims:

Selective herbicide

Rid Your Lawn of Broadleaf Weeds Kills broadleaf weeds in lawns No more hand weeding: spray the weeds! No more hand weeding! Visible results within 24 hours Visible effects within 24 hours TOTALLY Worth the Wait Selective herbicide for lawns Absorbed by the leaves Spray – not pull! Spray – don't pull! Don't pull it – Spray it! 2,4-D-Free! New Active Ingredient New Selective Herbicide Will not stain concrete Selective Weed Control