

2018-3309  
2018-08-30

**FOR EMERGENCY USE ONLY**  
**For Sale and Use only in Newfoundland and Labrador from**  
**September 1, 2018 to August 31, 2019**

**GROUP 3 INSECTICIDE**

**LOPPEX**

**Insecticide**

**Dust**



CAUTION - POISON  
EYE AND SKIN IRRITANT  
POTENTIAL SKIN SENSITIZER

**COMMERCIAL**

**ACTIVE INGREDIENT: Permethrin ..... 1% w/w**

**REGISTRATION NO. 32754**

**PEST CONTROL PRODUCTS ACT**

**READ THE LABEL BEFORE USING**

NET CONTENTS: 5 kg

Trinol A / S  
Søagervej 9 Onsild  
9500 Hobro

Viking Fur Ltd  
160 Main Road  
Cavendish, NL  
A0B 1J0

24-Hour Emergency Phone and for product information: 1-709-588-2820

## **PRECAUTIONS**

KEEP OUT OF REACH OF CHILDREN. Harmful if inhaled. DO NOT inhale/breathe dust. May irritate eyes and skin. Avoid contact with eyes and skin. Potential skin sensitizer. Wear a long-sleeved shirt, long pants, chemical-resistant gloves and boots plus socks during mixing, loading, application, clean-up and removal of treated nest material. Chemical-resistant gloves can be worn underneath bite-proof gloves. A NIOSH-approved N95 (minimum) filtering facepiece respirator (dust mask) that is properly fit tested must be worn during mixing, loading, application, clean-up and removal and burning of treated nest material.

Read and understand the entire label and leaflet before opening this product. If you have questions, call the registrant at 1-709-588-2820 or obtain technical advice from the distributor or your provincial agricultural representative.

## **ENVIRONMENTAL HAZARDS**

TOXIC TO AQUATIC ORGANISMS. DO NOT contaminate irrigation / drinking water supplies or aquatic habitats by cleaning of equipment or disposal of wastes. TOXIC TO BEES. Do not apply to any body of water. Avoid drifting of pesticide onto any body of water or other non-target areas. This product is very toxic to fish. This product is very toxic to bees.

As this product is not registered for the control of pests in aquatic systems, DO NOT use to control aquatic pests.

## **STORAGE**

To prevent contamination store this product away from food or feed.

## **FIRST AID**

IF SWALLOWED: Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

IF ON SKIN OR ON CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 minutes. Call a poison control centre or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

### **TOXICOLOGICAL INFORMATION**

Treat symptomatically.

### **DIRECTIONS FOR USE**

For control of fleas in mink nest boxes on mink farms. LOPPEX acts on adult fleas.

Dust the nest material with 2.5 grams of LOPPEX per nest box. Re-treat with LOPPEX every time the nest material (straw) is replaced.

Nest boxes should be cleaned and disinfected at least once a year. Old nest material should be burned immediately. Nest material is treated preventatively with 2.5g LOPPEX each time the nest material is replaced, as well as in the winter and fall.

If sporadic flea infestation occurs, treatment may be possible in 4 week intervals until fleas are no longer observed.

This product comes with a canister which holds approximately 500g, which is sufficient to treat approximately 200 nest boxes.

This product is to be used only in the manner authorized; consult local pesticide regulatory authorities about use permits which may be required.

### **RESISTANCE MANAGEMENT RECOMMENDATIONS**

For resistance management, please note that LOPPEX is a Group 3 insecticide. Any insect population may contain individuals naturally resistant to LOPPEX and other Group 3 insecticides. The resistant individuals may dominate the insect population if this group of insecticides is used repeatedly. Other resistance mechanisms that are not linked to site of action but are specific for individual chemicals, such as enhanced metabolism, may also exist. Appropriate resistance-management strategies should be followed.

To delay insecticide resistance:

- Insecticide use should be based on an IPM program that includes scouting, record keeping, and considers cultural, biological and other chemical control practices.
- Monitor treated pest populations for resistance development.
- Contact your local extension specialist or certified crop advisors for any additional pesticide resistance management and/or IPM recommendations for the specific site and pest problems in your area.

- For further information and to report suspected resistance, contact the registrant.

## **DISPOSAL**

1. Follow provincial instruction for any required additional cleaning of the container prior to its disposal.
2. Make the empty container unsuitable for further use.
3. Dispose of the container in accordance with provincial requirements.
4. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label.