

2017-5548
2018-03-28

Primary Panel

MOSQUITO BARRIER COMMERCIAL
Commercial

For use in outdoor locations including commercial properties, gardens, golf courses, parks, recreational areas and residential properties.

Liquid Insect Repellent
Becomes Odourless in Hours

ACTIVE INGREDIENT:

Garlic Juice.....99.3%

This product contains potassium sorbate at 0.2% as a preservative

REGISTRATION NO. 32396 PEST CONTROL PRODUCTS ACT

READ THE LABEL BEFORE USING
KEEP OUT OF REACH OF CHILDREN

MAY BE AN EYE AND SKIN IRRITANT
POTENTIAL SKIN SENSITIZER

NET CONTENTS
3.79L - 208 L

Manufactured by: Fabriqué par:
Garlic Research Labs, Inc
624 Ruberta Avenue.
Glendale, CA 91201-2335
1-800-424-7990

mosquitobarrier.com

Distributed in Canada by: Distribué au Canada par:
Upper Canada Organic Products, Inc.
15 Cardigan Rd
Toronto, ON M8Z 2V8
1-888-233-3208

ucorganicproducts.com

Side Panel 1

GENERAL INFORMATION

Description: Repels mosquitoes and ticks. Mosquito Barrier Commercial is a concentrated garlic juice solution that is sprayed on plants such as shrubs and turf to repel mosquitoes and ticks. Odourless in hours.

How it works: Mosquitoes and ticks are repelled by the odour of Mosquito Barrier Commercial almost immediately after spraying.

DIRECTIONS FOR USE

DO NOT contaminate irrigation or drinking water supplies or aquatic habitats by cleaning of equipment or disposal of wastes. DO NOT apply to bodies of water. DO NOT apply to food or feed crops.

For use in outdoor locations including commercial properties, gardens, golf courses, parks, recreational areas, under decks, under porches and residential properties.

Shake well before using.

Mix Mosquito Barrier Commercial in water at the rate of 30 mL/L. If mosquitoes and ticks are already present, it may be beneficial to double the amount of Mosquito Barrier Commercial per litre of water.

To aid mixing and spreading of the spray solution, especially if you have hard water, up to 10 mL of mild liquid soap (do not use detergent) per litre of water may be added.

If a sticker is desired to aid retention of the product on the plants, up to 20 mL of vegetable oil (canola or corn oil; do not use soybean or peanut oil) with up to 10 mL of mild liquid soap per litre of water may be added. If adding soap or vegetable oil and soap, mix well with undiluted Mosquito Barrier Commercial, then dilute the mixture in water and stir well.

No danger to plants is expected if label directions are followed, but test on a small area if in doubt about the sensitivity of a particular plant.

For best results spray in early morning or early evening. Avoid spraying in the heat of the day.

Apply to plants where mosquitoes and ticks are found. Spray foliage with a small spray droplet size until run-off. Re-apply after heavy rain or if mosquitoes and ticks continue to be a problem. Spraying for tick nymphs should start in late spring or early summer..

PRECAUTIONS KEEP OUT OF REACH OF CHILDREN Do not swallow. Avoid getting on skin and in eyes. May cause skin and eye irritation. Avoid inhaling/breathing mist or vapours. Potential skin sensitizer. Apply only when the potential for drift is minimal. Applicators and handlers must wear long-sleeved shirt, long pants, water-proof gloves, shoes plus socks and protective eyewear.

Individuals who are sensitive or allergic to garlic should avoid handling Mosquito Barrier Commercial. Individuals who are sensitive or allergic to garlic should avoid treated areas until dry or after a heavy rain. Do not spray on Blue Spruce trees.

On peel back but affixed to bottle

FIRST AID If swallowed: Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person. **If on skin or clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice. **If inhaled:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice. **If in eyes:** Hold eye open and rinse slowly and gently with water for 15–20 minutes.

Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION Treat symptomatically.

STORAGE To prevent contamination store this product away from food or feed.

DISPOSAL

1. Triple- or pressure-rinse the empty container. Add the rinsings to the spray mixture in the tank.
2. Follow provincial instruction for any required additional cleaning of the container prior to its disposal.
3. Make the empty container unsuitable for further use.
4. Dispose of the container in accordance with provincial requirements.
5. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

NOTICE TO USER This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label.

PATENTED: Mosquito Repelling Technique, using Garlic, is protected under Canadian Patent No. 2,232,763.
All rights reserved. Patent is issued to and owned by Garlic Research Labs, Inc.