

2018-3757
2018-10-09
Neogen Corporation
620 Leshar Place
Lansing, MI 48912
Phone: 1-800-498-5743
1-800-621-8829

DOMESTIC
NET CONTENTS: XX g (XXounce)
READ THE LABEL BEFORE USING
REG. No.: 31938 PCP ACT

Prozap[®] Shu-Fly

PRESSURIZED SPRAY
INDOOR/OUTDOOR USE

KILLS:

Flies, Mosquitoes, Bees, Wasps, Hornets, Gnats and Spiders

GUARANTEE:

Pyrethrins	0.40%
Piperonyl Butoxide	1.92%

KEEP OUT OF REACH OF CHILDREN

DANGER



EXTREMELY FLAMMABLE



EXPLOSIVE

FIRST AID

IF SWALLOWED: Call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Contains petroleum distillates. Vomiting may cause aspiration pneumonia. Treat symptomatically.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Do not remain in treated areas. Ensure proper ventilation after sealed areas have been treated. Cover or remove food, beverages and utensils to prevent contamination from spray and dead insect. Any treated surface that may contact food or feed products should be washed thoroughly with potable water after spraying and before re-use. Avoid inhalation of spray. Avoid contact with skin and eyes. Wash hands after using. CONTENTS UNDER PRESSURE. Do not place in hot water or near radiators, stoves or other sources of heat. Do not puncture or incinerate can or store at temperatures over 50°C. Do not spray into or near any open flame or spark.

DIRECTIONS

INDOOR USE: Close all windows, doors and extinguish open flames during treatment. Apply at a rate of 15 seconds per 30m³ of space. Direct mist upwards in sweeping motions to all parts of the building, especially windows and other light sources where insects are present. Keep room closed for 30 minutes and then ventilate treated areas for 30 minutes before re-entry.

OUTDOOR USE: Direct mist upwards in sweeping motions to all areas where insects are congregating such as under eaves, around shrubbery, in porches and other areas.

DISPOSAL: When container is empty, press valve to release all remaining pressure. Wrap and discard empty container in household garbage. Do not puncture or incinerate.

Code (NI.RL.)NI.RL