01-MAY-2015 2012-4566

English

Primary Panel

Insect2000

Domestic

READY TO USE /WATER BASED

SUSPENSION

KILLS CRAWLING AND FLYING INSECTS

Spiders, ants, roaches, fleas, ticks, silverfish and flies

No odor - Non staining on water safe surfaces - No sticky residue

REG. 31813 P.C.P ACT

GUARANTEE: PERMETHRIN 0.25%

CONTAINS 1,2 BENZISOTHIAZOLIN-3-ONE AT 0.0018% AS A PRESERVATIVE

KEEP OUT OF REACH OF CHILDREN

SHAKE WELL

READ THE LABEL BEFORE USING

Mirage2000

407 Croissant du Golf

Mont-Saint-Hilaire, Qc J3H 6E4

info@mirage2000.com

1 877 446-8792

NET CONTENTS: 1L (1.05KG)

DIRECTIONS FOR USE: INSECT 2000 home and garden is ready to use. Its special formula is non staining and has no conspicuous odor. Water, not petroleum distillate is used as the diluents. SHAKE WELL BEFORE USING. Spray surfaces of upper and lower leaves of plants until damp but not to the point of run-off. Repeat as necessary. Indoor pests: Spot treatment for the control of spiders, ants, cockroaches, fleas, brown and American dog ticks, silverfish and sow bug. Apply to areas where these crawling pests may enter or hide such as along door sills and baseboards, in cracks and crevices in walls and floors,

behind and beneath sinks, and refrigerators, etc. Spot treatment carpets, animal beddings etc. Spot treatment for house flies. Spray around windows and doors where flies enter or alight. Do not use in food storage areas or on surfaces that may come in contact with food. Outdoor plant pests: Control aphids, leaf eating caterpillars, thrips and leafhopper on ornamental plants. Do not use on fruits and vegetables. Spray when insects first noticed and then as required. Indoor plant pests: Controls aphids and whitefly. Spray surfaces of upper and lower leaves of plants. Safe to use on most plants. Before treating delicate plants such as Coleus and African Violet, spray 1 or 2 leaves. If no effect is noticed after 2 days, it is safe to treat whole plant.

Precautions: KEEP OUT OF REACH OF CHILDREN. Keep children and pets away from treated areas, at least until spray has dried. Do not use as a space spray. Avoid contamination of food, feed, cooking utensils or drinking water. Wash thoroughly before eating, drinking and smoking. Remove fish bowls and aquariums from the treated area.

FIRST AID: If swallowed: Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person. If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice. If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice. If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Treat symptomatically.

ENVIRONMENTAL HAZARDS: This product is toxic to fish. Do not contaminate lakes, ponds, streams and domestic or irrigation water supplies. This product is very toxic to bees; avoid spraying when bees are foraging. Spray deposit should be dry before bees commence foraging in treated crops.

STORAGE: Keep product in original container. Store in a cool, dry place away from food.

DISPOSAL: Do not re-use container. Wrap empty container and dispose in household garbage.