

2016-4623
2016-09-22

SINON METHOMYL TECHNICAL

SOLID

INSECTICIDE

FOR MANUFACTURING, FORMULATING OR REPACKAGING

READ THE LABEL BEFORE USING

PREVENT ACCESS BY UNAUTHORIZED PERSONNEL

GUARANTEE: Methomyl 99.3%

REGISTRATION NO. 32442 PEST CONTROL PRODUCTS ACT

NET CONTENTS:



DANGER

POISON

SINON CORPORATION

No. 101, Nanrong Road, Dadu District, Taichung City 43245, Taiwan (R.O.C.)

Tel: +886-4-2693-3841

J Mudryj Regulatory Consultants Ltd.

17 OAKFIELD DRIVE

ST. ANDREWS, MB

R1A 2W9

e-mail: george.mudryj@shaw.ca

Tel: (204) 615-2197

PRECAUTIONS:

- **PREVENT ACCESS BY UNAUTHORIZED PERSONNEL**
- **KEEP OUT OF REACH OF CHILDREN.**
- **MAY BE FATAL IF SWALLOWED, INHALED OR ABSORBED THROUGH THE SKIN.**
- **DO NOT BREATHE DUST OR SPRAY MIST.**
- **DO NOT GET IN EYES, ON SKIN, OR ON CLOTHING.**

FIRST AID:

If swallowed: Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

If in eyes: Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

If warning symptoms appear (See warning symptoms below), get medical attention or contact a poison control centre.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION:

ATROPINE IS AN ANTIDOTE - SEEK MEDICAL ATTENTION AT ONCE
IN ALL CASES OF SUSPECTED POISONING.

WARNING SYMPTOMS -- Methomyl poisoning produces effects associated with anticholinesterase activity which may include weakness, blurred vision, headache, nausea, abdominal cramps, discomfort in the chest, constriction of pupils, sweating, slow pulse, muscle tremors.

TREATMENT -- Atropine sulfate should be used for treatment. Administer repeated doses, 1.2 to 2.0 mg intravenously, every 10 to 30 minutes until full atropinization is achieved. Maintain atropinization until the patient recovers. Artificial respiration or oxygen may be necessary. Allow no further exposure to any cholinesterase inhibitor until recovery is assured.

DIRECTIONS FOR USE:

To be used only in the manufacture of a pesticide which is registered under the *Pest Control Products Act*.

STORAGE:

Store product in original container only, away from other pesticides, fertilizers, food or feed. Not for use or storage in or around the home. Keep container closed.

DISPOSAL:

Canadian manufacturers should dispose of unwanted active ingredients and containers in accordance with municipal or provincial regulations. For additional details and clean-up of spills, contact the manufacturer or the provincial regulatory agency.

NOTICE TO USER:

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label. The user assumes the risk to persons or property that arises from any such use of this product.