

2018-6033

2019-05-14

Spider Control

PRESSURIZED CONTACT

INSECTICIDE HOUSEHOLD SPRAY

DOMESTIC

KILLS: Spiders, Sowbugs, Crickets, Ants, Fleas, Carpet Beetles, Brown Dog Ticks, Silverfish, Cockroaches, Earwigs

ACTIVE INGREDIENT:

d-Phenothrin

0.20%

Tetramethrin

0.20%

REGISTRATION NO. 32925 PEST CONTROL PRODUCTS ACT

NET CONTENTS _____ GRAMS

READ THE LABEL BEFORE USING

KEEP OUT OF REACH OF CHILDREN

CAUTION

EXPLOSIVE

~~Captain Phab.~~

Lloyds Laboratories Inc. bda Captain Phab.

613 Neal Drive,

Peterborough,

Ontario K9J 6X7

Tel: 1 888 228 4050

Use only for spot or crack and crevice applications to control the household pests listed on front panel.

DIRECTIONS: DO NOT USE AS A SPACE SPRAY. Hold container approximately 30 cm. from surface being sprayed and spray until wet. Thoroughly treat cracks, crevices, baseboards, underneath furniture and equipment, around garbage containers, localized areas of floors and floor coverings (spot treatment only) and other places where insects occur. Thorough applications produce a coating which will vaporize into cracks and crevices for insect control. Provide adequate ventilation after indoor use. May also be used to spray outside surfaces of screens, doors, window frames, foundations, patios, light fixtures and other places where insects may alight, congregate or enter. **NOT FOR USE AS A GARDEN SPRAY. KEEP PETS AND CHILDREN AWAY FROM SURFACE UNTIL DRY.**

Do not use tetramethrin in food handling, storage or preparation areas while food is present. **DO NOT** apply as a broadcast application. Use only for spot or crack and crevice applications. A spot treatment is made to a localized surface area not greater than 0.2 m². Spots are not to be adjoining and the total area of the spots is not to exceed 10 % of the surface area being treated (e.g. floors, walls, ceilings). A crack and crevice application is made into narrow openings on the surfaces of the structure. Such openings commonly occur at expansion joints, utility entry points and between different elements of construction (e.g., baseboards, moulding). Residential areas are defined as any use site where the general public, including children, could be exposed during or after application. For structural uses, in residential sites, this includes homes, schools, restaurants, public buildings or any other area where the public including children may be potentially exposed. Non-residential areas include, but not limited to: industrial/commercial indoor sites (for example, laboratories, warehouses, food granaries); modes of transport in areas where passengers are not present (for example, buses, railcars, trailers); and animal housing (for example, livestock housing and poultry, pet kennels).

Application to upholstered furniture must be limited to tufts and seams or spot treatment.

USE PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN AND PETS. Contents under pressure. Do not place in hot water or near radiators, stove or other sources of heat, or store at temperatures over 50°C. Do not spray near open flame or spark. Avoid contact with eyes, skin or clothing. Avoid breathing spray mist. **DO NOT USE ON HUMANS, PLANTS, ANIMALS, FOODSTUFFS, FOOD UTENSILS, FISHBOWLS OR ANIMAL FEED AREAS. DO NOT CONTAMINATE FOODSTUFFS.** Do not use in any area where food may be exposed. Do not use in bulk food storage areas. Do not use in cupboards where food or cooking utensils are stored. Wash hands after use. Remove animals for a minimum of 1 hour when spraying room.

Following treatment, ventilate all rooms, do not access for a minimum of 15 minutes and do not re-enter before ventilation is complete. Avoid contact with treated surfaces until dry.

In homes or dwellings, remove or cover all exposed food and cooking utensils before spraying. Thoroughly wash all surfaces that might contact food before reuse.

FIRST AID TREATMENT: If swallowed, call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. In case of contact with the skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice. If in eyes, hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. If inhaled, move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Treat symptomatically. Contains volatile petroleum distillate. Vomiting may cause aspiration pneumonia.

ENVIRONMENTAL HAZARDS: Toxic to aquatic organisms.

DISPOSAL: When container is empty, press valve to release all remaining pressure. Wrap and discard empty

container in household garbage. Do not puncture or incinerate.