

NEUDORFF ANT AND INSECT BAIT

INSECTICIDE

GRANULAR

DOMESTIC

READY TO USE

Kills Ants and Controls Black Cutworms

Contains the active ingredient spinosad which is derived from a naturally occurring organism.

KEEP OUT OF REACH OF CHILDREN

READ THE LABEL AND BOOKLET BEFORE USING

ACTIVE INGREDIENT: Spinosad 0.07%

Warning: contains the allergen wheat and milk

REG. NO. 33308 P.C.P. ACT

250g to 10 Kg

W. Neudorff GmbH KG, An der Mühle 3,
31860 Emmerthal, Germany

Canadian Agent:

Neudorff North America

PO Box 178

Brentwood Bay, BC V8M 1R3

250-652-5888

PRECAUTIONS:

KEEP OUT OF REACH OF CHILDREN

Avoid contact with eyes, skin and clothing. Do not allow adults, children or pets on treatment areas during application. Wash immediately after using this product.

FIRST AID

If swallowed: Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION:

Treat symptomatically.

ENVIRONMENTAL PRECAUTIONS:

Toxic to aquatic organisms. Toxic to bees and certain beneficial insects. To reduce runoff from treated areas into aquatic habitats avoid application to areas with a moderate to steep slope, compacted soil, or clay. Avoid application when heavy rain is forecast. Contamination of aquatic areas as a result of runoff may be reduced by including a vegetative strip between the treated area and the edge of the water body.

STORAGE:

To prevent contamination store this product away from food and feed.

DISPOSAL:

DO NOT reuse the empty containers. Dispose in household garbage. Unused or partially used products should be disposed at provincially or municipally designated hazardous waste disposal sites.

DIRECTIONS FOR USE:

To kill ants: Apply bait at the rate of 6 – 45 kg per hectare (0.6 – 4.5 g/m²) to the crops/sites listed below.

To control black cutworms: Apply at the rate of 25 - 50 kg per hectare (2.5 – 5.0 g/m²).

Apply by hand (hand dispersal, spoon, cup, or shaker), or by manually operated spreaders suitable for granular products. Do not use food utensils such as tablespoons, cups, etc. for food purposes after pesticide use.

Scatter the bait on the soil or in [pots/containers]. For homes and other structures, scatter the bait as a perimeter treatment that is 1m or less out from the building's foundation to be protected. On lawns, broadcast bait over area where ants or black cutworms are seen. Apply at the higher rate if the infestation is severe. Reapply after heavy rain or watering. Reapply as the bait is consumed or every 4 weeks.

DO NOT apply to any body of water.

DO NOT contaminate irrigation or drinking water supplies or aquatic habitats by cleaning of equipment or disposal of wastes. Avoid application of this product when winds are gusty.

Outdoors: to kill ants and control black cutworms		
Crops/Sites	Max. # Applications per Year	Pre-Harvest Interval (days)
Jerusalem artichoke, potato, sweet corn, sweet potato, true yam	2	7
beans, broad beans, chickpeas, peas	2	28 (except 3 for edible-podded beans and peas)
amaranth, bell pepper, cardoon, celery, chervil leaves, collards, corn salad, dandelion, dock, eggplant, endive, fennel, groundcherry, lettuce, non-bell pepper, okra, orach, pepino, purslane, radicchio, rhubarb, spinach, Swiss chard, tomatillo, tomato	3	1
apricot, arugula, beet, bok choy, broccoli, broccoli raab, brussel sprouts, cabbage, carrot, cauliflower, celeriac, cherry (sweet, tart), Chinese broccoli, Chinese cabbage (napa), collards, cress, cucumber, daikon radish, elephant (great headed)	3	3

Outdoors: to kill ants and control black cutworms		
Crops/Sites	Max. # Applications per Year	Pre-Harvest Interval (days)
garlic, garlic, ginseng, gourds, green onion, horseradish, kale, kohlrabi, leek, mizuna, muskmelon (cantaloupe, casaba, crenshaw melon, honeydew melon), mustard greens, onion, parsnip, plum, plumcot, prune, pumpkin, radish, rutabaga, salsify, shallot, sugar beets, summer squash, turnip, watermelon, winter squash		
asparagus	3	60
lawns, ornamentals including container grown plants	4	-
Outdoors: to kill ants		
Crops/Sites	Max. # Applications per Year	Pre-Harvest Interval (days)
blackberry, blueberry, boysenberry, currant, elderberry, gooseberry, huckleberry, loganberry, nectarine, peach, raspberry, strawberry	3	1
apricot, cherry (sweet, tart), plum, plumcot, prune	3	3
apple, crabapple, mayhaw, pear, Asian pear, quince	3	7
grapes	3	7
butternut, chestnut, hazelnut (filbert), hickory nut, pecan, walnut	3	14
cranberry	3	21
around perimeter of buildings	4	-
Greenhouse: to kill ants		
Crops/Sites	Max. # Applications per Year	Pre-Harvest Interval (days)
bell pepper, cucumber, eggplant, lettuce, non-bell pepper, tomato	3	2

- The product works best when soil is moist but with little or no standing water.
- Bait may be placed directly on ant hills and trails.
- Do not place in piles.

2024-2761

2024-07-04

Last approved 2019-4943 2019-10-16

Optional Statements:

- Kills ant including fire ants, foraging ants, sweet-feeding ants, pavement ants, citronella ants, moisture ants, little black ants, argentine ants, crazy ants, acrobat ants, cornfield ants, ghost ants, odorous house ants, thief ants, field ants
- Pets may enter treated area after application
- Can be used around pets and wildlife
- Effective for up to 4 weeks
- Prevents ants from entering the home
- Easy to apply granules (pellets)
- Controls black cutworms