# [Carton – FRONT Panel]

# Vectra<sup>®</sup> 3D for Dogs and Puppies Over 7 Weeks of Age Weighing 4.6 to 9.0 kg

3 MONTHLY DOSES MEDIUM DOGS AND PUPPIES 4.6 to 9.0 kg over 7 weeks of age

Each applicator contains 1.6 mL of product

Once-A-Month Topical Parasite Treatment KILLS FLEAS, TICKS, STABLE FLIES, WALKING DANDRUFF MITES, AND DOG BITING LICE, AND REPELS MOSQUITOES.

Insecticide/Miticide/Insect Repellent

#### SOLUTION

#### DOMESTIC

#### **ACTIVE INGREDIENTS:**

Dinotefuran	4.95%
Pyriproxyfen	0.44%
Permethrin	

REG. No. 33421 P.C.P. ACT

#### WARNING: Eye irritant Skin Irritant

KEEP OUT OF REACH OF CHILDREN READ THE ENTIRE LABEL AND PACKAGE INSERT BEFORE EACH USE FOR USE ONLY ON DOGS OR PUPPIES WEIGHING BETWEEN 4.6 and 9.0 KG AND OVER 7 WEEKS OLD

DO NOT USE ON CATS [ICON OF CAT IN CIRCLE WITH SLASH THROUGH]

TOXIC TO CATS

NET CONTENTS: 1.6 mL

Ceva Animal Health Inc. 150 Research Lane, Suite 225 Guelph ON N1G 4T2

1-800-510-8864

## [Carton – BACK or SIDE Panel]

- Convenient topical treatment with patented applicator
- Quick onset of activity against adult fleas: starts working within 2 hours and kills in 6 hours
- Prevents development of flea eggs, larvae, pupae and adults
- Remains effective after swimming (once per week) or up to two shampooings or bathings

## PRECAUTIONS

## HAZARDS TO HUMANS:

KEEP OUT OF THE REACH OF CHILDREN. Causes eye irritation.DO NOT get in eyes. May irritate skin. Avoid contact with skin. Use rubber gloves when handling or applying the product. Avoid contact with pets until dry. Remove and wash contaminated clothing before reuse. After handling or applying, and before eating, drinking, chewing gum or using tobacco products, wash hands (or any other skin that came into contact with the product) with soap and water.

## HAZARDS TO PETS: DO NOT USE ON CATS OR KITTENS

Toxic to cats. Cats that actively groom or engage in close physical contact with recently treated dogs may be at risk of serious harm, including death. **For external use on dogs only**. Use only on dogs or puppies over the age of 7 weeks. Do not use this product on debilitated, aged, medicated, pregnant or nursing animals or animals known to be sensitive to pesticide products without first consulting a veterinarian. Sensitivities may occur after using any pesticide for pets. Smaller animals are more likely to experience an adverse reaction. Observe carefully.

**Side Effects:** Monitor your dog after application. Individual sensitivity, such as slight transitory redness, erythema, itching (pruritus) or other signs of discomfort at the site of application, may occur after using ANY pesticide product for dogs. If signs of individual animal sensitivity occur and persist, contact your veterinarian. Gastrointestinal signs such as vomiting or diarrhea have also been reported. If these or other side effects occur consult your veterinarian or Ceva Animal Health Inc. at 1-800-510-8864. Have the product container or label with you when calling your veterinarian for advice.

## **FIRST AID - HUMANS**

**If in eyes:** Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

**If swallowed:** Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

**If on skin or clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 minutes. Call a poison control centre or doctor for treatment advice

Take container, label or product name and Pest Control Product Registration number with you when seeking medical attention.

### FIRST AID – PETS

If signs of sensitivity occur, bathe your pet with mild soap or shampoo and rinse with large amounts of water. If signs of individual animal sensitivity occur and persist, contact your veterinarian. Have the product container or label with you when calling your veterinarian for advice.

TOXICOLOGICAL INFORMATION: Treat the patient symptomatically.

**STORAGE:** Store in a cool, dry place away from food and out of the reach of children.

**DISPOSAL:** Do not reuse empty container. Wrap and dispose of empty container with household garbage.

# Vectra<sup>®</sup> 3D For Dogs and Puppies Over 7 Weeks of Age Weighing 4.6 to 9.0 kg

## **Once-A-Month Topical Flea and Tick Treatment**

Kills Fleas and Ticks for one month Quick onset of activity against adult Fleas: starts working within 2 hours and kills in 6 hours Prevents development of Flea eggs, larvae, pupae and adults Repels Mosquitoes for one month Repels and Kills Stable Flies for one month Kills Walking Dandruff Mites (*Cheyletiella yasguri*) and Dog Biting Lice Remains effective after swimming (once per week) or up to two shampooings or bathings Convenient topical treatment with patented applicator

Using the patented applicator, Vectra<sup>®</sup> 3D For Dogs and Puppies Over 7 Weeks of Age Weighing 4.6 to 9.0 kg is specially designed to spread naturally over the dog's body killing/repelling fleas, ticks, mosquitoes and stable flies for one month.

#### Insecticide/Miticide/Insect Repellent

#### SOLUTION

#### DOMESTIC

#### **ACTIVE INGREDIENTS:**

Dinotefuran	4.95%
Pyriproxyfen	0.44%
Permethrin	

REG. No. 33421 P.C.P. ACT

#### WARNING: Eye Irritant. Skin Irritant.

KEEP OUT OF REACH OF CHILDREN READ THE ENTIRE LABEL AND PACKAGE INSERT BEFORE EACH USE FOR USE ONLY ON DOGS OR PUPPIES OVER 7 WEEKS OLD DO NOT USE ON DOGS OR PUPPIES WEIGHING LESS THAN 4.6 KG OR MORE THAN 9.0 KG

#### DO NOT USE ON CATS [ICON OF CAT IN CIRCLE WITH SLASH THROUGH]

TOXIC TO CATS

#### NET CONTENTS: 1.6 mL

## PRECAUTIONS HAZARDS TO HUMANS:

KEEP OUT OF THE REACH OF CHILDREN. Causes eye irritation.DO NOT get in eyes. May irritate skin. Avoid contact with skin. Use rubber gloves when handling or applying the product. Avoid contact with pets until dry. Remove and wash contaminated clothing before reuse. After handling or applying, and before eating, drinking, chewing gum or using tobacco products, wash hands (or any other skin that came into contact with the product) with soap and water.

## HAZARDS TO PETS: DO NOT USE ON CATS OR KITTENS

Toxic to cats. Cats that actively groom or engage in close physical contact with recently treated dogs may be at risk of serious harm, including death. **For external use on dogs only**. Use only on dogs or puppies over the age of 7 weeks. Do not use this product on debilitated, aged, medicated, pregnant or nursing animals or animals known to be sensitive to pesticide products without first consulting a veterinarian. Sensitivities may occur after using any pesticide for pets. Smaller animals are more likely to experience an adverse reaction. Observe carefully.

**Side Effects:** Monitor your dog after application. Individual sensitivity, such as slight transitory redness, erythema, itching (pruritus) or other signs of discomfort at the site of application, may occur after using ANY pesticide product for dogs. If signs of individual animal sensitivity occur and persist, contact your veterinarian. Gastrointestinal signs such as vomiting or diarrhea have also been reported. If these or other side effects occur consult your veterinarian or Ceva Animal Health Inc. at 1-800-510-8864. Have the product container or label with you when calling your veterinarian for advice.

## FIRST AID – HUMANS:

**If in eyes:** Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

**If swallowed:** Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

**If on skin or clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 minutes. Call a poison control centre or doctor for treatment advice

Take container, label or product name and Pest Control Product Registration number with you when seeking medical attention.

### FIRST AID – PETS:

If signs of sensitivity occur, bathe your pet with mild soap or shampoo and rinse with large amounts of water. If signs of individual animal sensitivity occur and persist, contact your veterinarian. Have the product container or label with you when calling your veterinarian for advice.

TOXICOLOGICAL INFORMATION: Treat the patient symptomatically.

**STORAGE:** Store in a cool, dry place away from food and out of the reach of children.

**DISPOSAL:** Do not reuse empty container. Wrap and dispose of empty container with household garbage.

## DIRECTIONS FOR USE

Do NOT administer by mouth.

## RETAIN PACKAGING INFORMATION FOR FUTURE REFERENCE

For effective flea and tick control, treatment of the pet should be combined with sanitation of any area used by the pet. Vacuum floors, carpets and furniture (discard vacuum bag after use) and wash the pet's bedding, living quarters and surrounding areas. If pest problems persist, an insecticidal premise treatment may be required.

A veterinarian should be consulted when pest infestation continues to be a problem on the pet.

This product contains dinotefuran, pyriproxyfen, and permethrin. Do not apply another pest control product such as a shampoo, collar, or powder which contains dinotefuran, pyriproxyfen, or permethrin to the treated animal when using Vectra<sup>®</sup> 3D for Dogs Weighing 4.6 to 9.0 kg.

## HOW TO APPLY:

- 1. USE ONLY ON DOGS WEIGHING 4.6 to 9.0 KG. Do not use on dogs under 7 weeks of age. Do not use on cats or other animals.
- 2. Consult a veterinarian before using on sick, aged, pregnant or nursing animals or animals receiving drug or other pesticide treatment.
- 3. Remove applicator from package.
- 4. The dog should be standing or in a comfortable position for easy application.
- 5. Use rubber gloves when handling or applying the product. Holding the (applicator) tube upright, pointing away from face, place thumb and index finger around the applicator tip under the large disk. With other hand, grasp the stem of applicator tip above smaller disk. Press down firmly on small disk until both disks meet, piercing

the seal.

6. Using the tip of the applicator, part the hair down to the level of the skin (between the shoulder blades) and slowly apply the product to one spot onto the skin, squeezing the applicator (tube) until empty. Avoid superficial application to the pet's hair.

OR:

Using the applicator tip part the hair at the base of the tail and begin applying the product onto the skin in a continuous line from the base of the tail along the center of the back all the way up to the shoulder blades, squeezing the applicator tube until it is empty. Avoid superficial application to the pet's hair.

7. Discard empty applicator (tube) as outlined in the Storage and Disposal section.

8. Do not reapply product for one month. Reapply every month for continual pest control in situations where there is an ongoing risk of pest infestation. Maximum 12 applications per year.

Ceva Animal Health Inc. 150 Research Lane, Suite 225 Guelph ON N1G 4T2 1 800 510-8864

## [Applicator Labelling]

# VECTRA<sup>®</sup> 3D For Dogs & Puppies Over 7 Weeks of Age Weighing 4.6 to 9.0 kg

DOMESTIC

## **ACTIVE INGREDIENTS:**

Dinotefuran......4.95% Pyriproxyfen .....0.44% Permethrin ......36.08%

Reg. No. 33421 P.C.P. Act

WARNING : EYE IRRITANT SKIN IRRITANT READ ENTIRE LABEL AND INSERT BEFORE USE 1.6 mL

## [PICTOGRAM OF CAT IN A RED CIRCLE WITH A DIAGONAL LINE THROUGH]

## TOXIC TO CATS

Lot #

Ceva Animal Health Inc. GUELPH – ON

#### Alternate Label Claims

- Picture of Dog
- Convenient, easy to apply
- Sold only by veterinarians
- Regular use breaks the flea life cycle
- For the treatment of flea infestation
- Kills larval stages of fleas in the dog's environment
- Stops existing flea infestations by rapidly killing flea eggs, larvae and adults
- Repels and kills stable flies for up to 4 weeks (30 days) (one month)
- Repels mosquitoes for up to 4 weeks (30 days) (one month)
- Kills ticks and adult fleas for up to 4 weeks (30 days) (one month)
- Kills dog biting lice and walking dandruff mites (Cheyletiella yasguri)
- Helps to relieve your dog's discomfort by killing/repelling fleas, ticks, walking dandruff mites, mosquitoes, stable flies and dog biting lice
- Reapply every month for continual pest control in situations where there is an ongoing risk of pest infestation
- Results indicate that Vectra<sup>®</sup> 3D repels and prevents mosquitoes and stable flies from blood feeding on dogs
- Eliminates infestations of dog biting lice and walking dandruff mites
- Continues to kill and repel ticks and adult fleas after swimming (once a week) and up to two shampooings or bathings
- Convenient topical treatment with patented applicator
- Performance guaranteed or your money back