Tex Stat III

Laundry Additive Solution

COMMERCIAL

READ THE LABEL BEFORE USING

KEEP OUT OF REACH OF CHILDREN

ACTIVE INGREDIENT: 2-n-Octyl-4-isothiazolin-3-one

5.00%

REGISTRATION NO. 33796 PEST CONTROL PRODUCTS ACT

DANGER







DANGER – CORROSIVE TO EYES

Net Contents: ___ L

Ecolab Co. 5105 Tomken Road Mississauga, ON, L4W 2X5 Canada Tel: 1-800-352-3526

FIRST AID

IF SWALLOWED: Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to mouth, if possible. Call a poison control centre or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsions may be needed.

PRECAUTIONS

KEEP OUT OF REACH OF UNAUTHORIZED PERSONNEL
DANGER
CORROSIVE TO EYES AND CAUSES SKIN IRRITATION
MAY CAUSE ALLERGIC SKIN REACTION
MAY BE HARMFUL IF INHALED
MAY BE HARMFUL IF SWALLOWED OR ABSORBED THROUGH THE SKIN

Do not get in eyes, on skin, on clothing. Wear a long-sleeved shirt, long pants, chemical resistant gloves, goggles, or face shield, and a NIOSH-approved organic vapour-removing cartridge with a pre-filter approved for pesticides OR a NIOSH-approved canister approved for pesticides during mixing, loading, application, clean up, maintenance, and repair. A respirator is not required for mixers/loaders/applicators using a closed mixing/loading system. Avoid breathing vapour or mist. Do not take internally. Wash thoroughly after handling. Open dumping is prohibited.

ENVIRONMENTAL PRECAUTIONS

TOXIC to aquatic organisms. It is not to be used in circumstances that would cause or allow it to enter lakes, streams, ponds, estuaries, oceans, or other waters in contravention of federal or provincial regulatory requirements. The requirements of applicable laws should be determined before using the product.

STORAGE

Do not contaminate water, food or feed by storage or disposal. If plastic, do not reuse empty container.

DISPOSAL

- 1. Triple-or pressure-rinse the empty container. Add the rinsings to the treatment site.
- 2. Follow provincial instruction for any required additional cleaning of the container prior to its disposal.
- 3. Make the empty container unsuitable for further use.
- 4. Dispose of the container in accordance with provincial requirements.
- 5. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

Date of Manufacture: location for date

NOTICE TO USER

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label.

DIRECTIONS FOR USE

DO NOT contaminate irrigation or drinking water supplies or aquatic habitats by cleaning of equipment or disposal of wastes.

DO NOT discharge effluents containing this product into sewer systems, lakes, streams, ponds, estuaries, oceans and other waters unless the effluent has been detoxified to suitable means.

To prevent mildew in laundered or treated fabric, use 0.10 to 0.20 mL of this product for every 1 litre of final rinse. Alternatively, use 0.5 to 1.0 mL of this product in the final rinse for every kilogram of fabric treated.

Fabric may be retreated as necessary to effect continued mildew protection. Fabric should be retreated after every laundering.