

2022-0416
2022-05-10

Doktor Doom Tick Killer Plus+ for Yards and Buildings

DOMESTIC

SOLUTION

A Ready-to-Use Permethrin Stable Emulsion Insecticide

For Control of listed pests inside buildings and listed general outdoor uses around the home.

ACTIVE INGREDIENT: Permethrin ... 0.25%

Contains 1,2-benzisothiazolin-3-one at 0.0193% as a preservative

REG. NO. 34405 P.C.P. ACT

READ THE LABEL BEFORE USING

KEEP OUT OF REACH OF CHILDREN

NET CONTENTS: 1-5L

753146 Alberta Ltd o/a Ultrasol Industries
10755 69 Avenue NW
Edmonton, Alberta T6H 2C9
1-800-452-0023

DIRECTIONS FOR USE

USE RESTRICTIONS:

- DO NOT apply indoors as a broadcast application.
- ONLY spot applications are permitted indoors in residential areas. Spot application is localized to a surface area not more than 0.2 m². Spots are not to be adjoining. The combined area of spots is not to exceed 10% of the total surface area of a room.
- DO NOT apply to furniture, mattresses, linens, toys or clothing.
- DO NOT apply to overhead areas or in confined spaces (for example, attics, crawlspaces, small storage rooms, closets).
- Ventilate treated areas after application by opening windows and doors or using fans where required to aid in the circulation of air.
- DO NOT apply when people or pets are present.
- DO NOT allow people or pets to enter treated areas until sprays have dried
- DO NOT allow spray to drip or allow drift onto non-target surfaces.
- DO NOT apply as a space spray.
- DO NOT apply to any body of water.
- DO NOT contaminate irrigation or drinking water supplies or aquatic habitats by cleaning of equipment or disposal of wastes.
- Avoid application of this product when winds are gusty.
- DO NOT contaminate food/feed.
- DO NOT apply to surfaces that may come into contact with food/feed.

SHAKE WELL BEFORE USING

APPLICATOR INSTRUCTIONS

Quick connect sprayer	
Diagram 1	Remove sprayer. Pull cord all the way out.
Diagram 2	Insert (colour) plug into spout (on cap) until it clicks.
Diagram 3	Flip up spout. Open nozzle at the end of the sprayer.
To spray, adjust nozzle to deliver a stream for cracks and crevices or a coating spray for other areas. Hold sprayer 30 cm (12 inches) from the insect bearing surface being sprayed.	
STORAGE: Rotate nozzle to closed position. Close nozzle on trigger sprayer. Store product in the original container in a safe place. Store this product away from food or feed. Keep from freezing. Do not transfer to another container.	

INSTRUCTIONS FOR INSIDE BUILDINGS:

For spot application only. Do not use as a space spray or broadcast application indoors.

SURFACE SPRAYING:

To control cockroaches, sowbugs, ants, silverfish, firebrats, spiders, crickets, rice weevils and red flour beetles, direct the spray into hiding places, cracks and crevices and behind shelves and drawers. For silverfish, spray bookcases. For ants spray trails, nests and points of entry.

TO CONTROL CARPET BEETLES, spray edges of carpeting and under carpeting and rugs for approximately 10 seconds duration. Make localized application to floor and baseboards. Spray directly into cracks, crevices and infested areas of shelving. Treatment must only be repeated after 7 days if pest problem persists or reoccurs.

TO CONTROL FLEAS (ADULT AND LARVAE) AND TICKS (ADULT AND LARVAE), thoroughly spray infested areas, pet beds, resting quarters, nearby cracks and crevices, along and behind baseboards, moldings, window and doorframes. Apply to infested floor areas as a spot spray only, not as a space or broadcast spray. Fresh bedding should be placed in animal quarters following treatment. Treatment must only be repeated after 7 days if pest problem persists or reoccurs. Allow to dry thoroughly before allowing pets to contact treatment areas.

TO CONTROL CLOTHES MOTHS, remove any infested articles from storage, brush thoroughly and air for several hours in sunlight, if possible. Apply spray liberally to empty chests, closets, bureaus and other storages directing the spray into cracks, joints and crevices. After airing, infested articles may be treated lightly, keeping nozzle at least 90 centimetres (three feet) from fabric to avoid staining. Allow articles to dry before handling and launder clothes before wearing.

GENERAL OUTDOOR APPLICATION

To help control ticks in outdoor activity areas, treat a band of vegetation and leaf litter 1.8 to 3 metres (6-10 feet) wide and adjacent to activity areas, especially where dense vegetation occurs. **DO NOT** apply to plants grown for food or feed (e.g., fruits, vegetables, herbs).

TO CONTROL GARDEN INSECTS: For use on roses, dahlias, asters and other ornamentals to kill **WHITEFLIES** and **APHIDS**. May be used on plants as a multi-purpose spray in small gardens and for spot treatments of incipient insect infestations to prevent spreading in large garden areas.

May also be used on other plants such as African violets, asters, begonias, camellias, carnations, chrysanthemums, dahlias, delphiniums, dogwoods, English ivy, euonymus, fuchsia, geraniums, Crassula, grape vines, Kentia palms, laurels, marigolds, rhododendrons, roses, rubber plants, snapdragons, stock, wandering Jews and zinnias.

Effective when used as directed against **APHIDS, PAVEMENT ANTS AND WHITEFLIES**.

PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN. Wash thoroughly after handling and before smoking or eating. Avoid contamination of food, feed, cooking utensils or drinking water. Remove pets and birds and cover fish aquarium before surface applications. After use and at least one (1) hour drying time, wash all surfaces that may contact food. Do not use on humans. Do not allow people or pets to contact treated areas until surfaces are dry.

ENVIRONMENTAL PRECAUTIONS

Toxic to aquatic organisms. Toxic to birds. Toxic to bees. Toxic to beneficial insects. Do not apply directly to lakes, rivers, streams, ponds, tidal marshes and estuaries. Do not contaminate the above-mentioned aquatic areas through spray drift, cleaning of equipment or disposal of waste.

This pesticide is highly toxic to bees exposed to direct treatment or residues remaining on the treated area. Do not apply this product or allow drift when bees are actively visiting the treatment area. Applications should be timed to provide the maximum interval between treatment and the next period of bee activity.

FIRST AID:

If swallowed: Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION:

Treat symptomatically.

DISPOSAL

Do not reuse empty container. Wrap empty container and discard in household garbage.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label.

OPTIONAL LABEL STATEMENTS

A ready-to-use permethrin stable emulsion insecticide