

2022-4130
2022-08-30

Keysal MSO

ADJUVANT

COMMERCIAL

EMULSIFIABLE CONCENTRATE

**PREVENT ACCESS BY UNAUTHORIZED PERSONNEL
READ THE LABEL BEFORE USING**

**REGISTRATION NO. 34607
PEST CONTROL PRODUCTS ACT**

**ACTIVE INGREDIENT: Methylated seed oil of soybean 70%
Warning, contains the allergen soy.**

Keystone Specialty Chemicals
120 Stryker Lane Unit 202A/B
Hillsborough, NJ 08844
908-829-2913

NET CONTENTS: 3.78 - 1000 L

DIRECTIONS FOR USE

Keysal MSO is a product which enhances the effectiveness of post applied herbicides.

HOW TO MIX: Fill the spray tank about half-full with water and add the required herbicide(s) while the agitator is running or bypass agitation is operating. Complete the filling of the tank with water and finally add Keysal MSO under constant agitation. Refer to specific tank mix herbicides labels for more details.

Add Keysal MSO to a spray mixture when the use of an adjuvant is recommended on the tank mix herbicide label.

DO NOT APPLY BY AIR.

Apply 1 % v/v or 10 L Keysal MSO per 1000 L of spray mixture as follows:

Crop	Tank Mix Herbicides	Remarks
Soybeans	Pursuit Herbicide (21537) Pursuit 240 (23844) Pursuit 70DG (24271) Pursuit Herbicide for Soybeans (Agricultural) (26287) Pursuit Herbicide (21537) + Basagran Liquid Herbicide (12221) Pursuit Herbicide for Soybeans (Agricultural) (26287) + Basagran Liquid Herbicide (12221) Pursuit Herbicide (21537) + Reflex Liquid Herbicide (24779) Pursuit Herbicide for Soybeans (Agricultural) (26287) + Reflex Liquid Herbicide (24779) Pinnacle Toss-N-Go Herbicide (22002) Pinnacle SG Herbicide (29349) Pinnacle Soybean SG Herbicide (30623) Pinnacle SG Toss-N-Go Herbicide (30741) AC 299, 263 70 WDG (25110) + Reflex Liquid Herbicide (24779)	Follow the tank mix herbicide labels for complete use instructions.
Canola	Poast Ultra Liquid Emulsifiable Herbicide (24835)	Follow the tank mix herbicide labels for complete use instructions.

Peas	Pursuit 240 (23844) Pursuit 240 (23844) + Poast Ultra Liquid Emulsifiable Herbicide (24835) Odyssey WDG Herbicide (25111) Odyssey NXT (32303) Odyssey NXT II (33678) Poast Ultra Liquid Emulsifiable Herbicide (24835)	Follow the tank mix herbicide labels for complete use instructions.
Field corn, Sweet Corn and Seed Corn	Impact Herbicide (Topramezone 336g/L) (28141) + Aatrex Liquid 480 Herbicide (18450)	Follow the tank mix herbicide labels for complete use instructions.

PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN. PREVENT ACCESS BY UNAUTHORIZED PERSONNEL. Wear long-sleeved shirt, long pants, socks and shoes, and chemical-resistant gloves during mixing, loading, application, clean-up and repair.

When applied as a tank-mix combination, read and observe all label directions, including rates, personal protective equipment, restrictions and precautions for each product used in the tank- mix. Always use in accordance with the most restrictive label restrictions and precautions.

CAUTION: Do not graze the treated crops or cut for hay; there is not sufficient data available to support such use.

FIRST AID

IF SWALLOWED: Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION

Treat symptomatically.

STORAGE

Container must be tightly closed during storage.

The minimum recommended storage temperature for this material is 4°C (40°F). If allowed to freeze, warm to 21°C (70°F) and shake well.

DISPOSAL

1. Triple- or pressure-rinse the empty container. Add the rinsings to the spray mixture in the tank.
2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
3. Make the empty container unsuitable for further use.
4. Dispose of the container in accordance with provincial requirements.
5. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean-up of spills.

NOTICE TO USER

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the PEST CONTROL PRODUCTS ACT to use this product in a way that is inconsistent with the directions on the label.

All product names are registered trademarks of their respective companies.