

2023-2329
2024-02-28

This label has been updated according to the re-evaluation decision of Pyrethrins RVD2023-06 and Piperonyl Butoxide RVD2023-07. While users are encouraged to follow this updated label immediately, the previously approved label is valid until "02/03/2025" in accordance with the phase out period set out in RVD2023-06 and RVD2023-07. This previously approved label will be provided upon request by emailing hc.pmra.info-arla.sc@canada.ca. In your email please include the product name and Registration number of the label you are requesting.

2023-2329
2024-02-28

TICK END for HORSES

DOMESTIC

SOLUTION

READY TO USE

FOR USE ONLY ON HORSES AND PONIES

To kill ticks and to repel and kill horn flies, house flies, mosquitoes, horse flies, deer flies (tabanids) and stable flies.

DO NOT use on newborn or nursing foals.

DO NOT use on sick animals or animals under drug or pesticide treatment. Before use on pregnant animals, consult a veterinarian.

Use on show, race, work or pleasure horses only.

DO NOT use on horses intended for slaughter.

ACTIVE INGREDIENT:

Pyrethrin0.33%

Piperonyl Butoxide..... 0.77%

KEEP OUT OF REACH OF CHILDREN

READ THE LABEL BEFORE USING

Store product in the original container. Keep tightly closed

REGISTRATION NO. 33674 PEST CONTROL PRODUCTS ACT

with

CITRONELLA SCENT

Net Contents: 1L, 4L

Can-Vet Animal Health Supplies Ltd.

4-61 Malcolm Rd.

Guelph, ON

N1K 1A7

1-800-265-9754

DIRECTION FOR USE:

HORSES & PONIES: Shake container well before using.

FOR USE ONLY ON HORSES AND PONIES

Use Limitations:

DO NOT use on newborn or nursing foals.

Use on show, race, work or pleasure horses only. **DO NOT** use on horses intended for slaughter.

DO NOT soak skin. **DO NOT** exceed 60mL of solution per animal per treatment.

DO NOT treat eyes/eyelids and mucous membranes (e.g., nose, mouth, genitals).

DO NOT cover horse/pony immediately after treating/after treatment.

DO NOT apply to back of horse/pony prior to saddling.

DO NOT use on sick animals or animals under drug or pesticide treatment. Before use on pregnant animals, consult a veterinarian.

Avoid contact with treated horse/pony until dried.

Discontinue use if horse/pony develops irritation after treatment with this product.

Use **ONLY** in a well-ventilated area, preferably outdoors.

DO NOT apply when people are present.

•**DO NOT** allow product to contact non-target surfaces

DO NOT apply more than once per day. Treatment must only be repeated if pest problem persists or reoccurs. A veterinarian should be consulted when pest infestation continues to be a problem on the horse/pony.

To kill ticks and to kill and repel horn flies, house flies, mosquitoes, horse flies, deer flies (tabanids) and stable flies:

This product is to be applied directly to the horse/pony as a spray or as a wipe-on. Prior to treatment, thoroughly brush horse/pony to remove excess dirt and dust and remove mucous secretions from face of the horse/pony. Extremely dirty horse/pony should be shampooed, rinsed and allowed to dry before treatment.

Spray Method: Apply a light, uniform spray to thoroughly coat the hair of the horse/pony, while brushing lightly against lay of the hair. **DO NOT** wet horse/pony skin. Target areas of the horse/pony commonly attacked by listed pests such as the legs, flanks and topline of the horse/pony. If possible, apply directly to ticks. **DO NOT** apply as a spray to the face of the horse/pony. When applying to the face of the horse/pony, use the Wipe-On Method as described below.

Wipe-On Method: Use this method to apply to the face and other sensitive areas to avoid application to eyes and mucous membranes (e.g., nose, mouth, genitals). To use as a wipe-on, moisten (not to the point of dripping) a clean, soft cloth/sponge/mitt with TICK END for HORSES. Thoroughly rub the moistened cloth/sponge/mitt over the area of hair of the {animal} to be protected. It is best to apply by rubbing against the hair growth. Pay special attention to the legs, shoulders, shanks, neck and facial areas (where flies and ticks most often are seen on the horse/pony).

2023-2329

2024-02-28

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN. Avoid inhalation of spray. Not for use on humans. Avoid contact with skin and eyes. Harmful if swallowed, inhaled or absorbed through skin. May cause skin irritation. Wash after using. If irritation appears, discontinue use.

Wash contaminated clothing before reuse. Do not contaminate feed, food or litter. Do not contaminate food-handling equipment. Do not use in areas where beekeeping equipment or supplies are stored, or where milk is stored or processed.

STORAGE: Store this product away from food or feed.

DISPOSAL: Do not reuse empty containers. Dispose in household garbage. Unused or partially used products should be disposed at provincially or municipally designated hazardous waste disposal sites.

FIRST AID: If swallowed: Call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. **If on skin or clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice. **If in eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. Take container, label or product name and Pest Control Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: This product contains petroleum distillates. Vomiting may cause aspiration pneumonia. Treat symptomatically.

NOTICE TO USER: This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use a control product in a way that is inconsistent with the directions on the label.