

2021-03-09  
2020-3680

DE-Silicone Dioxide 82%

Insecticidal Dust

COMMERCIAL

**KILLS:** Ants, Asian Lady Beetle, Bed Bugs, Black Carpet Beetles, Boxelder Bugs, Cheese Mites, Cigarette Beetles, Clover Mites, Cluster Flies, Cockroaches, Confused Flour Beetles, Crickets, Darkling Beetles, Drugstore Beetles, Earwigs, Elm Leaf Beetles, Firebrats, Fleas, Fruit Flies, Furniture Carpet Beetles, Grain Mites, Ground Beetles, Hide Beetles, House Flies, Indian Meal Moths(accessible stages only), Lesser Grain Borers, Merchant Grain Beetles, Millipedes, Mites, Phorid Flies, Pillbugs, Red Flour Beetles, Rice Weevils, Rusty Grain Beetles, Sawtoothed Grain Beetles, Silverfish, Sowbugs, Spider Beetles, Spiders, Varied Carpet Beetles, Warehouse Beetles, Webbing Clothes Moths(accessible stages only)

ACTIVE INGREDIENT: Silicone dioxide, present as diatomaceous earth 82%

READ THE LABEL BEFORE USING  
KEEP OUT OF REACH OF CHILDREN

IN CASE OF EMERGENCY ENDANGERING LIFE OR PROPERTY, INVOLVING THIS  
PRODUCT, CALL DAY OR NIGHT (1-800-667-6649)

REGISTRATION NO: 34062 PEST CONTROL PRODUCTS ACT

NET CONTENTS: 500 g – 25 kg

Lactopur Inc. (doing business as Absorbpur).  
2055 Peel St., Suite 930  
Montreal, QC H3A 1V4  
1-800-667-6649

## **PRECAUTIONS**

### **KEEP OUT OF THE REACH OF CHILDREN**

**CAUTION:** Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, and chewing gum or chewing tobacco. Use adequate ventilation and avoid breathing dust.

Wear a suitable dust mask/respirator approved by NIOSH/MSHA when handling. When using a dust blower, wear a full-face NIOSH approved respirator during mixing, loading and application. May cause irritation and soreness in throat and nose in cases of extreme exposure.

Wear appropriate protective eye-wear when handling, during application and clean-up activities.

## **DIRECTIONS FOR USE**

DE-Silicone Dioxide 82% is a ready-for-use insecticide dust, which has given effective knockdown and kill of the pests listed.

DE-Silicone Dioxide 82% is for use in and around apartments<sup>†</sup>, homes<sup>†</sup>, other residential buildings<sup>†</sup>, hospitals<sup>\*</sup>, nursing homes<sup>\*</sup>, daycare centers<sup>\*\*</sup>, schools<sup>\*\*</sup>, transportation equipment<sup>††</sup>, other commercial and industrial facilities, warehouses, restaurants, and food/feed handling establishments, and their immediate surroundings.

DE-Silicone Dioxide 82% is intended for application with hand or power duster, or by other suitable means, to cracks & crevices, voids, hiding and runway areas and those places where pests are found.

In living areas, make applications in such a manner as to avoid deposits on exposed surfaces or introducing the material into the air. Treat small area of surface to be treated for staining or other adverse reaction before making regular application.

To apply insecticide directly into cracks and crevices, use a bulbous duster or other suitable equipment. Apply lightly and uniformly to infested areas. Pay particular attention to cracks and crevices and voids where insects may be harboring, traveling, breeding or entering the structure. Examples of these areas are service ducts; false floors and ceilings; wall voids; around electrical and telephone fittings and equipment; around water and sewer pipes; under and behind cabinets, refrigerators and sinks; around window and doorframes; along baseboards; in attics, crawl spaces, landscape and mulch areas. The amount to be applied will vary with the site but should usually be in the range of 4.5 to 18 g DE-Silicone Dioxide 82%/M<sup>2</sup>. Repeat treatments as necessary to maintain adequate control.

As this product is not registered for the control of pests in aquatic systems, DO NOT use to control aquatic pests. DO NOT contaminate irrigation or drinking water supplies or aquatic habitats by cleaning of equipment or disposal of wastes.

\* Remove patients before using.

\*\* Do not apply to classrooms when in use. Do not apply to institutions (including daycare

- centers, libraries, sport facilities, etc.) in the immediate area when occupants are present.
- † In the home, exposed food, food processing and utensils in the treatment area should be covered, cleaned or removed.
  - †† Do not apply in aircraft cabins.

## **INDOOR & OUTDOOR TREATMENTS**

**CRAWLING INSECTS :** Apply to cracks and crevices and voids where listed insects may be harboring, traveling, breeding or entering the structure, around sinks and storage areas, behind baseboards, around doors and windows, behind and under refrigerators, cabinets and desks, sinks and stoves and attics and crawl spaces. In commercial areas apply to cracks and crevices and voids, office areas, stainless steel equipment, shelving, machinery, pallets and other areas where these insects are harboring, traveling or entering the structure.

**Fleas:** Apply dust to infested areas such as pet beds and resting quarters, nearby cracks and crevices under the edges of rugs, carpets and floor coverings, cracks, crevices, voids and under upholstered furniture, and other areas where these pests may be present. Treat small area first on furniture and rugs to check for staining before treating a larger area. Do not treat animals with this product.

**Bed Bugs:** Apply to cracks, crevices and voids associated with the mattresses, boxsprings, bedframe and other furniture where these insect may harbor, travel, breed or enter the room. Treat mattresses, especially tufts, folds and edges. Cover with clean bedding before using. Bed bugs may also harbor in areas of the room away from the bed or furniture. Apply to wall voids, behind wall hangings, floor molding, window casings, carpet edge, popcorn ceilings and other cracks and crevices or voids.

**Carpet Beetles (Black, Furniture and Varied), Webbing Clothes Moths (accessible stages only) and Spiders:** Apply where these insects may be harboring, traveling, breeding or entering the structure. For example: on and under edges of floor coverings, under rugs and furniture, closets, and associated wall voids. Treat small area first on furniture and rugs to check for staining before treating a larger area.

**Phorid & Fruit Flies and House Flies:** Apply where these insects harbor, travel, breed or enter the structure. For example under cabinets or shelving, behind or under equipment, drains, protected exterior areas like eaves, trash corrals and dumpsters and other areas where organic debris may accumulate.

**Asian Lady Beetles, Boxelder Bugs, Clover Mites, Cluster Flies and Elm Leaf Beetles:**

Apply where these insects may be harboring, traveling, breeding or entering the structure.

**Grain and Cheese Mites:** Apply where these mites may be harboring, traveling, breeding, **in** the structure, on pallets, shelving or racks. Treatment of the exterior of storage bags by lightly applying this product is permitted.

**FOOD AREAS OF FOOD/FEED HANDLING ESTABLISHMENTS:** Food/feed handling establishments are places other than private residences in which food/feed is held, processed, prepared or served.

In food handling areas, or areas where food or feed products are prepared or stored, apply as a Crack & Crevice or spot treatment. As a Crack & Crevice treatment, apply sparingly into cracks and crevices using equipment designed to place powder into specific locations. Limit spot treatments to walls or floors where pests are suspected of hiding. No individual spot treatments should exceed 0.1858 square meters. Remove or cover all food or feed items in the treatment area before applying product. Treat open spaces below floors, above ceilings, within walls, under stairs, underneath and behind equipment or appliances, around pipes and sinks, in utility closets and around garbage and waste cans. For best results, apply to dry areas. Repeat treatment on dry surfaces as needed to maintain control of problem pests.

### **OUTDOOR USE**

**Perimeter Treatment:** Apply as a residual treatment around and in cracks and crevices or voids associated with windows and doors, porches, screens, eaves, patios, garages, under stairways, around foundations, sewers, animal burrows, mulch areas, manure or compost piles and in crawl spaces and other areas where listed pests may be harboring, traveling, breeding or entering structure.

### **DISPOSAL**

Do not contaminate water, food or feed by storage or disposal.

**STORAGE AND SPILL PROCEDURES:** Store in original container in dry location. In case of spill, vacuum or dampen with water and sweep up.

### **CONTAINER DISPOSAL:**

**If empty:** Do not reuse this container. This is a recyclable container, to be disposed of at a container collection site. Contact your local distributor/dealer or municipality for the location of the nearest collection site. Before taking the container to the collection site: Make the empty, rinsed container unsuitable for further use.

If there is no container collection site in your area, dispose of the container in accordance with provincial requirements.

**If partly filled:** For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean up of spills.

**NEVER PLACE UNUSED PRODUCT DOWN ANY INDOOR OR OUTDOOR DRAIN!**

### **FIRST AID**

**IF SWALLOWED:** Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

**IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with

plenty of water for 15 – 20 minutes. Call a poison control centre or doctor for treatment advice.

**IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

**IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention. Call 1-800-225-3320 for further information.

**TOXICOLOGICAL INFORMATION:** Treat Symptomatically

**NOTICE TO USER:** This pest control product is to be used only in accordance with the directions on the label. It is an offence under the Pest Control Products Act to use this product in a way that is inconsistent with the directions on the label.