

2022-0975
2022-03-04

Voraxor™ Bulk Herbicide

SUSPENSION CONCENTRATE

FOR MANUFACTURING, FORMULATING AND REPACKAGING

ACTIVE INGREDIENTS: Trifludimoxazin125 g/L
Saflufenacil250 g/L

Contains 2-bromo-2-nitropropane-1,3-diol at 0.024%, 1,2-benzisothiazolin-3-one at 0.04%,
5-chloro-2-methyl-4-isothiazolin-3-one at 0.0011% and 2-methyl-4-isothiazolin-3-one
at 0.00037%, as preservatives

Warning, contains the allergen soy

REGISTRATION NO. 34215

PEST CONTROL PRODUCTS ACT

READ THE LABEL BEFORE USING

PREVENT ACCESS BY UNAUTHORIZED PERSONNEL

**IN CASE OF EMERGENCY ENDANGERING LIFE OR PROPERTY
INVOLVING THIS PRODUCT, CALL DAY OR NIGHT
1-800-454-2673**

NET CONTENTS: 10 L – 1000 L, Bulk

BASF Canada Inc.
5025 Creebank Road
Building A, 2nd Floor
Mississauga, Ontario L4W 0B6

(289) 360-1300

VORAXOR is a trade-mark of BASF SE, used with permission by BASF Canada Inc.

2022-0975
2022-03-04

DIRECTIONS FOR USE

To be used only in the manufacture of a herbicide which is registered under the *Pest Control Products Act*.

PRECAUTIONS

PREVENT ACCESS BY UNAUTHORIZED PERSONNEL.

DO NOT take internally. Harmful if swallowed.

Avoid contact with skin, eyes, or clothing.

Use with adequate ventilation.

Wash exposed areas of skin thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

FIRST AID

If swallowed: Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION

Treat symptomatically.

ENVIRONMENTAL PRECAUTIONS

TOXIC to aquatic organisms and non-target terrestrial plants.

2022-0975
2022-03-04

STORAGE

Prevent from freezing.

Store in original container in a cool, secure and well-ventilated area separately from fertilizer, feed or food.

DISPOSAL

Canadian formulators using this product should dispose of unwanted active ingredient and containers in accordance with municipal or provincial regulations. For additional details and information on clean-up of spills, contact the provincial regulatory agency or the manufacturer.

NOTICE TO USER

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label.