PIC Mosquito Repellent Coils with Citronella

**DOMESTIC** 

Kills Mosquitoes

Each Coil Burns up to 6 Hours With Citronella Fragrance

ACTIVE INGREDIENT: d-cis trans allethrin 0.20%

REG. NO. 34177 P.C.P. ACT

KEEP OUT OF REACH OF CHILDREN READ THE LABEL BEFORE USING

WARNING, CONTAINS THE ALLERGEN WHEAT

This product contains naphtha at 1.5 %, which requires further toxicological testing.

Net Contents: Package containing 1-100 coils with metal holders - Each Coil weighs approximately 11 grams.

PIC CORP. 1101-1107 WEST ELIZABETH AVENUE LINDEN NJ 07036-1458 UNITED STATES 1 908-862-7977 upright position. Loosen outer rings of coil until ends move freely. Grasp each "commashaped" portion in the center between thumb and forefinger of each hand. Separate the comma-shaped portions by gently pressing them in opposite directions 5 millimeters apart. Hold one comma-shaped end and shake lightly or gently pry apart to separate coils. Insert tip of coil stand into slot in comma-shaped end of coil. Light outer end of coil until glowing. Blow out any flame and allow to smoulder. Place coils 2-3 m (6-10 ft) apart around area to be protected. Use outdoors.

For best results, do not use in wind. Areas such as backyards, patios, decks, etc. which are protected or sheltered from wind are more easily protected by coils. In light winds, place coils upwind where possible to make use of associated drift. If shorter periods of use are desired, break coil into appropriate lengths and place in notched cut-out of holder. One coil will burn for approximately 6 hours.

**PRECAUTIONS:** KEEP OUT OF REACH OF CHILDREN. Cover exposed food. Avoid prolonged inhalation of smoke. Do not touch lit end. Do not place on flammable surfaces. After using, wash hands with soap and water.

**FIRST AID:** If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice. If inhaled, move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-tomouth, if possible. Call a poison control centre or doctor for further treatment advice.

If ingested, call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give **any** liquid to the person. Do not give anything by mouth to an unconscious person.

Take container, label or product name and PCP Registration Number with you when seeking medical attention.

**TOXICOLOGICAL INFORMATION:** Treat symptomatically. This product contains petroleum distillate.

**STORAGE AND DISPOSAL:** Store in a cool, dry place in original container. Do not reuse empty container. Wrap empty container and place in garbage.