ALGI COPPER

KILLS ALGAE in swimming pool waters in only one operation

DOMESTIC

SOLUTION

ACTIVE INGREDIENT: Copper, present as copper sulfate pentahydrate...5%

REG. NO. 34253 P.C.P. ACT.

WARNING Staining of pool surfaces may occur due to deposits of copper salts. Excessive levels of copper will increase the probability of this occurrence.



Net contents 11

READ THE LABEL BEFORE USING

KEEP OUT OF REACH OF CHILDREN

Sani Marc Inc, 42 rue de l'Artisan, Victoriaville, (Québec) G6P 7E3 1-866-470-7264

DIRECTIONS FOR USE

ALGI COPPER prevents algae growth in water. When applied to contaminated pool ALGI COPPER will kill algae gradually (over several days). Initial and subsequent applications of ALGI COPPER are dependent upon the water conditions, the amount of algae present and the pool usage.

For best results, maintain the recommended pH, Total Alkalinity, Calcium Hardness, chlorine (or other registered disinfectant) and copper levels correctly balanced. Adjust chlorine level to a maximum of 1.5 ppm. Monitor these key water parameters using an adequate test kit.

2. Initial dosage for pool water having no visible algae is 175 ml (200 g) of ALGI COPPER per 10,000 L of pool water. Do not superchlorinate after use of this product.

Weekly maintenance dosage of ALGI COPPER should maintain 0.5 to 1 ppm of copper.

DO NOT contaminate irrigation or drinking water supplies or aquatic habitats by cleaning of equipment or disposal of wastes. WARNING

Staining of pool surfaces may occur due to deposits of copper salts. Excessive levels of copper will increase the probability of this occurrence.

PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN. Harmful if swallowed. Do not mix with any other chemical. Avoid contact with skin and eyes. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. **DÍSPOSAL**

Do not reuse empty container. Wrap and dispose of empty container with household garbage. For information on the disposal of unused, unwanted product, contact the manufacturer or the Provincial Regulatory Agency. Contact the manufacturer and the Provincial Regulatory Agency in case of a spill and for clean-up of spills. FIRST AID

If swallowed call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person. If on skin or clothing take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice. If inhaled move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice. If in eyes hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention. WARNING

Wait 48 hours after application of this product before using a shock treatment. TOXICOLOGICAL INFORMATION Treat symptomatically.

ENVIRONMENTAL HAZARDS

TOXIC to aquatic organisms.