

2024-5688
2024-11-21

LANXESS Corporation

PREVENTOL® P 30 S

COMMERCIAL

SOLUTION

MATERIAL PRESERVATIVE

For use as an industrial preservative

ACTIVE INGREDIENT:

Bronopol 30%

REGISTRATION NO. 34399

PEST CONTROL PRODUCTS ACT

KEEP OUT OF REACH OF CHILDREN

READ THE LABEL BEFORE USING

DANGER



POISON

CORROSIVE TO EYES AND SKIN
POTENTIAL SKIN SENSITIZER

NET CONTENTS: 1 L - 1200 L

LANXESS Corporation
111 RIDC Park West Drive, Pittsburgh, PA 15275-1112
1-800-LANXESS

EMERGENCY TELEPHONE NUMBERS

TRANSPORTATION EMERGENCIES ONLY:

CANUTEC (Canada): 1-613-996-6666

CHEMTREC: 1-800-424-9300 (USA); 1-703-527-3887 (International)

ALL OTHER EMERGENCIES:

LANXESS: 1-800-410-3063 (USA); 1-866-673-6350 (Canada)

NOTICE TO USER

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label.

PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN. Fatal if swallowed or absorbed through skin. Corrosive to eyes and skin. **DO NOT** get in eyes, on skin, or on clothing. Harmful if inhaled. Avoid breathing spray or mist. Potential skin sensitizer. Avoid contamination of food. Wear a long-sleeved shirt, long pants, chemical-resistant gloves, socks and shoes during mixing, loading, application, clean-up and repair. In addition, wear protective eyewear (goggles or face shield) during mixing and loading. Closed mixing/loading systems are required. A closed system means removing a pesticide from its original container, rinsing, mixing, diluting, and transferring the pesticide through connecting hoses and couplings that are sufficiently tight to prevent exposure to the pesticide. Formaldehyde can be released during use of this product. It is recommended that this product not be used in circumstances that would result in formaldehyde air concentrations in the workplace exceeding the exposure levels established by occupation health and safety authorities in your jurisdiction. If values exceed this level, it is recommended to wear a respirator with a NIOSH-approved organic-vapour-removing cartridge with a prefilter approved for pesticides, or a NIOSH-approved canister approved for pesticides. Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Users should remove clothing/protective equipment immediately if pesticide comes in contact with skin through soaked clothing or spills. Then wash skin thoroughly and put on clean clothing and required protective equipment prior to resuming your previous work activity. Discard clothing or other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them.

Store away from:

- a) Oxidizing materials
- b) Heat and sources of ignition
- c) Food, feed and food containers

Avoid contact with metals.

Spillage

Absorb onto sand, earth or inert mineral. Sweep up and remove the spillage to a polythene-lined container for subsequent correct disposal. Clean the area with detergent and water.

FIRST AID

If in eyes, hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

If on skin or clothing, take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call a poison control centre or doctor for treatment advice.

If inhaled, move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

If swallowed, call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION

Treat symptomatically.

ENVIRONMENTAL PRECAUTIONS

Toxic to aquatic organisms.

DISPOSAL

1. Triple- or pressure-rinse the empty container. Add the rinsings to the treatment site.
2. Follow provincial/territorial instructions for any required additional cleaning of the container prior to its disposal.
3. Make the empty container unsuitable for further use.
4. Dispose of the container in accordance with provincial/territorial requirements.
5. For information on disposal of unused, unwanted product, contact the manufacturer or the provincial/territorial regulatory agency. Contact the manufacturer and the provincial/territorial regulatory agency in case of a spill, and for clean-up of spills.

DIRECTIONS FOR USE

This registration is granted under the *Pest Control Products Act* and does not exempt the user from any other legislative requirements. Use of this product and management of any resulting discharge or release of effluents containing this product must also be in accordance with the *Fisheries Act* and with any other applicable federal, provincial, and territorial legislation. Consult with federal, provincial, and territorial regulatory authorities, where the pesticide application is to occur on any authorizations or other requirements for use of this product and management of any resulting discharge or release of effluents containing this product.

Use 333 g to 1666 g of Preventol P 30 S per 1000 kg (100 ppm to 500 ppm active ingredient) for the preservation of polymer dispersions, pigment slurries and paper coatings. Do not exceed 333 g per 1000 kg (100 ppm active ingredient) for polymer dispersions, pigment slurries and paper coatings which will be used in paper and paperboard that may contact foodstuff.

Adhesives:

Add 333 g to 1667 g of Preventol P 30 S to each 1000 kg of product (333 - 1667 ppm)

Concrete Admixtures:

Add 250 g to 2000 g of Preventol P 30 S to each 1000 kg of product (250 - 2000 ppm)

Pesticide Products:

Add 146 g to 1173 g of Preventol P 30 S to each 1000 kg of product (44 ppm to 352 ppm active ingredient) for the preservation of pesticide products.