

PMRA Approved Label  
2021-1211  
2022-05-12

**NEU1173H 2X RTU**

SOLUTION  
DOMESTIC  
READY-TO-USE  
SELECTIVE HERBICIDE

ACTIVE INGREDIENT: Iron (present as FeHEDTA) 0.5%

Contains 5-chloro-2-methyl-4-isothiazolin-3-one at 0.000757% and  
2-methyl-4-isothiazolin-3-one at 0.0002479%, as preservatives

REG. NO.: 34479 P.C.P. ACT

READ THE LABEL BEFORE USING  
KEEP OUT OF REACH OF CHILDREN

NET CONTENTS: 100 mL to 5 L

W. Neudorff GmbH KG  
An der Muhle 3,  
31860 Emmerthal, Germany

Canadian Agent: Neudorff North America  
PO Box 178  
Brentwood Bay, BC V8M 1R3  
250-652-5888

For use on lawn turf consisting of one or more of Kentucky bluegrass, Canada bluegrass, perennial ryegrass, and fescue (tall fescue, chewing fescue, and/or creeping fescue) for control or suppression of broadleaf weeds.

#### **PESTS/SITES:**

Controls the following lawn weeds: Dandelion, English daisy, False dandelion, White clover, Black medic, Bull thistle, Canada thistle (<15 cm tall), Common chickweed, Creeping buttercup, Slender speedwell, Narrow-leaved plantain, Dove's foot geranium, Wild geranium, Lawn burweed, Hawkweed, Ragweed, Shepherd's purse, Moss, and Algae.

Suppresses the following lawn weeds: Broad-leaved plantain, Bedstraw, Cinquefoil, Curly Dock, Heal-all, Prostrate knotweed,

#### **DIRECTIONS FOR USE**

**SHAKE WELL BEFORE USING.** Do not dilute. Squeeze trigger to operate. Spray weeds using a coarse nozzle setting to reduce drift until foliage is thoroughly wetted, just to the point of runoff (100-200 ml/m<sup>2</sup>). Repeat treatment every three to four weeks if necessary, up to a maximum of 4 applications per area per year. Any standard hand-held or backpack sprayer can be used. Lawn can be reseeded one day after application.

Visible signs of control may be seen within several hours after application. Susceptible weeds, moss or algae will turn brown or black. Occasionally a darkening of the grass leaf blades can occur after treatment; however, the grass will recover within a few days to several weeks. May stain thatch (dead grass under lawn); this does not affect the health of the grass.

**Use Precautions:** Do not apply to drought stressed grass; ensure that the lawn is well watered prior to application. Do not apply when the daytime temperature will exceed 30°C. Do not apply to bentgrass. If unsure of grass sensitivity, test spray a small area of your lawn. Do not apply to newly seeded areas until four or more weeks after grass seedlings have emerged. Avoid spraying desirable plants. Any desirable plants or structures accidentally contacted should be rinsed immediately with water. To avoid staining, wait until treated area dries before re-entry. Do not apply if rainfall is expected within 3 hours of application. Do not irrigate within 3 hours of application. **DO NOT** apply to any body of water. **DO NOT** contaminate irrigation or drinking water supplies or aquatic habitats by cleaning of equipment or disposal of wastes.

#### **PRECAUTIONS:**

**CAUTION: KEEP OUT OF REACH OF CHILDREN.** Avoid contact with eyes, skin, or clothing. Avoid hand-to-mouth contact. Avoid breathing spray mist. Wash hands thoroughly with soap and water after handling. **DO NOT** enter or allow early entry into treated areas until the spray is dried.

#### **FIRST AID:**

**If swallowed:** Call a poison control centre or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give anything by mouth to an unconscious person.

**If on skin or clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 minutes. Call a poison control centre or doctor for treatment advice.

**If inhaled:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice.

**If in eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

#### **TOXICOLOGICAL INFORMATION:**

Treat symptomatically.

#### **STORAGE:**

Store this product in its original container and keep in a secure storage area out of reach of children and domestic animals. Store unused material, tightly closed, in original container only, away from open flame. Protect from freezing. Store this product away from food or feed.

#### **DISPOSAL:**

Do not reuse empty containers. Dispose in household garbage. Unused or partially used products should be disposed at provincially or municipally designated hazardous waste disposal sites.

#### **NOTICE TO USER:**

This pest control product is to be used only in accordance with the directions on the label. It is an offence under the *Pest Control Products Act* to use this product in a way that is inconsistent with the directions on the label.



#### **OPTIONAL STATEMENTS**

##### **SELECTIVE BROADLEAF HERBICIDE**

People and pets can enter treated area when spray dries.

No unpleasant odor.

Made with iron

Rainfast in 3 hours

Double the concentration\* \*compared to NEU1173H RTU

2x concentration\* \*compared to NEU1173H RTU

Twice the concentration of original formula

See result within hours

Starts working in one hour

moss and weed killer

For spot treatment in lawns

Can reseed lawn 1 day after treatment

Reseed your lawn 1 day after spraying

Spray today, reseed your lawn tomorrow

**KILLS WEEDS, NOT LAWNS**