

89.10.10

HARVEST TRENDS INC.
AQUASAN
CHLORINATING LIQUID
CONTROLS BACTERIA AND ALGAE
IN SWIMMING POOL WATERS
DOMESTIC
REGISTRATION NO. 20839
PEST CONTROL PRODUCTS ACT

GUARANTEE:

SODIUM HYPOCHLORITE.....10.8%
AVAILABLE CHLORINE CONTENT.....10.3%

WARNING CORROSIVE

NET CONTENTS; 20L

READ THE LABEL BEFORE USING

HARVEST TRENDS INC.,
42 KING STREET, WEST,
INGERSOLL, ONTARIO
N5C 2J4

(519) 485-2150

PRECAUTIONS:

Keep out of reach of children. - Do not mix with any other chemical. - Dangerous gas formed when mixed with acid. - Avoid contact with skin and eyes. - Harmful if swallowed. - Keep container closed and store in a cool location. - Rinse container thoroughly before discarding. - To dispose of chemical, flush into sewer with large quantities of water.

FIRST AID:

If splashed in eyes or on skin, flush thoroughly with water for 15 minutes. For eye contact, get medical attention. If swallowed, give one or two glasses of milk and warm water. Call a Physician IMMEDIATELY. Keep patient warm.

STORAGE:

Keep container closed and store in a cool location. Use at once - stability maximum 6 months.

Do not store in trunk of car for extended periods of time.

AQUASAN is a high strength sodium hypochlorite solution which exhibits excellent algaecidal properties. Proper use of AQUASAN in conjunction with a regular maintenance program will give a sanitary pool, free of harmful micro-organisms.

DIRECTIONS FOR USE:

1. Maintain proper daily levels as determined by testing kit.

Chlorine:.....1.0 - 3.0 ppm
PH:.....7.2 - 7.8
Total Alkalinity:.....100 - 120 ppm
Calcium Hardness:.....200 - 300 ppm

2. Superchlorinate pool water initially with 1 litre AQUASAN per 10,000 litres of pool water.
3. For best results superchlorinate at dusk.
4. Chlorinate daily to maintain proper chlorine residual with 250 millilitres of AQUASAN per 10,000 litres of pool water, or as needed.

NOTE: HOT weather, heavy pool usage, and rain may require higher dosage rates to maintain proper chlorine residuals.

5. Superchlorinate weekly with 1 litre AQUASAN per 10,000 litres when average daily temperature is 25 C - 32 C. Otherwise, superchlorinate every other week.
6. For visible algae, superchlorinate with 2 litres per 10,000 litres of pool water. Heavy algae infestation may require dosages up to 3 L per 10,000 L. Wait at least 24 hours and vacuum pool when dead algae settles.
7. For wading pools, chlorinate daily to maintain chlorine residue of 3 - 5 ppm by adding 45 mL per 1,000 L of pool water, or as needed. NOTE: For outdoor pools, chlorine

residuals can be protected from destruction by sun's rays by addition of cyanuric acid (stabilizer).

8. For Commercial Laundry dilute concentrated solution with equal parts of Water and use 500 mL. per 50 Kg. of clothes.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))