

**03-MAY-2004 Notification received of label changes. See below for these changes.**

2001/2006

VELPAR 90 TOSS-N-GO ® HERBICIDE

WEED KILLER

For Use on Non-Cropland Areas  
And on Lowbush Blueberries

Soluble Powder

COMMERCIAL

NET CONTENTS: 2.5 kg

READ THE LABEL BEFORE USING

GUARANTEE: Hexazinone 90%

Registration No.:21534 PEST CONTROL PRODUCTS ACT

~~DUPONT CANADA INC~~  
AGRICULTURAL PRODUCTS  
BOX 2300 STREETSVILLE  
MISSISSAUGA, ONTARIO, L5M 2J4  
1-800-667-3925

E.I. DU PONT CANADA COMPANY

Notification Change

**PRECAUTIONS:** KEEP OUT OF REACH OF CHILDREN  
DANGER! IRRITATES EYES  
May irritate nose, throat and skin.  
Avoid breathing dust or spray mist.  
Avoid contact with skin, eyes and clothing.  
Wear goggles during exposure.  
DO NOT SELL INDIVIDUAL SOLUABLE BAGS SEPARATELY  
DO NOT APPLY BY AIR

**FIRST AID**

**INHALATION:** If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Call a physician or poison control centre.

**SKIN CONTACT:** Flush skin with water after contact. Wash contaminated clothing before reuse.

EYE CONTACT: In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Call a physician or poison control centre.

INGESTION: If swallowed, immediately give 2 glasses of water and induce vomiting. Never give anything by mouth to an unconscious person. Call a physician or poison control centre.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

For medical emergencies or spills involving this product, call 613-348-3616 (24 hours.)

#### IMPORTANT

Injury to or loss of desirable trees or other plants may result from failure

to observe the following:

DO NOT APPLY or drain or flush equipment on or near desirable trees or other plants, or on areas where their roots may extend, or in locations where the chemical may be washed or moved into contact with their roots. DO NOT USE on lawns, walks, driveways, tennis courts, or similar areas. Prevent drift of dry powder or spray to desirable plants. DO NOT contaminate any body of water. Keep from contact with fertilizers, insecticides, fungicides and seeds.

Do not re-use container.

#### GENERAL INFORMATION

---

VELPAR 90 TOSS-N-GO Herbicide should be used only in accordance with recommendations on this label, or in separate published DuPont recommendations available through local dealers.

---

---

VELPAR 90 TOSS-N-GO Herbicide are a soluble powder contained within a water soluble film. The water soluble film dissolves readily in water. Five VELPAR® 90 TOSS-N-GO Herbicide bags are packaged within a water proof foil liner and four foil bags are packaged into one case. During the mixing procedure,

open foil pouch and add the required number of water soluble bags into the spray tank. Use gloves and goggles when handling the water soluble bags. Reseal unused TOSS-N-GO Bags into foil bag when not in use. Avoid exposure of TOSS-N-GO BAGS to excess moisture or physical damage during storage and prior to mixing in spray tank.

VELPAR® 90 TOSS-N-GO Herbicide is a water-soluble powder to be mixed in water and applied as a spray. It is non-volatile, non-flammable and non-corrosive to equipment.

VELPAR ® 90 TOSS-N-GO Herbicide is an effective general herbicide for the control of many annual and biennial weeds, woody vines, and is particularly effective for control of most perennial weeds. VELPAR ® 90 TOSS-N-GO Herbicide is readily absorbed through the foliage and usually exhibits a high degree of contact activity. The degree of control and duration of effect will vary with the amount of chemical applied, rainfall, temperature, soil texture and other conditions.

#### DIRECTIONS FOR USE

Apply VELPAR ® 90 TOSS-N-GO Herbicide as a postemergence spray during active plant growth. Do not apply when vegetation is dormant or semi-dormant as the treatment may not be effective. Before spraying, calibrate equipment to determine the quantity of water necessary to uniformly and thoroughly cover the vegetation in a measured area to be treated. Weigh the proper amount of VELPAR ® 90 Toss-N-Go Bags" and mix into the necessary volume of water.

Use of concentrations greater than shown in the WATER TEMPERATURE/SOLUBILITY TABLE\* may result in nozzle plugging and uneven application.

---

WATER TEMPERATURE/SOLUBILITY TABLE\*

---

Water( C) Maximum kg/1000 L

---

24	23
21	20
18	18
15.5	16
13	14
10	13
4.5	12

---

Use a fixed-boom power sprayer properly calibrated to a constant speed and rate of delivery. For application with a handgun sprayer, use at least 1600 L spray per ha. For treating small areas, a tank-type hand sprayer or sprinkling can may be used.

GENERAL WEED CONTROL Non-Cropland Areas

Railroad, Highway, Utility and Pipeline Right-of-Ways, Petroleum Tank Farms, Storage Areas, Industrial Plant Sites and other similar areas.

RATE OF APPLICATION

Use the higher levels of the recommended dosage range on fine-textured soils (clay, clay loam) and on soils containing more than 5% organic matter or carbon.

For more than season long control, apply 4.5 to 9.0 kg per ha as a foliar spray to control annual and perennial grasses and most broadleaved weeds such as Hemp Nettle, Toadflax, Horsetail, Bouncing Bet, Canada Thistle, Cypress Spurge, Wild Carrot, Common Ragweed, Burdock, Mullein, Wild Raspberry, Tansey Ragwort, Spreading Dogbane, Lamb's-Quarters. For control of Milkweed, Bladder Campion, Ground Ivy, Poison Ivy, Goldenrod, Bindweed, Bedstraw, Purple Vetch, Dandelion and vines such as Wild Grape and Trumpet Vine, apply at the high rate early in the season during periods of active growth.

For contact kill and short term control (up to 3 months), apply 2.75 to 4.5 kg/ha as a foliar spray. Under these rates weeds such as Bladder Champion and Field Bindweed, will be the first to re-establish.

Note: Do not use on right-of-ways or other sites where marketable timber or other desirable plants are immediately adjacent to the treated area. Do not apply to plants standing in or adjacent to water.

#### LOWBUSH BLUEBERRIES

Apply VELPAR® 90 TOSS-N-GO Herbicide at 1.60 to 2.25 kg per hectare in the spring after burning operations but before blueberries emerge. "VELPAR® 90 Toss-N-Go-Bags" controls most common grasses and many perennial broadleaved weeds, and such woody weeds as trailing blackberry, lamb-kill and hardhack. Canada blueberry & some clones of the lowbush blueberry (*Vaccinium angustifolium*) are sensitive. Temporary defoliation of the lower leaves of the lowbush blueberry will occur but plants recover.

Apply 1.6 kg/ha to light soils and 2.25 kg/ha to heavier soils. Do not apply VELPAR® 90 TOSS-N-GO Herbicide to extremely sandy or gravelly soils, or where the terrain does not permit even and accurate application. Avoid treating fields that may be subject to erosion following improved weed control, or areas of fields that are wet or poorly drained. Overlapping applications or those made after blueberries emerge may cause severe crop injury.

#### WEEDS CONTROLLED (in blueberries only)

colonial bent grass	( <i>Agrostis capillaris</i> )
poverty oat grass	( <i>Danthonia spicata</i> )
blue grass	( <i>Poa pratensis</i> )
sheep fescue	( <i>Festuca ovina</i> )
timothy	( <i>Phleum pratense</i> )
-----	( <i>Panicum boreale</i> )
yellow rattle	( <i>Rhinanthus crista-galli</i> )
goldenrod	( <i>Solidago spp</i> )
aster	( <i>Aster spp</i> )
yarrow	( <i>Achillea millefolium</i> )

cinquefoil	( <i>Potentilla spp</i> )
wild strawberry	( <i>Fragaria</i> )
hawkweed	( <i>Hieracium spp</i> )
fireweed	( <i>Epilobium angustifolium</i> )
pearly everlasting	( <i>Anaphalis margaritacea</i> )
ox-eye daisy	( <i>Chrysanthemum leucanthemum</i> )
black medic	( <i>Medicago lupulina</i> )
trailing blackberry	( <i>Rubus hispidus</i> )
hardhack	( <i>Spirea tomentosa</i> )
lamb-kill	( <i>Kalmia angustifolia</i> )
wild raspberry	( <i>Rubus idaeus</i> )
poplar	( <i>Populus spp</i> )

#### STORAGE AND DISPOSAL

##### STORAGE:

Store product in original container only, away from fertilizer, food or feed. Not for use or storage in or around the home. Keep container closed.

##### DISPOSAL:

Triple- or pressure-rinse the emptied container. Add the rinsings to the spray mixture in the tank.

Follow provincial instructions for any required additional cleaning of the container prior to its disposal.

Make the empty container unsuitable for further use.

Dispose of the container in accordance with provincial requirements.

For information on the disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer or the provincial regulatory agency in case of spills and for cleanup of spills.

#### NOTICE TO USER

This control product is to be used only in accordance with the directions of this label. It is an offense under the PEST CONTROL PRODUCTS ACT to use a control product under unsafe conditions.

#### NOTICE TO BUYER

Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

The seller warrants that the purchase by the buyer and the use of this product, as such, will not infringe any Canadian patent.

Velpar ® is a registered trademark of E. I du Pont de Nemours and Company. DuPont Canada Inc. is a licensee.

Toss-N-Go is a registered trademark of DuPont Canada Inc.

SOLUBLE PACKAGE LABELLING

VELPAR ® 90 TOSS-N-GO HERBICIDE

KEEP OUT OF REACH OF CHILDREN

DANGER: Eye Irritant

SEE DIRECTIONS FOR USE BROCHURE FOR COMPLETE PRECAUTIONARY  
STATEMENTS

GUARANTEE: HEXAZINONE 90%

DISPERSIBLE GRANULES

NET CONTENTS: 500 GRAMS

\*\*\*\*\*

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))