

19-OCT-2001

PENTAC®

AQUAFLOW® MITICIDE

MITICIDE

COMMERCIAL

For use on greenhouse ornamentals, outdoor ornamentals,
nursery stock, indoor ornamental plantings, and plantscapes.

GUARANTEE:

Dienochlor..... 38%

REGISTRATION NO.: 17800
PEST CONTROL PRODUCTS ACT

KEEP OUT OF REACH OF CHILDREN

READ THE LABEL BEFORE USING

CAUTION POISON

NET CONTENTS: 1 L

Syngenta Crop Protection Canada, Inc.
140 Research Lane
Research Park, University of Guelph
Guelph, ON
N1G 4Z3

Distributed by:
PLANT PRODUCTS CO. LTD.
314 Orenda Road
Brampton, Ontario
Canada L6T 1G1

LABEL

NOTICE TO USER:

This control product is to be used only in accordance with the directions on this label. It is an offence under the **PEST CONTROL PRODUCTS ACT** to use a control product under unsafe conditions.

NOTICE TO BUYER:

Seller's guarantee shall be limited to the terms set out on the label, and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

FIRST AID

IF POISONING IS SUSPECTED: IMMEDIATELY contact a physician or a Poison Control Centre. Take container, label or product name and Pest Control product Registration Number with you when seeking medical attention.

If in Eyes: Flush eyes thoroughly with plenty of water. Get medical attention if irritation persists.

If on Skin: Remove contaminated clothing. Wash thoroughly with soap and water.

If Swallowed, Call a physician or contact a Poison Control Centre **IMMEDIATELY**. Give the patient 1-2 glasses of water or milk. **DO NOT** induce vomiting. The patient should lie down and remain calm and quiet. **NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON**. Vomiting should only be induced under the direction of a physician or the Poison Control Centre.

If inhaled, remove individual from site of exposure. Remove patient to safe, uncontaminated area. If victim has ceased breathing, clear airway and start artificial respiration. Obtain medical attention.

PRECAUTIONS

May be fatal if swallowed
AVOID contact with skin, eyes and clothing
AVOID inhalation of spray mist
WASH thoroughly after handling
DO NOT contaminate foods or feeds
AVOID spraying near ponds
DO NOT spray in greenhouses containing aquaria

STORAGE

Store in a dry place. Keep from freezing. Do not contaminate water, food or feed by storage or disposal.

DECONTAMINATION AND DISPOSAL

For information on disposal of unused, unwanted product, contact the manufacturer or the provincial regulatory agency. Contact the manufacturer and the provincial regulatory agency in case of a spill, and for clean up of spills.

CONTAINER DISPOSAL:

FOR DISPOSAL OF PLASTIC JUGS:

Do not reuse this container for any purpose. This is a recyclable container, and is to be disposed of at a container collection site. Contact your local distributor/dealer or municipality for the location of the nearest collection site. Before taking the container to the collection site:

1. Triple- or pressure-rinse the empty container. Add the rinsings to the spray mixture in the tank.
2. Make the empty, rinsed container unsuitable for further use.

If there is no container collection site in your area, dispose of the container in accordance with provincial requirements.

**IN CASE OF EMERGENCY INVOLVING A MAJOR SPILL,
FIRE OR POISONING CALL 1-800-327-8633.**

DIRECTIONS FOR USE

SHAKE WELL BEFORE USING.

PENTAC AQUAFLOW MITICIDE is a specific miticide effective against most phytophagous species including Two-Spotted Spider, European Red and Broad Mites.

GENERAL USE INSTRUCTIONS: Add recommended amount of PENTAC AQUAFLOW MITICIDE to partially filled tank of water, then complete filling and mix well before spraying. Use dilute spray mixture within 24 hours.

RECOMMENDED APPLICATION

DO NOT APPLY TO EDIBLE CROPS

Pentac Aquaflow is recommended for use on **most** ornamental

plants including those listed below:

GROUP I: (Greenhouse & Indoor Ornamentals)

Rose, Chrysanthemum, Poinsettia, Carnation,
Snapdragon, Palm, Maranta, Aphelandra, Croton,
Dieffenbachia, Schefflera, Pothos, Aglaonema,
Succulents and Gardenia.

GROUP II: (Outdoor Ornamentals & Nursery Stock)

Arborvitae, Hemlock, Spruce, Birch, Dogwood, Azalea,
Taxus, Evergreen Trees, Garden Mums, Snapdragons,
Zinnia, Delphinium, Roses and Miniature Roses.

GREENHOUSE USE (GROUP I):

Apply PENTAC AQUAFLOW MITICIDE at 65 mL per 100 litres of water. Spray foliage to run-off. If heavy mite populations persist, repeat application at seven (7) days intervals.

OUTDOOR USE (GROUP II):

Apply at 1.2 litres per hectare in sufficient water to spray foliage to run-off. Assure complete coverage by directing spray to upper and lower leaf surfaces. Repeat at seven (7) day intervals. If heavy mite populations persist, repeat application at five (5) day intervals.

INTERIOR & PLANTSCAPE USE (GROUP I):

Apply at 0.75 mL per litre of water. Mix well before spraying. Thoroughly wet upper and lower leaf surfaces, spraying foliage to run-off. When heavy mite populations exist, a second application seven (7) days later is needed for optimum control. AVOID spraying wall coverings, plastic (vinyl) surfaces, drapes, carpets, and upholstery.

® PENTAC® AQUAFLOW is a registered trademark of a Syngenta group company.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))