

91.07.29

Insecticide Cattle

EAR TAGS

Austin

Insecticide Cattle

EAR TAGS

For use on dairy and beef animals to control horn flies and to reduce face flies.

Classification: AGRICULTURAL

REGISTRATION NUMBER 18793
PEST CONTROL PRODUCTS ACT

GUARANTEE: Tetrachlorvinphos.....13.7% W/W

READ THE LABEL AND LEAFLET INSERT BEFORE USING

15 g Per Tag 20 Tags Per Box

AUSTIN LABORATORIES (CANADA) LTD.
Joliette, Quebec
J6E 3Z1

PRECAUTIONS:

KEEP OUT OF REACH OF CHILDREN. Avoid contact with skin, eyes and mouth. Wash thoroughly with soap and water after handling and before eating or smoking. Wear gloves when applying tags.

- Store apart from food and feed in cool place.
- Toxic to fish. Do not contaminate water by disposal of used tags.
- Remove tags before slaughter.

FIRST AID:

In case of eye contact, immediately flush eyes with water. If on skin wash thoroughly with soap and water.

NOTICE TO USER:

This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a product under unsafe conditions.

DISPOSAL:

- Make the empty container unsuitable for further use.
- Dispose of used tags and container in accordance with provincial requirements.
- Do not allow children to handle.
- For information on the disposal of unused, unwanted product and the cleanup of spills, contact the Regional Offices of Conservation and Protection, Environment Canada.

((PAIL))

240 Tags per pail

15 g per Tag

Austin

Insecticide Cattle EAR TAGS

For use on dairy and beef animals to control horn flies
and face flies.

AGRICULTURAL

GUARANTEE

Tetrachlorvinphos (W/W).....13.7%

READ THE LABEL AND LEAFLET INSERT BEFORE USING

REGISTRATION NUMBER 18793

PEST CONTROL PRODUCTS ACT

AUSTIN LABORATORIES (Canada) LTD
JOLIETTE, QUEBEC,
J6E 3Z1

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN.

Avoid contact with skin, eyes and mouth. Wash thoroughly with soap and water after handling and before eating or smoking. Wear gloves when applying tags.

- Store apart from food and feed in cool place.
- Toxic to fish. Do not contaminate water by disposal of used tags.
- Remove tags before slaughter and discard as per label instructions.

DISPOSAL:

- Make the empty container unsuitable for further use.
- Dispose of used tags and container in accordance with provincial requirements.
- Do not allow children to handle.
- For information on the disposal of unused, unwanted product and the cleanup of spills, contact the Regional Offices of Conservation and Protection, Environment Canada.

FIRST AID:

In case of eye contact, immediately flush eyes with water. If on skin wash thoroughly with soap and water.

NOTICE TO USER:

This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a product under unsafe conditions.

((LEAFLET))

Austin

Net Weight - 15 g per tag

Contents - 20 tags per box

INSECTICIDE

CATTLE EAR TAG

For use on Dairy and Beef Animals to Control Horn Flies and to
Reduce Face Flies.

Classification - Agricultural

REGISTRATION NUMBER: 18793
PEST CONTROL PRODUCTS ACT

Guarantee:

Tetrachlorvinphos.....13.7% w/w

READ THE LABEL AND LEAFLET INSERT BEFORE USING

AUSTIN LABORATORIES (CANADA) LTD.
675 St-Pierre sud,
Joliette Quebec,
J6E 3Z1

PRECAUTIONARY STATEMENTS - CAUTION: Keep out of reach of children. Avoid contact with skin, eyes and mouth. Wash thoroughly with soap and water after handling and before eating or smoking. Wear gloves when applying tags.

- Store apart from food and feed in cool place.
- Toxic to fish. Do not contaminate water by disposal of used tags.
- Remove tags before slaughter and discard as per label instructions.

FIRST AID:

In case of eye contact, immediately flush eyes with water. If on skin wash thoroughly with soap and water.

DIRECTIONS FOR USE:

Apply ear tag with the Allflex Tagging System as shown when pests first appear in the Spring. For optimum control use 2 tags per animal. Replace as necessary. No waiting period between treatment and slaughter is necessary. Calves less than 6 months old should not be tagged.

Figure 1: WEAR GLOVES when applying tags. Place tag under clip by depressing lever. Raised knob must be pointing down.

Figure 2: Slide button on pin until it projects through tip. Tag and button are now ready for application.

Figure 3: Pliers and each tag must be disinfected prior to application. Careless application of tags can lead to infection and inflammation in region of the puncture. Apply tag through the ear half way between head and tip between 2nd and 3rd rib. Do not allow shaft of the male button to penetrate the rib or blood vessel.

Figure 4: When properly positioned, the tag should hang as shown.

NOTICE TO USER: This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a product under unsafe conditions.

LIMITATION OF WARRANTY: Seller's guarantee shall be limited to the terms set out on the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product in these conditions.

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))