

18-MAR-2003

SASCO PRODUCTS LIMITED

BORACOL 10-2 BD-A

ANTISAPSTAIN FORMULATION

FOR WOOD PROTECTION

Aids in control of blue stain,
mould and decay of freshly sawn lumber.
Effective on Fir, Pine, Hemlock, Spruce
and Hardwoods.

COMMERCIAL

READ THE LABEL BEFORE USING

DANGER POISON

DANGER CORROSIVE
TO EYES AND SKIN

GUARANTEE:

(Na₂, B₈, O₁₃, 4H₂O)

Disodium Octaborate, Tetrahydrate 9.8%
Didecyl Dimethyl Ammonium Chloride (DDAC) 2.0%

NET CONTENTS: _____LITRE

REGISTRATION NO.: 25769
PEST CONTROL PRODUCTS ACT

Developed by:
WOOD-SLIMP GmbH
CH-7001 Chur
Switzerland

Canadian Importer and Agent:
SASCO PRODUCTS LTD.
31 Ilsley Avenue
Dartmouth, Nova Scotia B3B 1L5

Directions For Use:**Product Limitations:**

Boracol 10-2 BD-A is not to be applied to wood which is to be used for the construction of food handling containers or food growing building or where the actives may become a component of food or feed.

Boracol 10-2 BD-A is not to be used on wood which is in direct ground contact.

Boracol 10-2 BD-A is a temporary preventive measure to be adopted for short - term prevention during transportation and mill yard storage.

Not for use in drive-through dip tanks.

Applications:

For best results, lumber should be treated immediately after it is sawn, a delay in treatment may cause stain, decay or mould growth.

Lumber and logs should be fully immersed or sprayed so as to ensure that all surfaces are treated.

Boracol 10-2-BD-A is an antisapstain chemical used for the initial treatment of wood for the control of stain, mould and decay.

Boracol 10-2 BD-A is a clear solution of 9.8% disodium octaborate tetrahydrate and 2.0% didecyl dimethyl ammonium chloride in propylene glycol and water.

The product will diffuse into wood. The rate and depth of penetration is somewhat dependent on time and the moisture content of wood. A depth of 3-5 mm penetration can be expected with greater penetration occurring with time.

Boracol 10-2 BD-A is a surface biocide to help control and prevent the development of blue stain, decay and mould on wood. The product efficacy is dependant on the active ingredient contacting the fungi or insects and must be taken up by them in their wood destroying activities.

COVERAGE, GUIDELINES

Depending on the extent of attack and time for which prevention is required, the suggested application rate is 100-200 ml/m². It is recommended that the product be used full strength and should not be diluted. The target deposition rate of DDAC on wood is 90 to 100 micrograms/cm². This should be confirmed periodically by analytical quality control methods at the mill. However, depending on the required protection the product may be diluted.

If the wood is already attacked by fungi or insects, it may absorb more per m².

CLEANING

Ordinary tap water will clean tools, etc., equipment and spillages.

PRECAUTIONS

KEEP OUT OF REACH OF CHILDREN

May be harmful if swallowed or inhaled. Corrosive to eyes and skin. Do not get in eyes or on skin or clothing. Do not inhale aerosols or vapours. Use only in a well ventilated area, wear freshly laundered clothes daily, store and wash all protective clothing separately from household laundry, wash clothes in detergent and hot water before reuse. When handling the concentrate, wear eye protection (goggles/face shield) and chemical resistant gloves, aprons and boots. Wear a cartridge respirator if the area is not well ventilated during clean-up, maintenance and repair activities. When working in dip or spray area, or handling contaminated equipment, wear chemical-resistant gloves. Wear chemical-resistant apron, boots and gloves if there is a potential for getting wet by treating solution or by handling freshly treated lumber. Wear eye protection if there is a possibility of splashing. Once dry, the treated wood can be handled with cotton or leather gloves. Store out of reach of children. Store in a dry location and out of contact with food and feed.

Wash hands thoroughly after handling and before eating or smoking. Do not contaminate groundwater or streams.

Dip tanks and dip aprons must be roofed, paved and drained to prevent dilution and loss of the treating solution.

Spray boxes must be equipped with mechanical means of

preventing the escape of droplets.

Treated timber should be protected from rain washing.

FIRST AID

If in eyes: Flush with plenty of water for at least 15 minutes, call a physician.

If on skin: Remove all contaminated clothing. Wash contaminated skin with plenty of water.

If swallowed: Call a physician or poison control centre. Drink 1 or 2 glasses of water and induce vomiting by touching the back of the throat with finger.

If inhaled: Remove victim to fresh air. If victim has ceased breathing, clear airway and start artificial respiration. Get medical attention.

Take container, label or product name and Pest Control Product Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION

Contains disodium octaborate tetrahydrate, didecyl dimethyl ammonium chloride and propylene glycol.

Store in a closed, properly labelled container in a cool place. Keep containers closed when not in use. Store above 0EC (32EF).

DISPOSAL:

1. Triple- or pressure-rinse the empty container. Add the the rinsings to the treatment site.
2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
3. Make the empty container unsuitable for further use.
4. Dispose of the container in accordance with provincial requirements.
5. For information on disposal of unused, unwanted product contact the manufacturer or the Provincial Regulatory Agency, Contact the manufacturer or the Provincial Regulatory Agency in case of a spill, and for clean-up of spills.

NOTICE TO USER:

This control product is to be used only in accordance with the directions on this label. It is an offence under the Pest Control Products Act to use a control product under unsafe conditions.

NOTICE TO BUYER:

Seller's guarantee shall be limited to the terms set out on this label and subject thereto, the buyer assumes the risk to persons or property from the use or handling of this product and accepts the products on that condition.

Note: For further information on the storage, use and handling of Boracol 10-2 BD-A contact Sasco Products Ltd. and refer to B.C. Environment and Environment Canada's publication "Antisapstain Wood Protection - Recommendations for Design and Operation".

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))