

96.11.14

BETZ
SLIMICIDE C-58P
SLIME CONTROL AGENT
INDUSTRIAL

CAUTION

POISON CORROSIVE

READ THE LABEL BEFORE USING

GUARANTEE

Trichloro-s-triazinetriene.....99.5%

REGISTRATION NO. 21197
PEST CONTROL PRODUCTS ACT

NET WEIGHT AS MARKED ON CONTAINER

Betz Inc.
3026 Solandt
Kanata, Ontario
K2K 2A5

PRECAUTIONS: HARMFUL OR FATAL IF SWALLOWED. HIGHLY CORROSIVE. DO NOT TAKE INTERNALLY. Causes eye and skin damage. Irritating to nose and throat. Avoid breathing dust. Use with adequate ventilation. Do not get into eyes, on skin or clothing. Wear rubber gloves and goggles or face shield when handling.

FIRST AID: In case of ingestion, drink one glass of milk or water. Immediately contact physician or poison control centre.

In case of contact with skin, wash immediately with soap and plenty of water.

Wash thoroughly after handling. Immediately remove contaminated clothing and wash before reuse.

ECOLOGICAL: This pesticide is toxic to fish. Do not discharge into lakes, streams, ponds or public water. Do not contaminate water by cleaning of container and equipment or disposal of

wastes. Apply this pesticide only as specified on this label.

DISPOSAL:

1. Rinse the emptied container thoroughly and add the rinsings to the treatment site.
2. Follow provincial instructions for any required additional cleaning of the container prior to its disposal.
3. Make the empty container unsuitable for further use.
4. Dispose of the container in accordance with provincial requirements.
5. For information on the disposal of unused, unwanted product and the cleanup of spills, contact the Provincial Regulatory Agency or the Manufacturer.

CAUTION - CHEMICAL HAZARD

STRONG OXIDIZING AGENT. Mix only with water. Do not mix with other chemicals. Use only clean, dry utensils. Contact with organic matter may cause violent reaction leading to generation of heat, liberation of irritating and hazardous gases and possible generation of fire and explosion. In case of contamination, do not reseal the container. Avoid any contact with burning material.

DIRECTIONS FOR USE

RECIRCULATING COOLING WATER SYSTEMS

BETZ Slimicide C-58P aids in the control of bacterial, fungal and algal slimes in evaporative condensers, heat exchange water systems, commercial and industrial cooling towers, influent system such as flow thorough infilco units, filters, lagoons, etc., industrial water scrubbing systems and brewery pasteurizers.

This product may be added to the systems either continuously or intermittently or as needed. The frequency of feeding and duration of the treatment will depend upon the severity of the problem.

BADLY FOULED SYSTEMS must be cleaned before treatment is begun.

FOR CONTROL OF BACTERIA AND FUNGI
INTERMITTENT OR SLUG METHOD

INITIAL DOSE: When the system is noticeably fouled add 0.01 to 0.1 kg to 1000 litres or 12 to 120 parts per million of water in the system. Repeat until control is achieved.

SUBSEQUENT DOSE: When microbial control is evident, add 0.1 kg

to 1000 litres or 12 to 60 parts per million of water in the systems every 3 days or as needed to maintain control.

CONTINUOUS FEED METHOD

INITIAL DOSE: When the system is noticeably fouled, add 0.01 to 0.1 kg to 1000 litres or 12 to 120 parts per million of water in the system.

SUBSEQUENT DOSE: Continuously feed to maintain dosage of 0.01 to 0.05 kg to 1000 litres or 12 to 60 parts per million of water in the system.

FOR CONTROL OF ALGAE
INTERMITTENT OR SLUG METHOD

INITIAL DOSE: When the system is noticeably fouled, add 0.01 to 0.05 kg to 1000 litres or 12 to 60 parts per million of water in the system. Repeat until control is achieved.

SUBSEQUENT DOSE: When algal control is evident add 0.01 to 0.05 kg to 1000 litres daily or 12 to 60 parts per million daily or as needed to maintain control.

CONTINUOUS FEED METHOD

INITIAL DOSE: When the system is noticeably fouled, add 0.01 to 0.1 kg to 1000 litres or 12 to 120 parts per million of water in the system. Repeat until control is achieved.

SUBSEQUENT DOSE: Continuously feed to maintain a dosage of 0.01 to 0.05 kg to 1000 litres or 12 to 60 parts per million of water in the system.

FOR INDUSTRIAL USE ONLY. Technical advice regarding specific site problems is available from BETZ.

NOTICE TO USER: This product is to be used only in accordance with the directions on this label. It is an offense under the Pest Control Products Act to use a control product under unsafe conditions.

KEEP CONTAINER TIGHTLY CLOSED - STORE IN A DRY PLACE
DO NOT STORE AT ELEVATED TEMPERATURES
TRICHLORISOCYANURIC ACID, DRY UN 2468

This label transcript service is offered by the Pest Management Regulatory Agency to provide efficient searching for label information. This service and this information do not replace the official hard-copy label. The PMRA does not provide any guarantee or assurance that the information obtained through this service is accurate, current or correct, and is therefore not liable for any loss resulting, directly or indirectly, from reliance upon this service.

+))